

Splunk.SPLK-2002.v2022-08-22.q78

□□□□:	SPLK-2002
□□□□:	Splunk Enterprise Certified Architect
□□□:	Splunk
□□ □□ □□□:	78
□□:	v2022-08-22
# □□ □:	1777
# □□ □□□:	780
https://www.krdump.com/Splunk.SPLK-2002.v2022-08-22.q78.html	

NEW QUESTION: 1

□□ □ serverclass.conf□□ □□□ □ □□ □□□□□ □□□ □□□□□? (□□□□ □□ □□□ □□□□.)

- A. DNS □□.
- B. IP □□.
- C. Splunk □□ □□.
- D. □□□(□□ □□).

Answer: A,B ([LEAVE A REPLY](#))

□□/□□: https://docs.splunk.com/Documentation/Splunk/7.3.1/Updating/Filterclients#Define_filters_through_serverclass.conf

NEW QUESTION: 2

□□□ □□□ □□ □□ □□ □□ □ □□□□ □□ □□ □□□□ □□ □□□ □□□□□?

- A. □□ □□□(.tsidx)
- B. □□□□□(.data)
- C. □□ □□
- D. □□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ □□ □□□□□□□ □□ □ □□ □□□ □□ □□□□□ □□□□ □ □□□ □ □□ □□□ □□□□□? (□□□□ □□ □□□ □□□□.)

- A. □□□□ □□□ □□□□□.
- B. □□ □□□□ Splunk Web□□ □□ □□ □□□□□ □□ □□□ □□□□□.
- C. □□ □□□□ splunk transfer shcluster-captain □□□ □□□□□.
- D. □□□ □ □□□□□ splunk transfer shcluster-captain □□□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.1/DistSearch/Transfercaptain>

NEW QUESTION: 4

□□ □□□ □□□ □□□□□□ □□ □□ □□ □□□□ □□□□ site=site0 □□□ □□□ □□
□?

- A. □□ □□□ □□□□ □□□□□□□.
- B. □□ □□□□ □□ □□□□ □□□□□.
- C. □□ □□□ □□ □□□□ □□□ □□□□□□.
- D. □□ □□ □□□ □□□ □□□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

□□

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.2/DistSearch/DeploymultisiteSHC>

NEW QUESTION: 5

□□ □ □□□ □□□ □□□□□ □□ □□ □□□ □□□□□?

- A. Splunk □□ □□□ □□□□□.
- B. □□ □□ □□□□ □□□□□.
- C. □□ □□□□ □□□□□□.
- D. □□ □□□ □□ □□□ □□□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□ □□□□□ □□ Splunk Enterprise □□□ □□□□□?

- A. Splunk Cloud Forwarder
- B. Splunk Heavy Forwarder
- C. Splunk □□□□ □□□
- D. Splunk □□□ □□

Answer: C ([LEAVE A REPLY](#))

□□/□□: <https://docs.splunk.com/Splexicon:Forwardinglicense>

NEW QUESTION: 7

□□ □ □□□ □□□ □ □□ □□□□□ □□□□ □□□ □□□□□?

- A. SPLUNK_HOME/bin/splunk □□ --exclude
- B. SPLUNK_HOME/bin/splunk diag --debug --refresh
- C. SPLUNK_HOME/bin/splunk □□ --disable=dispatch
- D. SPLUNK_HOME/bin/splunk diag --filter-searchstrings

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://splunkonbigdata.com/2018/10/01/splunk-diag/>

NEW QUESTION: 8

Which 500GB Enterprise license option is the most cost-effective? Which license option is the most cost-effective?

- A. 300GB. Which license option is the most cost-effective?
- B. 500GB. Which license option is the most cost-effective?
- C. 800GB. Which license option is the most cost-effective?
- D. Which license option is the most cost-effective?

Answer: D ([LEAVE A REPLY](#))

URL: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Admin/TypesofSplunklicenses>

NEW QUESTION: 9

Which KV store configuration file is used to configure the KV store?

- A. kvcollections.conf
- B. collections.conf
- C. collection.conf
- D. kvstore.conf

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which command is used to edit the local license file?

- A. splunk edit licenser-localslave
- B. splunk list licenser-localslave
- C. splunk edit licenser-localslave
- D. splunk list licenser-slave

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which command is used to migrate a single index to a multisite?

- A. Which command is used to migrate a single index to a multisite?
- B. Which command is used to migrate a single index to a multisite?
- C. Which command is used to migrate a single index to a multisite?
- D. Which command is used to migrate a single index to a multisite?

Answer: ([SHOW ANSWER](#))

URL: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Indexer/Migratetomultisite>

NEW QUESTION: 12

Which command is used to migrate a single index to a multisite?

How can you resolve the error "Error pulling configuration from the master node" in a Splunk cluster?

Which command can you use to resolve this error?

- A. `splunk apply shcluster-bundle`
- B. `splunk apply shcluster-bundle`
- C. `splunk clean raft`
- D. `splunk resync shcluster-replicated-config`

Answer: (SHOW ANSWER)

00

<https://community.splunk.com/t5/Deployment-Architecture/How-to-resolve-error-quot-Error-pulling-configurati>

NEW QUESTION: 13

Which command can you use to resolve the error "Error pulling configuration from the master node" in a Splunk cluster?

- A. `splunk apply shcluster-bundle`
- B. `splunk apply shcluster-bundle`
- C. `splunk clean raft`
- D. `splunk resync shcluster-replicated-config`

Answer: D (LEAVE A REPLY)

00/00:

NEW QUESTION: 14

Which command can you use to resolve the error "Error pulling configuration from the master node" in a Splunk cluster?

- A. `splunk apply shcluster-bundle`
- B. `splunk apply shcluster-bundle`
- C. `splunk clean raft`
- D. `splunk resync shcluster-replicated-config`

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 15

Which command can you use to resolve the error "Error pulling configuration from the master node" in a Splunk cluster?

- A. `splunk apply shcluster-bundle`
- B. `splunk apply shcluster-bundle`
- C. `splunk clean raft`
- D. `splunk resync shcluster-replicated-config`

Answer: (SHOW ANSWER)

NEW QUESTION: 16

□□□□ □□□□ □ □□□ □□□□ □□□□ □□ □□ □□ □□ □□ □□□□□□□□
 □?
 □□□ □□□?

Answer: C (LEAVE A REPLY)

SPLK-2002                               

Splunk Enterprise □□□ □□□ Splunk Enterprise □□□ □□□ □□□□ □□□□ □□□□□.
_□□□□□□ □□□. □□ □ □ □□□ □□□ □□□ □□□□□? (□□□□ □□ □□□ □□□
□.)

A. audit.log

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 18

Answer: C (LEAVE A REPLY)

NEW QUESTION: 19

Which of the following is a valid configuration for the `server.conf` file? (Select all that apply.)

- A. `site_mappings`
- B. `site_mappings`
- C. `site_search_factor`
- D. `site_replication_factor`

Answer: A ([LEAVE A REPLY](#))

Source: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Indexer/Decommissionasite>

NEW QUESTION: 20

Which of the following is a valid configuration for the `server.conf` file? (Select all that apply.)

- A. `site_mappings`
- B. `site_mappings`
- C. `3`
- D. `site_replication_factor`

Answer: ([SHOW ANSWER](#))

Source: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Admin/Distdeploylicenses>

NEW QUESTION: 21

Which of the following is a valid configuration for the `server.conf` file? (Select all that apply.)

- A. `site_mappings`
- B. `site_mappings`
- C. `site_search_factor`
- D. `site_replication_factor`

Answer: ([SHOW ANSWER](#))

Source: <https://docs.splunk.com/Documentation/Splunk/7.3.2/DistSearch/DeploymultisiteSHC>

NEW QUESTION: 22

Which of the following is a valid configuration for the `server.conf` file? (Select all that apply.)

- A. `site_mappings`
- B. `site_mappings`
- C. `Splunk`
- D. `site_replication_factor`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which of the following is a valid configuration for the `server.conf` file? (Select all that apply.)

- A.** □□ □□ □□□ □□□ □□ □□□ □□□□ □□□.
- B.** □□ □□ □□□ □□□□□ □□□□□□ □□□(□□□ □□ □□ □□).
- C.** □□ □□ □□□ □□□□□□ □□ □ □□ □□□ □□□□□ □□□.
- D.** □□ □□□□ □□ □□□ □□□□□ □□□ □□□(□□□ □□□□ □□).

Answer: C (LEAVE A REPLY)

11

NEW QUESTION: 24

□□□ □□□□□ □□□ □□□□ Splunk □□ □□□ □□□□□?

- A.** ☐☐☐
- B.** ☐☐☐
- C.** ☐☐☐ ☐☐
- D.** ☐☐☐☐ ☐☐☐

Answer: C (LEAVE A REPLY)

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Deploy/Indexercluster>

NEW QUESTION: 25

☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐

☐☐☐ ☐☐?

- A.** `adhoc_searchhead = true(□□ □□□□ □□)`
B. `adhoc_searchhead = true(□□ □□□□)`
C. `Captain_is_adhoc_searchhead = true(□□ □□□□ □□)`
D. `Captain is adhoc searchhead = true(□□ □□□□)`

Answer: (SHOW ANSWER)

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.1/DistSearch/Adhocclustermember>

NEW QUESTION: 26

Splunk □□□ □□□□ □□ Splunk □□□□□□ □□ □□ □□ □ parallelIngestionPipelines □□
 □ □□□ □ □□ □□ □□□□? (□□□□ □□ □□□ □□□□.)

- A.** □□□
- B.** □□□
- C.** □□ □□
- D.** □□□□ □□□

Answer: ([SHOW ANSWER](#))

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Indexer/Pipelinesets>

NEW QUESTION: 27

[illegible]

- A.** ☐☐☐☐ ☐☐ Splunk ☐☐☐☐ ☐☐☐☐ syslog ☐ ☐☐☐☐.
- B.** Splunk ☐☐☐☐ ☐☐☐☐☐ ☐☐ 514 ☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐.

C. Splunk 514MB 514MB 514MB 514MB 514MB.

D. Splunk 514MB 514MB 514MB 514MB 514MB syslog 514MB 514MB.

Answer: (SHOW ANSWER)

URL: <https://docs.splunk.com/Documentation/SplunkCloud/8.0.0/Data/Monitornetworkports>

NEW QUESTION: 28

What is the maximum number of indexes that can be created in a Splunk index?

A. 1000

B. 10000

C. 100000

D. 1000000

Answer: (SHOW ANSWER)

URL: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Indexer/Migratetomultisite>

NEW QUESTION: 29

What is the maximum number of indexes that can be created in a Splunk index? (Choose all that apply.)

A. 1000

B. 10000

C. 100000

D. 1000000

Answer: A,B,D (LEAVE A REPLY)

URL: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Indexer/Rebalancethecluster>

NEW QUESTION: 30

What is the maximum number of indexes that can be created in a Splunk index? (Choose all that apply.)

A. 1000

B. 10000

C. 100000

D. 1000000

Answer: B,D (LEAVE A REPLY)

URL: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Capacity/>

What is the maximum number of indexes that can be created in a Splunk index?

NEW QUESTION: 31

What is the maximum number of indexes that can be created in a Splunk index? (Choose all that apply.)

A. 1000

B. 10000

C. □□□□□ □□ □□ □□ □□□□ □□□□ □□□□□ □ □□ □□□.

D. □□□/□□□ □□□ □□□ □ □□□□□ □ □□ □□□.

Answer: D (LEAVE A REPLY)

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Capacity/>

Summary of performance recommendations

SPLK-2002       DumpTop     SPLK-2002 !

DumpTop   **SPLK-2002**     , DumpTop SPLK-2002    

                         DumpTop SPLK-2002  

                                                                                         

NEW QUESTION: 32

Splunk ☐☐☐☐☐ SPLUNK_HOME/etc/system/local/server.conf ☐ ☐☐ ☐☐☐.

[] [] [] [] []

$$\square\square = \square\square\square$$
$$\square\square\square\square = 2$$

pass4SymmKey = □□123

□□ □ □ Splunk □□□□□ □□□□ □□□ □□□□□? (□□□□ □□ □□□ □□□□.)

A. ☐ Splunk ☐☐☐☐☐ ☐☐ ☐☐☐☐☐.

B. 2 .

C. □□ □□□ □□□□□□□.

D. master uri .

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 33

[illegible]

A. Captain is `adhoc searchhead = true(□□ □□□□)`

B. `adhoc searchhead = true(□□ □□□□)`

C. `adhoc searchhead = true(□□ □□□□ □□)`

D. Captain is `adhoc searchhead = true(□□ □□□□ □□)`

Answer: (SHOW ANSWER)

NEW QUESTION: 34

Splunk □□ □□□ □□ □□ □□□ □□□□□?

A. 10MB

B. 20MB

C. 25MB

D. 30MB

Answer: C ([LEAVE A REPLY](#))

□□/□□: <https://answers.splunk.com/answers/959/how-can-i-control-the-size-and-number-of-splunks-internal-logs.html>

NEW QUESTION: 35

□□ □□ □ SHC(□□ □□ □□□□) □□□ □□□□ □□ □□□□□? (□□□□ □□ □□□ □□□□.)

A. □□ SHC□ □□ □□ □□□□□□□.

B. □□ □□ □□(□□)□ □□□□□.

C. □□□ □□□ KV □□□ □□□ □□□□□□.

D. SHC□ □□ □□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□/□□:

https://docs.splunk.com/Documentation/Splunk/7.3.2/DistSearch/SHCarchitecture#role_of_the_captain

NEW QUESTION: 36

□□ index-time props.conf □□□ □□□ □□□ □□□ □□□? (□□□□ □□ □□□ □□□□.)

A. LINE_BREAKER

B. SHOULD_LINEMERGE

C. ANNOTATE_PUNCT

D. □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 37

Splunk □□□ □□□□□ □□□ □ □□ □ □□ □□□ □□□□ □□□□□?

□□ □□ = 2

A. search_factor = 2

□□ □□ = 2

B. □□ □□ = 3

□□ □□ = 3

C. search_factor = 2

□□ □□ = 3

D. □□ □□ = 3

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Indexer/Thesearchfactor>

NEW QUESTION: 38

□□□ Splunk □□□ syslog□ □□□□ □□ 514□ □□□□ □□□□ □□□□ □□□□ □□□□.

□ □□□□ Splunk□ □□□□ □□ □□□ □□□□□?

A. Splunk □□□□ □□□□ □□ 514□□ □□□ □□□□ □□□□ □□□□□.

B. Splunk 514MB 514MB 514MB 514MB 514MB.

C. Splunk 514MB 514MB syslog 514MB 514MB.

D. Splunk 514MB 514MB 514MB 514MB 514MB syslog 514MB 514MB.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which of the following is a valid Splunk search command? (Select all that apply.)

A. `search index=main`

B. `search index=main | stats`

C. `search index=main | stats count`

D. `search index=main | stats count by _type`

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which of the following is a valid Splunk search command? (Select all that apply.)

A. `site_search_factor = 2, 2:1, 4`

B. `site_search_factor = 2, 1:2, 4`

C. `site_replication_factor = 2, 1:2, 4`

D. `site_replication_factor = 2, 2:1, 4`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which of the following is a valid Splunk search command? (Select all that apply.)

A. `IOPS 800`

B. `12MB`

C. `Splunk Enterprise 6.6`

D. `CPU 1000`

Answer: D ([LEAVE A REPLY](#))

Q/Q: <https://answers.splunk.com/answers/617608/can-we-increase-parallel-ingestion-pipelines-in-a-he.html>

NEW QUESTION: 42

Splunk Buttercup Games Splunk 514MB 514MB 514MB 514MB 514MB.

Which of the following is a valid Splunk search command? (Select all that apply.)

A. `search index=main`

B. `search index=main | stats`

C. `search index=main | stats count`

A. splunk add cluster-config

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- B.** ☐ Splunk ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- C.** ☐ ☐ ☐ ☐ ☐ master_uri ☐ ☐ ☐ ☐.
- D.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ 2☐ ☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

□□ □□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□?

- A.** ☐☐☐ ☐☐☐.
- B.** ☐☐☐☐ ☐☐☐☐.
- C.** ☐☐ ☐☐.
- D.** ☐☐ ☐☐ ☐☐.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 60

□□ □□ □□□□□□ □□□ □□ □□□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□ □
□ □□□ □□□□□?

- A.** `adhoc_searchhead = true(□□ □□□□ □□)`
B. `adhoc_searchhead = true(□□ □□□□)`
C. `Captain_is_adhoc_searchhead = true(□□ □□□□ □□)`
D. `Captain_is_adhoc_searchhead = true(□□ □□□□)`

Answer: D (LEAVE A REPLY)

□□/□□:

□□: <https://docs.splunk.com/Documentation/Splunk/7.3.1/DistSearch/Adhocclustermember>

NEW QUESTION: 61

□□□□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A.** Splunk ☐☐
- B.** Splunk ☐☐
- C.** Splunk ☐☐☐
- D.** Splunk dbinspect

Answer: C (LEAVE A REPLY)

□□/□□: <https://answers.splunk.com/answers/337025/after-frozen-data-restore-thawed-data-not-working.html>

SPLK-2002 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SPLK-2002 □□!
DumpTop □ □□ **SPLK-2002** □□ □□□ □□□□□□, DumpTop SPLK-2002 □□ □□□ □□
□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SPLK-2002 □□

□ □ □ □ □ □. <https://www.dumptop.com/Splunk/SPLK-2002-dump.html> (207 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 62

□□ □□ □□□□□□□ □□ □ □□ □□□□ □□ □□□ □□□□ □ □□□ □ □□ □□□
 □□? (□□□□ □□ □□□ □□□□.)

- A.** □□□□ □□□ □□□□□.
- B.** □□ □□□□ Splunk Web□□ □□ □□ □□□□□ □□ □□□ □□□□□.
- C.** □□ □□□□ splunk transfer shcluster-captain □□□ □□□□□.
- D.** □□□ □□□□ splunk transfer shcluster-captain □□□ □□□□□.
□□□ □□□.

Answer: B,D (LEAVE A REPLY)

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.1/DistSearch/Transfercaptain>

NEW QUESTION: 63

Splunk ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐☐?

- A.** 12□□ CPU □□, 12GB RAM, 800IOPS
- B.** 16 CPU □□, 16GB RAM, 800 IOPS
- C.** 24 CPU □□, 16GB RAM, 1200 IOPS
- D.** 28 CPU □□, 32GB RAM, 1200 IOPS

Answer: ([SHOW ANSWER](#))

□□/□□: [https://docs.splunk.com/Documentation/Splunk/7.3.2/Capacity/Referencehardware#Reference host specification](https://docs.splunk.com/Documentation/Splunk/7.3.2/Capacity/Referencehardware#Reference%20host%20specification)

NEW QUESTION: 64

□□ □□ □□□□ □□□ □□ □□ □□ □□□

- A.** □□ □□ □□□ □□□ □□ □□□ □□□□ □□□.
- B.** □□ □□□□ □□ □□□ □□□□□ □□□ □□□(□□□ □□□□ □□).
- C.** □□ □□ □□□ □□□□□ □□□□□□ □□□(□□□ □□ □□ □□).
- D.** □□ □□ □□□ □□□□□□ □□ □ □□ □□□ □□□□□ □□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 65

SHC(□□ □□ □□□□)□□ □□□□ □□□□□ □□□□ □ □□□ □□ □□□ □□□□□?

- A.** 1. instance.2□ □□□□ □□□□□□. Splunk Enterprise□ □□ □□ □□□□□.3. SHC□ □□ □□□.
- B.** 1. Splunk Enterprise□ □□ □□ □□□□□.2. instance.3□ □□□□ □□□□□□. SHC□ □□ □□□.
- C.** 1. □□□□ □□□ □□□ □□□□□□.2. cluster.3□□ □□□ □□□ □□□□□□. □□□ □□ □□□□.

D. 1. □□□ □□□□□□. 2. cluster.3□□ □□□ □□□ □□□□□. □□□□ □□□ □□□ □□
□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 66

□□ □□□ □□ □□□□□□ □□□□□ □□□□□ □□□□□□. □□ □□□ □□□□□ □□
□□□ □□□ □□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A.** splunk edit ☐☐☐☐ ☐☐
- B.** splunk edit ☐☐☐☐ ☐☐
- C.** splunk☐ ☐☐☐☐ ☐☐☐☐☐☐.
- D.** splunk☐ ☐☐☐☐ ☐☐☐☐☐☐.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 67

[illegible]

- A.** □□ □ .tsidx □□.
- B.** □□ □□□ □ □□□ □□.
- C.** □□ □ .tsidx □□.
- D.** □□ □ □□ □□□ □□.

Answer: B (LEAVE A REPLY)

□□/□□: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Indexer/Aboutindexesandindexers>

NEW QUESTION: 68

□□ □ Splunk□□ □□□ □ □□ □□ □□□□□?

- A.** □□ □□, Splunk □□□ □ □□, □□ □□ □□□□, □□□□ □□□
- B.** □□ □□, □□ □□ □□ □□, □□ Splunk □□ □□, □□□ □□
- C.** KV □□□ □□, □□ Splunk □□ □□, □□ □□ □□ □□, □□□□ □□□
- D.** Splunk □□□ □□ □□ □□, Splunk □□□ □ □□ □□, □□□□ □□ □□, □□□ □□

Answer: B (LEAVE A REPLY)

□□/□□: <https://splunkonbigdata.com/2018/10/01/splunk-diag/>

NEW QUESTION: 69

□□ □□ □□□□□□ □□□□ □□□□ □ □ □□ □□□ □□ □□□□ □□□?

- A.** □□ □□
- B.** □□□□ □□□□ □□
- C.** □□□ □□ □□□□
- D.** □□□ □□ □□

Answer: C (LEAVE A REPLY)

□□/□□:

NEW QUESTION: 70

Which of the following is a Splunk search command?

- A. `search` command
- B. `eval` command
- C. `stats` command
- D. `table` command

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

Which of the following is a Splunk search command?

- A. `search` command
- B. `eval` command
- C. `stats` command
- D. `table` command

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which of the following is a Splunk search command?

- A. `SPLUNK_HOME/var/lib/searchpeers`
- B. `SPLUNK_HOME/var/log/searchpeers`
- C. `SPLUNK_HOME/var/run/searchpeers`
- D. `SPLUNK_HOME/var/spool/searchpeers`

Answer: C ([LEAVE A REPLY](#))

URL: <https://docs.splunk.com/Documentation/Splunk/7.3.2/DistSearch/Whatsearchheadssend>

NEW QUESTION: 73

Which of the following is a Splunk search command?

- A. `search` command
- B. `eval` command
- C. `stats` command
- D. `table` command

Answer: ([SHOW ANSWER](#))

URL: <https://docs.splunk.com/Documentation/ITSI/4.3.1/Install/Plan>

NEW QUESTION: 74

Which of the following is a Splunk search command?

- A. `_`
- B. `_`
- C. `_`
- D. `_`

Answer: C (LEAVE A REPLY)

□□/□□: <https://answers.splunk.com/answers/579494/how-to-display-license-consumed-by-an-index-over-2.html>

NEW QUESTION: 75

Splunk □□□□□ SPLUNK_HOME/etc/system/local/server.conf □ □ □ □ □ □ □ □ □ □.

[□□□□□]

□□ = □□□

□□ □□ = 2

pass4SymmKey = □□123

□□ □ □ Splunk □□□□□ □□□□ □□□ □□□□□? (□□□□ □□ □□□ □□□□.)

A. □ □□□□□ master_uriattribute □ □□□□.

B. □ Splunk □□□□□ □□ □□□□ □□□.

C. □□ □□□ □□□□□□□□.

D. □ □□□□□ □□ □□□ 2□□□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 76

□□□ □□□□□ □□□ □□□□ Splunk □□ □□□ □□□□□?

A. □□□ □□

B. □□□

C. □□□□ □□

D. □□□

Answer: A (LEAVE A REPLY)

SPLK-2002 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SPLK-2002 □□!
DumpTop □ □□ **SPLK-2002** □□ □□□ □□□□□□, DumpTop SPLK-2002 □□ □□□ □□
□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SPLK-2002 □□
□ □□□□□. <https://www.dumptop.com/Splunk/SPLK-2002-dump.html> (207 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 77

Splunk □□□□ □□□□□? (□□□□ □□ □□□ □□□□.)

A. □□□ □□ □□□ □□ □□ □□□□□ □□□□□□□.

B. splunkd □□□□□□ □□□□□□ □□ OS □□□□□□□□.

C. □□ □□ □□□□ □□□□ □□□□□□.

D. □□□ □□ Splunk □□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 78

Which Splunk Enterprise Security configuration parameter defines the number of days of historical data to be indexed for each event?
A. `historical_data_days`

A. `historical_data_days` N-1 days of historical data.

B. `historical_data_days` 30 days of historical data.

C. `historical_data_days` 90 days of historical data.

D. `historical_data_days` N-1 days of historical data.

Answer: D ([LEAVE A REPLY](#))

Source: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Indexer/Systemrequirements>

SPLK-2002 questions and answers are available at DumpTop. Visit <https://www.dumptop.com/Splunk/SPLK-2002-dump.html> to get the latest SPLK-2002 questions and answers. DumpTop SPLK-2002 questions and answers are available at <https://www.dumptop.com/Splunk/SPLK-2002-dump.html>. Visit <https://www.dumptop.com/Splunk/SPLK-2002-dump.html> to get the latest SPLK-2002 questions and answers. <https://www.dumptop.com/Splunk/SPLK-2002-dump.html> (207 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)