

VMware.2V0-41.20.v2022-06-08.q57

□□□□:	2V0-41.20
□□□□:	Professional VMware NSX-T Data Center
□□□:	VMware
□□ □□ □□□:	57
□□:	v2022-06-08
# □□ □:	1400
# □□ □□□:	570
https://www.krdump.com/VMware.2V0-41.20.v2022-06-08.q57.html	

NEW QUESTION: 1

□□□□ □□ □□□□ TEP(Tunnel Endpoint) IP□ □□□□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. □□□
- B. ifconfig
- C. tcpdump
- D. ipconfig

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

NSX □□□□ □□□□ □□□ NSX Edge□ □□□□□□.

NSX Manager□ NSX Edge□ □□□□ □□□ □□□□□?

Join management-cluster <nsx-cluster-IP> □□□ □□ □□□ □□ <admin-

A. □□ <nsx-manager-thumbprint>

□□ □□□ □□ <nsx-manager-ip> □□□ □□ □□ □□ <root-password>

B. □□> □□ <nsx-manager-thumbprint>

C. □□ <nsx-manager-thumbprint>

Join management-plane <nsx-nanager-ip> □□□ □□ □□□ □□ <admin-

D. □□> □□ <nsx-manager-thumbprint>

□□□□ □□ <nsx-cluster-IP> □□□ □□ □□ □□ <root-password>

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ □□□ □ □□ □□□ □□□□□? (3□□ □□□□□.)

A. □□ N-VDS□ □□

B. □□□□□ □□□ □□ □□□□ □□□□□.

C. □□ N-VDS□ □□

D. □□ □□□ □□□ □□ □□□ □□□□□.

E. ☐☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

□□□□ □ □□ N-VDS □□□ □□□□□? (2□□ □□□□□.)

- A.** DPDK □□□ □□
B. □□□□ □□□ □□
C. □□ □□□ □□
D. □□□ □□□ □□
E. □□ □□□ □□

Answer: D,E (LEAVE A REPLY)

22

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-37BC3CEF-DCC1-4C6F-960D>

NEW QUESTION: 5

IPsec VPN □□□ □□□□□ □□ 3□□□ □□□□□? (3□□ □□□□□.)

- A.** IPsec □□□□ □□□□□.
- B.** □□ □□□ □□□ □□□□□.
- C.** □□ □□□□□□ □□□□□.
- D.** IPsec □□□ □□□□□.
- E.** □□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

[illegible]

- A. ☐☐☐
- B. ☐☐
- C. ☐☐☐
- D. ☐☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 7

VRF Lite □ □□□ □ □ □□□□ □□□□? (3□□ □□□□.)

- A.** DHCP
B. □□ □□□
C. □□ □□
D. VPN
E. NAT

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 8

VRF Lite □□□□□□□ □□□ □ □□ □ □□ BGP □□ □□□□□ □□□□□? (2□□ □□□□□.)

- A. □□□□ □□□
- B. BGP □□
- C. □□ □□
- D. □□ AS
- E. □□ □□

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 9

NSX UI□ □□□□ □ □□ □□ NSX □□□□ NSX Manager□□ □□□□ □□ □□ □□□ □□□□ CLI □□□□ □□□□□?

- A. □□ □□ □□ vcpnv.tgz □□□□
- B. □□ □□ □□ vcpnv.tgz □□
- C. VM □□
- D. esxcli □□□ syslog □□ □□ □□ --id=nsxmanager

Answer: A ([LEAVE A REPLY](#))

□□:

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264605c-a5e1-49a8-b603-cc78621eeeab/cli>

NEW QUESTION: 10

NSX CU □□□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. □□□ □□□ □□□□ □□ <old-password> <new-password>
- B. □□□ □□□ □□□□ □□ <old-password> <new-password>
- C. □□□ □□□ □□ □□ <password> old-password <old-password> □□□ □□□ □□□□□ □□□ □□□□
- . set user admin password my-new-pwd old-password my-old-pwd
- D. □□□ □□□ □□□□ □□ <password> old-password <old-password>

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□□□□ □□□□□(vmk50)□ □□□□ □□□ □□□□ □□ □□□ □□□□□?

- A. □□ □□□□ □□□□ □□ □□ □ □□□□
- B. ESXi/KVM □□ □□□□ □□□□ □□□□
- C. □□□ □□□□□□ □□□□ □□ □□
- D. □□□ □□□□□□□□ □□□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□□ NSX-T Data Center□ VMware Kubernetes □□□ □□□□ □□□□.

UPLINK □□□□ □□ MTU □□□ □□□□□?

- A.** 1650
B. 1500
C. 1600
D. 1550

Answer: C (LEAVE A REPLY)

NEW QUESTION: 13

[illegible]

- A.** 5671
B. 1234
C. 5678
D. 1235
E. 5685

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 14

NSX Manager ☐ ☐ syslog ☐ ☐ ☐ ☐ CLI ☐ ☐ ☐ ☐ ☐ ☐ ?

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- B.** `/var/log/syslog/syslog.log`
- C.** ☐ ☐ ☐ ☐ syslog ☐ ☐ ☐ ☐
- D.** ☐ ☐ ☐ ☐ auth.log ☐ ☐ ☐ ☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 15

VLAN 100 1000 10000 VM100 NSX Edge 10000 1000 1 1000 1000 Tier-0 100000000 1000 1
1000 1000?

- A.** □□□ □□□ □□
- B.** VLAN □□□

"□□□ □□□□□□ □□ VLAN □□ □□□□□ □□ □□□□ □□□□□ □□ □□ □□ □□□□□. □□ □□
 □ □□□ □□□ □□□□□□□ □□□□ □□□ □□□□ □□ □□ □□□□ □□□□□□ □□ □□□□ □□□
 □□□ □□□ □ □□ □□ □□□□□. □□□ □□□□□□ □□□□ Tier-0 □□□ □□□□ Tier-1 □□□ □□
 □□ □□□□□. □□□, NAT □ VPN□ □ □□□□□□□□ □□□□□□. □□□ □□□□□□□ □□□□□□□□."

- C.** ☐☐☐☐ ☐☐☐☐☐☐
- D.** ☐☐☐ ☐☐☐☐☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 16

NSX □□□□ KVM □□□□□□ □□□□ □□ □□□ □□□□ □□ □□ □□□ NIC □ □□ □□□□ □□□□ □□□□.

□□□□ NIC □ □□ □□□ □□ □□ □□□ □□□ □ □□ □□□□ □□□□□?

- A. □□□ □□□ □□□
- B. □□□ □□□
- C. N-VDS/VDS □□□
- D. □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

2V0-41.20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 2V0-41.20 □□! DumpTop □ □□
2V0-41.20 □□ □□□ □□□□□□, DumpTop 2V0-41.20 □□ □□□ □□□□□□□□ □□□ □□□□□□□
 □. □□□□ □□□ □□□□ □□ DumpTop 2V0-41.20 □□□ □□□□□.

<https://www.dumptop.com/VMware/2V0-41.20-dump.html> (95 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

ESXi □□ □□□□ GENEVE □□ □□□ □□□□ □ □□□□ NSX CLI □□□ □□□□□?

- A. □□ □□ □□ □□ □□□□
- B. □□□ □□□ <□□□ □□□ □□> □□ □□□□
- C. □□ □□ □□ □□ □□□□
- D. □□□ □□□ <□□□ □□□ □□> □□ □□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

NSX □□□□ 600□□ □□ □□ □□ nsxcli □□□ □□ □□□□ □□ □□□□□□.

NSX Manager□□ nsxcli □□ □□ □□ □□□□□□ CLI □□□ □□□□□?

- A. cli-timeout□ 0□□ □□
- B. cli-timeout □□□ □□
- C. cli-timeout □□□□ □□
- D. cli-timeout 1 □□

Answer: A ([LEAVE A REPLY](#))

□□:

" [%20%3C□□ □□%3E](https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264605c-a5e1-49a8-b603-cc78621#clipouttime)
<https://www.virten.net/2020/06/quick-tip-remove-nsx-t-ssh-and-http-session-timeout/>

NEW QUESTION: 19

NSX □□□□ ESXi □□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□□. NSX UI□ □□ □□□
 □□ NIC□ □□□□ □□□ □□□ □□ □□□ □□□□□?

- A. IPFIX
- B. □□ □□□□
- C. □□□ □□□

D. 100 1000

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

NSX 10000 ESXi 100 10000 10000 100 10000 100 1000 10000 10000.
NSX UI 100 1000 100 NIC 10000 1000 1000 100 1000 100000?

A. 100 10000

B. 100 1000

C. IPFIX

D. 1000 1000

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Tier-1 1000000 Tier-0 1000000 1000 RouterLink 1000 1000 1000000?

A. Tier-1 100 1000 1000000.

B. 10000 1000000 10000 Tier-1 100 Tier-0 1000000 1000 1000000.

C. 10000 1000 100000 100000 Tier-1 100 Tier-0 10000000 100000 100 1000000.

D. NSX UI 1000 Tier-1 100 Tier-0 100000 100000 1000000.

Answer: D ([LEAVE A REPLY](#))

100

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-3F163DEE-1EE6-4D80-BE>

NEW QUESTION: 22

10000 10000 VIP 1000 10000 NSX 100 1000000 1000 100 100 IP 1000000?

A. 5

B. 6

C. 3

D. 4

Answer: ([SHOW ANSWER](#))

100

NEW QUESTION: 23

ESXi 100 10000 GENEVE 100 1000 10000 100 10000 NSX CLI 1000 1000000?

A. 1000 1000 <1000 1000 100> 100 10000

B. 100 100 100 100 10000

C. 1000 1000 <1000 1000 100> 100 100 10000

D. 100 100 100 100 10000

Answer: ([SHOW ANSWER](#))

100

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/82646>

NEW QUESTION: 24

NSX Manager ☐ ☐ syslog ☐ ☐ ☐ ☐ CLI ☐ ☐ ☐ ☐ ☐ ☐ ?

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- B.** ☐ ☐ ☐ ☐ auth.log ☐ ☐ ☐ ☐
- C.** ☐ ☐ ☐ ☐ syslog ☐ ☐ ☐ ☐
- D.** /var/log/syslog/syslog.log

Answer: ([SHOW ANSWER](#))

□ □ :

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-406AF9C3-E8F7-447A-8E3D-92AFB9D5E973.html>

NEW QUESTION: 25

VRF Lite □ □□□ □ □ □□□□ □□□□? (3□□ □□□□.)

- A.** VPN
B. □□□□
C. NAT
D. □□ □□□
E. DHCP

Answer: B,C,E (LEAVE A REPLY)

11

VRF Lite□ □□ □□□□ □□□□ □□□□.

-VPN

- □ □ □ □ □

NSX-T ICM 3.0 ☐☐ ☐☐☐☐☐ ☐☐☐☐☐.

NEW QUESTION: 26

NSX-T 3.0 Data Center ☐ Edge ☐☐☐☐ ☐☐☐ ☐ ☐☐ ☐☐☐☐? (2 ☐☐ ☐☐☐☐)

- A.** 8 GB of RAM.
- B.** 8 GB of RAM.
- C.** 10 GB of RAM.
- D.** 8 GB of RAM (VM 8 GB).
- E.** 8 GB of RAM (VM 8 GB).

Answer: ([SHOW ANSWER](#))

11

NEW QUESTION: 27

NSX 0000 00-00 0000 0000 Tier-1 000000 0000 0000. 00 000 000 00
00 00 000 00 0000 0000 0000 00 0 00 0000 0000 000000 0 000.

[illegible]

- A. ☐☐ ☐☐☐☐☐
- B. ☐☐ ☐☐☐

C. 1000

D. 100

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

NSX 6000 100 100 100 nsxcli 100 100 10000 100 10000000.

NSX Manager 100 nsxcli 100 100 10000000 CLI 1000 1000000?

A. cli-timeout 1 100

B. cli-timeout 10000 100

C. cli-timeout 1000 100

D. cli-timeout 0 100 100

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

NSX-T Data Center 10000 1000000 ESXi 1000000 100 1000000 10000 1000?

A. 100 100 1000

B. 1000 1000

C. 1000 100

D. 1000 1000

Answer: A ([LEAVE A REPLY](#))

100/100:

NEW QUESTION: 30

VRF Lite 100000000 1000 1000 1000 BGP 100 1000000 1000000? (200 1000000.)

A. 10000 1000

B. 100 100

C. BGP 100

D. 100 100

E. 100 AS

100 1000000 100 Tier-0 100000000 10000 VRF 10000 1000 1000000.

* 100 AS

* 10000 1000

* 1000 1000 1000

* 1000 1000 100 1000

* 100 100 100

Inter-SR iBGP 100 VRF 100000000 10000 10000.

VRF 100000000 BGP 100000000 1000000 1000000.

100 100 100 BGP 100 1000 VRF 100 1000000.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 31

Which two are N-VDS supported protocols? (Choose two.)

- A. iSCSI
- B. NFS
- C. FC
- D. DPDK
- E. RDMA

Answer: (SHOW ANSWER)

2V0-41.20 Which two protocols are supported by DumpTop? (Choose two.)
2V0-41.20 Which two protocols are supported by DumpTop? (Choose two.)
A. iSCSI
B. NFS
C. FC
D. DPDK
E. RDMA

<https://www.dumptop.com/VMware/2V0-41.20-dump.html> (95 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

Which two log files contain NSX KVM logs? (Choose two.)

- A. /var/log/nsx-audit.log
- B. /var/log/cfgAgent.log
- C. /var/log/vmware/nsx-syslog
- D. /var/log/cloudnet/nsx-ccp.log

Answer: C (LEAVE A REPLY)

NEW QUESTION: 33

Which two are supported by VMware? (Choose two.)

- A. iSCSI
- B. NFS
- C. FC
- D. DPDK

Answer: C (LEAVE A REPLY)

NEW QUESTION: 34

Which two are supported by NSX? (Choose two.)

- A. NSX API
- B. NSX
- C. NSX
- D. NSX

Answer: D (LEAVE A REPLY)

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-D57429A1-A0A9-42BE-A299-0C3C3546ABF3.html>

```

□□□□ BGP□ □□□□□ BGP □□ □□□ Tier-0 □□□□□□ □□□ □□□□□ □□□□. NSX-T Data
Center □□□□ get logical-routers □□□ □□□□ □□ □□□ □□□□□□.

```

BGP Neighbor □□□ □□□□□ □□ □ □□ □□□ □□□□ □□□? (2□□ □□□□□.)

A. vrf 3

B. vrf 1

C. vrf 4

D. sa-nsxedge-01(tier1_sr)> bgp □□ □□

E. sa-nsxedge-01(tier0_dr)> bgp □□ □□

F. sa-nsxedge-01(tier0_sr)> bgp □□ □□

Answer: A,F (LEAVE A REPLY)

VDS□□ NSX-T□ □□□□ □□ □□ □□□ □□□□□? (2□□ □□□□□.)

- A.** vSphere Distributed Switch 7.0
B. MTU 1600
C. MTU 1400
D. MTU 1500
E. vSphere Distributed Switch 6.5

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 37

[illegible]

- A. VMware HCX**
B. VMware Tanzu ☐☐☐ ☐☐
C. NSX ☐☐☐☐☐
D. NSX ☐☐ ☐☐ ☐☐☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 38

NSX 0000 ping 0 0000 ESXi1 00 0000 VM1 0 ESXi2 00 0000 VM2 00 000 0000 000
0. 0 0000 00000. 0000 000 00000 00 00 00 000 1600 000 00 00 0000.
0000 00 00 0000 00 VMware 00 0000 00000 0 00000 0000 000000?

- A.** vmkping ++netstack=vxlan-d -s 1572 <□□ IP □□>
B. vmkping ++netstack=geneve -d -s 1572 <□□ IP □□>
C. esxcli network diag ping -H <□□ IP □□>
D. esxcli network diag ping -l vmk0 -H <□□ IP □□>

Answer: A (LEAVE A REPLY)

NEW QUESTION: 39

Tier-1 □□□□□□ Tier-0 □□□□□□ □□□ RouterLink □□□ □□□ □□□□□□?

- A.** NSX UI □□ Tier-1 □ Tier-0 □ □□□ □□□□ □□□□□.
- B.** Tier-1 □□ □ □□ □□□□□.
- C.** □□□ □□□□ □□□□ □□□□ Tier-1 □ Tier-0 □□□□□□ □□□□ □□ □□□□□.
- D.** □□□□ □□□□□ □□□□ Tier-1 □ Tier-0 □□□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

□□□□ □ □□ N-VDS □□□ □□□□□? (2□□ □□□□□.)

- A.** DPDK □□□ □□
B. □□□□ □□□ □□
C. □□ □□□ □□
D. □□□ □□□ □□
E. □□ □□□ □□

Answer: D,E (LEAVE A REPLY)

□ □ :

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-37BC3CEF-DCC1-4C6F-960D-CFBB31908D1C.html>

NEW QUESTION: 41

D. ESXi □ Hyper-V

E. □□□□ □□

F. ESXi □ KVM

Answer: B,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 45

Tier-0 □□□□□□ □□ SR□ DR □□ □□ □ □□ □□□ □□□□□□?

A. SR □□□ □ □□□□ □□□□□.

B. □□ □□□ □□□□□□ □□□□ □□□□ □□□□ □□□□□.

□□: <https://blogs.vmware.com/networkvirtualization/2018/01/nsx-t-routing-part-2.html/>

C. DR □□ □ □□□□ □□□□□.

D. □□□□□ □□□□□□ □□□□ □□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

□□□ □□□ □□□ □□ □□□ □□□ □□□ □□□□□?

A. □□□□□□ □□ □□

B. NSX □□

C. NSX API

D. NSX □□□

Answer: D ([LEAVE A REPLY](#))

2V0-41.20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 2V0-41.20 □□! DumpTop □ □□
2V0-41.20 □□ □□□ □□□□□□, DumpTop 2V0-41.20 □□ □□□ □□□□□□□□ □□□ □□□□□□□
□. □□□□ □□□ □□□□ □□ DumpTop 2V0-41.20 □□□ □□□□□.

<https://www.dumptop.com/VMware/2V0-41.20-dump.html> (95 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 47

NSX-T Data Center□ □□□□□ □□□ □□ □□□□ □□ □ □□□ □□□□□? (2□□ □□□□□.)

A. Tier-0 □□□□□□ Rendezvous Point□ □ □ □□□□.

B. IGMP □□□□ □□□□□ □□□ □□□□ □□□ □ □□□□□.

C. □□□□□□ ESXi □ KVM □□ □□□□ □□□□□.

D. □□□□□ □□□□ PIM Sparse-Mode□ □□□□□.

E. Edge□ Rendezvous Point□ □ □ □□□□.

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 48

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184-E00A62C0C818.html>

- A. 8GB of RAM is required.
- B. 16GB of RAM is required.
- C. 10GB of RAM is required.
- D. 8GB of RAM (VM 8GB) is required.
- E. 16GB of RAM (VM 8GB) is required.

Answer: (SHOW ANSWER)

□□:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-14183A62-8E8D-43CC-92E0-E8D72E198D5A.html>

NEW QUESTION: 57

□□ □□□ □□□ □□□ □ □□□ □ □□ □□□□□? (2□□ □□□□□.)

- A. □□□□
- B. Tier-1 □□□□□
- C. DFW
- D. □□
- E. □□□□ □□

Answer: C,D (LEAVE A REPLY)

2V0-41.20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 2V0-41.20 □□! DumpTop □ □□
2V0-41.20 □□ □□□ □□□□□□, DumpTop 2V0-41.20 □□ □□□ □□□□□□□□ □□□ □□□□□□
 □. □□□□ □□□ □□□□ □□ DumpTop 2V0-41.20 □□□ □□□□□.

<https://www.dumptop.com/VMware/2V0-41.20-dump.html> (95 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)