

VMware.2V0-41.20.v2023-06-01.q73

□□□□:	2V0-41.20
□□□□:	Professional VMware NSX-T Data Center
□□□:	VMware
□□ □□ □□□:	73
□□:	v2023-06-01
# □□ □:	845
# □□ □□□:	730
https://www.krdump.com/VMware.2V0-41.20.v2023-06-01.q73.html	

NEW QUESTION: 1

□□ □□□□ TEP(Tunnel Endpoint) IP□ □□□□ □□□ □□□□ □ □□□□ □□□ □□□□ □?

□□ □□?

- A. ifconfig
- B. □□□
- C. tcpdump
- D. ipconfig

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□□□□ □□ □□□□ TEP(Tunnel Endpoint) IP□ □□□□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. ifconfig
- B. tcpdump
- C. □□□
- D. ipconfig

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

NSX UI□ □□□□ □ □□ □□ □□ □□ □□□□ □□ NSX □□□□ NSX Manager□□ □□□□ CLI □□□ □□□□□?

- A. esxcli □□□ syslog □□ □□ □□ --id=nsxmanager
- B. □□ □□ □□ vcpnv.tgz □□□□
- C. □□ □□ □□ vcpnv.tgz □□
- D. VM □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which command is used to view the ARP table for a specific VNI? (Choose two.)

- A. show arp-table <vni>
- B. show arp <vni>
- C. show arp-table <vni>
- D. show arp <vni>
- E. show arp

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 5

Which format is supported by NSX Edge VMs?

- A. ISO
- B. OVF
- C. VMDK
- D. QCOW2

Answer: C (LEAVE A REPLY)

NEW QUESTION: 6

Which service is supported by VRF Lite? (Choose three.)

- A. DHCP
- B. NAT
- C. VPN
- D. BGP
- E. OSPF

Answer: (SHOW ANSWER)

NEW QUESTION: 7

Which command is used to view the Tier-1 configuration in NSX UI?

- A. show tier-1
- B. show tier-1 <vni>
- C. show tier-1 <vni> <vni>
- D. show tier-1 <vni> <vni> <vni>

Answer: D (LEAVE A REPLY)

Link:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-3F163DEE-1EE6-4D80-BEBF-8D109FDB577C.html>

NEW QUESTION: 8

NEW QUESTION: 16

NSX-T 3.0 Data Center Edge 1000 1000 1000 1 1000 100000? (1 1000 1000 1000.)

- A. 10 1000 10 1000 10 1 10000.
- B. 8 1000 10 1000 10 1 10000.
- C. 10 1000 10 1000 (VM 10 10 1000) 1 1000 1 10000.
- D. 1 1000 1000 10 1000 (VM 10 10000) 1 10000 1000.
- E. 10-10 1000 1000 1000 1000.

Answer: A,C ([LEAVE A REPLY](#))

2V0-41.20 100 1000 100000 100 DumpTop 100 10000 1000 2V0-41.20 100!
 DumpTop 1 100 **2V0-41.20** 100 1000 1000000, DumpTop 2V0-41.20 100 1000 1000
 100000 1000 100000000. 10000 1000 10000 100 DumpTop 2V0-41.20 1000
 100000. <https://www.dumptop.com/VMware/2V0-41.20-dump.html> (95 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 17

VRF Lite 10000000 1000 1 100 1 100 BGP 100 100000 100000? (1 1000 100 1000.)

- A. 10 AS
- 10 100000 100 Tier-0 10000000 10000 VRF 10000 1000 1 10000.
- * 10 AS
- * 1000 1000
- * 1000 1000 1000
- * 1000 1000 100 1000
- * 100 100 100

Inter-SR iBGP 10000000 10000 10000.
 BGP 10000000 1000 100 100000 1 10000.
 100 100 1 BGP 100 1000 VRF 100 1000000.

- B. 10000 1000
- C. 100 100
- D. BGP 100
- E. 100 100

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

Tier-0 100000000 BGP 100000 1 10000 1 1000 1000 1000000?

- A. ESX CLI
- B. NSX CLI

- B. □□□ □□□
- C. N-VDS/VDS □□□
- D. □□□ □□□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

NSX-T Data Center □ □□□□□ □□□ □□ □□□ □□ □ □□□ □□□□□? (□ □□□ □□□ □□.)

- A. □□□□□ □□□□ PIM Sparse-Mode □ □□□□□.
- B. IGMP □□□□ □□□□□ □□ □□□□ □□□ □ □□□□□.
- C. Tier-0 □□□□□□ □□□ □□□□ □ □ □□□□.
- D. □□□□□□ ESXi □ KVM □□ □□□□ □□□□□.
- E. Edge □ Rendezvous Point □ □ □ □□□□.

Answer: ([SHOW ANSWER](#))

□□

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

NEW QUESTION: 24

NSX □□□□ ESXi □□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□□. NSX UI □□ □□ NIC □ □□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□□□□?

- A. IPFIX
- B. □□ □□□□
- C. □□ □□□
- D. □□□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

NSX-T Data Center 3.0 □ □□ □ □□ □□□□ □□□□ □□ □□ □□□□ □□□□ □ □□ □□ □□□□□? (□ □□□ □□□□□.)


- A. 5685
- B. 1235
- C. 5671
- D. 5678
- E. 1234

Answer: ([SHOW ANSWER](#))

NSX Manager □□□□ □□ 1234 □ □□ NSX-RPC/TCP □ □□ APH □□□ □□□□ □□ □□□ □□□□□. CCP □□ 1235 □ □□ NSX-RPC/TCP □ □□ APH □□□ □□□□ □□ □□□ □ □□□□. NSX-T ICM □□ □□□ 3.0 □□ □□□

NEW QUESTION: 26

□□□□ □□□□□□.



VMware NSX-T Data Center Tier-0 Tier-1 NAT configuration?

- A. DNAT
- B. SNAT
- C. NAT
- D. 1:1 NAT

Answer: B (LEAVE A REPLY)

NEW QUESTION: 27

ECMP Tier-0 configuration? ()

- A.
- B.
- C.
- D.
- E. /

Answer: D,E (LEAVE A REPLY)

ICM:

ECMP(Equal-Cost Multipath) configuration.

* ECMP configuration.

- * ECMP □□□□ □□□ □□ □□□□ □□□□□.
- * ECMP □□□□ □□□ □□□ □□ □□□□□ □□□□□.
- * □□ 8□□ ECMP □□□ □□□□□.
- * □□□ 2□□ IP □□ □ □□ □□□ □□□□ □□□.
- * ECMP □□□□ Tier-0 □□□□□□□□ □□□ □ □□□□.

NEW QUESTION: 28

□□□□ □□ □□□□ TEP(Tunnel Endpoint) IP□ □□□□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. ifconfig
- B. tcpdump
- C. □□□
- D. ipconfig

Answer: A (LEAVE A REPLY)

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184-E00A62C0C818.html>

NEW QUESTION: 29

VRF Lite □□□□□□□ □□□ □ □□ □ □□ BGP □□ □□□□□ □□□□□? (□ □□□ □□ □□□.)

- A. □□ □□
- B. □□ □□
- C. □□□□ □□□
- D. BGP □□
- E. □□ AS

Answer: A,D (LEAVE A REPLY)

□□ □□□□□ □□ Tier-0 □□□□□□□ □□□□ VRF □□□□ □□□ □ □□□□.

- * □□ AS
- * □□□ □□□
- * □□□ □□□ □□□
- * □□□ □□□ □□ □□□
- * □□ □□ □□

Inter-SR iBGP□ VRF □□□□□□□ □□□□ □□□□.

BGP□ VRF □□□□□□□ □□□ □□ □□□□□ □ □□□□.

□□ □□ □ BGP □□ □□□ VRF□ □□ □□□□□.

NEW QUESTION: 30

VDS□□ NSX-T□ □□□□ □□ □□ □□ □□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A. MTU 1500
- B. MTU 1400
- C. vSphere Distributed Switch 6.5

NSX Manager can capture traffic on ESXi hosts using the pktcap-uw service. Which command is used to start the service on ESXi?

NEW QUESTION: 34

NSX Manager can capture traffic on ESXi hosts using the pktcap-uw service. Which command is used to start the service on ESXi?

Which command is used to start the service on ESXi?

- A. esxcli network diag ping -H <IP address>
- B. vmkping ++netstack=geneve -d -s 1572 <IP address>
- C. vmkping ++netstack=vxlan-d -s 1572 <IP address>
- D. esxcli network diag ping -l vmk0 -H <IP address>

Answer: (SHOW ANSWER)

00

<https://kb.vmware.com/s/article/1003728>

NEW QUESTION: 35

NSX-T Data Center can be used to monitor the health of the NSX-T Data Center components. Which tool is used for this purpose?

- A. vRealize Log Insight
- B. vRealize Log Insight
- C. vRealize Log Insight
- D. vRealize Log Insight
- E. vRealize Log Insight

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 36

ESXi hosts can be configured to capture traffic on the ESXi hosts using the pktcap-uw service. Which command is used to start the service on ESXi?

- A. host-switch <Host-Switch-Name> --start
- B. host-switch <Host-Switch-Name> --start
- C. host-switch <Host-Switch-Name> --start
- D. host-switch <Host-Switch-Name> --start

Answer: (SHOW ANSWER)

NEW QUESTION: 37

NSX Manager can capture traffic on ESXi hosts using the pktcap-uw service. Which command is used to start the service on ESXi?

- A. DPDK --start
- B. DPDK --start
- C. DPDK --start
- D. DPDK --start
- E. DPDK --start

Answer: D,E (LEAVE A REPLY)

□□:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-37BC3CEF-DCC1-4C6F-960D-CFBB31908D1C.html>

NEW QUESTION: 38

ESXi □□□□□ nsxcli□ □□□ □ □□ □□□ □□□□ □□□ □□□□□?

A. □□□ □□□ <Local-Switch-UUID> □□ □□□□

B. □□ □□□ □□□□ <□□ □□□ UUID>

C. □□□ □□□ □□□□

D. □□□ □□□ □□ □□□□

Answer: B (LEAVE A REPLY)

□□:

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264605c-a5e1-49a8-b603-cc78621eeeab/cli.html#get%20logical-switch%20%3Clogical-switch-id%3E%202>

NEW QUESTION: 39

NSX □□□□ Tier-1 □□□□□□□ □□ □□□ □□ □□□ □□□□□□.

□□ □□□ □□ IP□ Tier-0 □□□□□□ □□□ □□ Tier-1 □□□□□□□ □□□□ □□ □□ □□ □□□ □□□□□? (□ □□□ □□□□□.)

A. □□ NAT □□ □□

B. □□

C. □□ LB SNAT IP □□ □□

D. □□ □□ □□

E. □□ LB VIP □□ □□

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 40

NSX □□□□ KVM □□ □□□ □□ syslog□ □□□□□ □□□. □□ □□□ □□ □□□ □□ □□□ □□□ □□□ □□□ □□□□□?

A. /var/log/cloudnet/nsx-ccp.log

B. /var/log/vmware/nsx-syslog

C. /var/log/cfgAgent.log

D. /var/log/nsx-audit.log

Answer: (SHOW ANSWER)

NEW QUESTION: 41

Tier-1 □□□□□□ Tier-0 □□□□□□ □□ RouterLink □□□ □□□ □□□□□□?

A. Tier-1 □□ □ □□□□ □□□□□□.

B. □□□□ □□□□□□ □□□ Tier-1 □ Tier-0 □□□□□□ □□□ □□□□□□.

- C. □□□ □□□□ □□□□ □□□□ □□□ Tier-1 □ Tier-0 □□□□□□ □□□□□□.
- D. NSX UI□□ Tier-1□ Tier-0□ □□□ □ □□□□ □□□□□□.

Answer: D (LEAVE A REPLY)

□□

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-3F163DEE-1EE6-4D80-BE>

NEW QUESTION: 42

NSX-T 3.0 Data Center□ Edge □□□□ □□□□ □□□□ □ □□□ □□□□□? (□ □□□ □□□□ □□.)

- A. □□ 8□□ □□ □□□ □□ □ □□□□□.
- B. □□-□□ □□ □□□□ □□□□ □□□□.
- C. □□ 10□□ □□ □□□□ □□ □ □□□□□.
- D. □□ □□□ □□ □□(VM □□ □□ □□)□ □□□ □ □□□□□.
- E. □ □□ □□□ □□ □□(VM □□ □□□□)□ □□□□□ □□□□.


Answer: C,D (LEAVE A REPLY)

□□

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-14183A62-8E8D-43CC-92E0->

NEW QUESTION: 43

□□□□ □□□□□□□.



VM NSX-T Data Center Tier-0 Tier-1 NAT ?

- A. NAT
- B. DNAT
- C. 1:1 NAT
- D. SNAT

Answer: D (LEAVE A REPLY)

NEW QUESTION: 44

ESXi 6.5 配置 GENEVE 数据包 在 VMkernel 网络 IP 地址 配置 NSX 网络 配置 数据包 在 网络 数据包? (在 网络 数据包.)

- A. esxcfg-vmknic -1
- B. esxcli network nic add
- C. esxcli network IP address ipv4 add
- D. esxcfg-nics -1
- E. net-dvs

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 45

East-West 流量 在 网络 数据包 在 网络 数据包 在 网络 数据包 SVM(Service Virtual Machine) 网络 数据包 数据包?

- A. SVM 网络 数据包 在 网络 数据包 VM 网络 数据包 vNIC 网络 数据包.
- B. 网络 数据包 数据包 数据包 数据包 SVM 网络 数据包.
- C. 网络 数据包 数据包 数据包 SVM 网络 数据包 数据包.
- D. 网络 数据包 数据包 SVM 网络 数据包.

Answer: B (LEAVE A REPLY)

"网络 数据包 数据包 SVM 网络 数据包 SVM 网络 数据包 数据包 数据包 数据包. 网络 数据包 数据包 数据包 数据包 数据包 数据包 SVM 网络 数据包 数据包 数据包. 网络 数据包 SVM 网络 数据包 数据包 数据包 , 数据包 数据包 数据包 数据包 数据包 数据包 数据包 数据包."

NEW QUESTION: 46

Traceflow 网络 数据包 数据包 数据包 数据包?

- A. 网络 数据包 ICMP 数据包 数据包 数据包 数据包 数据包.
- B. 网络 数据包 数据包 数据包 数据包 数据包 数据包 数据包 数据包.
- C. 网络 数据包 数据包 数据包 数据包 数据包 数据包 TEP(Tunnel End Point) 数据包 数据包 数据包.
- D. 网络 数据包 数据包 数据包 数据包 数据包 数据包 数据包 数据包 数据包 数据包 数据包 数据包.

Answer: B (LEAVE A REPLY)

2V0-41.20 网络 数据包 数据包 数据包 数据包 DumpTop 网络 数据包 数据包 2V0-41.20 网络 数据包!
DumpTop 网络 数据包 **2V0-41.20** 网络 数据包 数据包 数据包, DumpTop 2V0-41.20 网络 数据包 数据包 数据包 数据包 数据包 数据包. 数据包 数据包 数据包 数据包 DumpTop 2V0-41.20 网络 数据包

□□□□□. <https://www.dumptop.com/VMware/2V0-41.20-dump.html> (95 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 47

NSX □□□□ □□ □□□□ □□ □□ □□□ □□□□ □ □□□ □ □□ □ □□ □□□□□ □□
□□□? (3□□ □□□□□.)

- A. SSL
- B. HTTPS
- C. TLS
- D. UDP
- E. SSH
- F. TCP

Answer: C,D,F (LEAVE A REPLY)

□□:
<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/certification/vmware-2vo-41.20-exam-prep-guide.pdf>

NEW QUESTION: 48

NSX □□□□ □□□□ □□□ NSX Edge□ □□□□□□.
NSX Manager□ NSX Edge□ □□□□ □□□ □□□□□?
□□ □□ □□□□ <nsx-cluster-IP> □□□ □□ admin □□ <admin-

- A. □□> □□ <nsx-manager-thumbprint>
□□ □□□□ <nsx-cluster-IP> □□□ □□ root □□ <root-password>
- B. □□ <nsx-manager-thumbprint>
□□ policy-manager <nsx-manager-ip> □□□ □□ root □□ <root-password>
- C. □□> □□ <nsx-manager-thumbprint>
- D. □□ <nsx-manager-thumbprint>
□□ □□ □□ <nsx-nanager-ip> □□□ □□ □□□ □□ <admin-

Answer: (SHOW ANSWER)

NEW QUESTION: 49

KVM □□□□ NSX Manager □□ □□□□ □□□□ □ □□□□ CLI □□□ □□□□□?

- A. virsh □□ <NSX-Manager-ID>
- B. virsh poweron <nsx-manager-ID>
- C. virsh □□ <NSX-Manager-□□>
- D. virsh poweron <nsx-manager-name>

Answer: (SHOW ANSWER)

□□/□□:

NEW QUESTION: 50

Hyperbus (vmk50) ?

- A. ESXi/KVM
- B. ESXi/KVM
- C. ESXi/KVM
- D. ESXi/KVM

Answer: B (LEAVE A REPLY)

NEW QUESTION: 51

NSX API ?

- A. NSX API
- B. NSX
- C. NSX
- D. NSX

Answer: D (LEAVE A REPLY)

NSX

https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.logging.doc/GUID-6

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-D57429A1-A0A9-42BE-A

NEW QUESTION: 52

VLAN NSX Edge Tier-0 ?

- A. VLAN
- B. VLAN
- C. VLAN
- D. VLAN

Answer: B (LEAVE A REPLY)

NEW QUESTION: 53

NSX syslog ESXi ?

- A. Syslog ESXi
- B. Syslog ESXi
- C. Syslog NSX Manager
- D. Syslog NSX Manager

Answer: (SHOW ANSWER)

NEW QUESTION: 54

NSX ?

□□□□□. <https://www.dumptop.com/VMware/2V0-41.20-dump.html> (95 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 62

NSX □□□□ KVM □□□□□□□ □□ □□□ □□□□□□. N-VDS□ □□□□ KVM□ □□ □□ □□□□□?

- A. □□□□
- B. □□v□□□
- C. □□□ □□□
- D. nsx-vswitch

Answer: (SHOW ANSWER)

NEW QUESTION: 63

□□□□ □ □□ N-VDS □□□ □□□□□? (□ □□□ □□□□□.)

- A. DPDK □□□ □□
- B. □□□□ □□□ □□
- C. □□ □□□ □□
- D. □□□ □□□ □□
- E. □□ □□□ □□

Answer: D,E (LEAVE A REPLY)

□□

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-37BC3CEF-DCC1-4C6F-960D>

NEW QUESTION: 64

East-West □□□□ □□□ □□□ □ □□ □□ □□ □□□ □□□□ SVM(Service Virtual Machine) □□ □□□ □□□□□?

- A. SVM □□□ □□ □ □□□ VM□ □□ vNIC□ □□□□□.
- B. □□ □□□□□ □□□ SVM□ □□□□□.

"□□□ □□□□ □□□ SVM□ □□ SVM□ □□ □□□□ □□□ □□□ □□□□. □□ □□□ □□□ □□□ □□□□□ □□□□ □□ □ □□□□ □□□ SVM□ □□□□ □□ □□□□□. □□□ SVM□ □□□ □□□□□ □□□ □□ , □□□□□ □□ □□□ □□□□□ □□□ □□□□ □□□□□ □□□□□."

- C. □ □□□ □□□□ □□□ □□□ SVM□ □□□□□.
- D. □□□ □□□□□□ □□□ SVM□ □□ □□□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 65

NSX □□□□ □□□□ □□□ NSX Edge□ □□□□□□. NSX Manager□ NSX Edge□ □□□□ □□□ □□□□□?

- A. `ssh -i <nsx-manager-ip> root <admin-password> <nsx-manager-thumbprint>`
- B. `ssh <nsx-cluster-IP> root <root-password> <nsx-manager-thumbprint>`
- C. `ssh <nsx-cluster-IP> root admin <admin-password> <nsx-manager-thumbprint>`
- D. `ssh <nsx-manager-ip> root <root-password> <nsx-manager-thumbprint>`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

NSX-T Data Center 3.0 is installed on a host. Which command is used to verify the NSX Manager IP address?

A. 1234

NSX Manager IP address is 1234.5678 NSX-RPC/TCP port is 4321 APH port is 5678. CCP port is 1235 NSX-RPC/TCP port is 4321 APH port is 5678. NSX-T ICM port is 3.0

- B. 1235
- C. 5678
- D. 5671
- E. 5685

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 67

NSX Manager is installed on a host. Which command is used to verify the NSX Manager IP address?

- A. `esxcli ssh -i <nsx-manager-ip>`
- B. `cli ssh -i <nsx-manager-ip>`
- C. `cli-timeout 0`
- D. `nsxcli ssh -i <nsx-manager-ip>`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

NSX Manager is installed on a host.

vmware



Public Networks



192.168.100.1


192.168.100.2



T0-Gateway



T1-Gateway



Web-LS

Web VM

IP: 172.16.101.11

- A. sa-nsxedge-01(tier1_sr)> bgp □□ □□□□
- B. vrf4
- C. sa-nsxedge-01(tier0_dr)> bgp □□ □□□□
- D. vrf 1
- E. vrf3
- F. sa-nsxedge-01(tier0_sr)> bgp □□ □□□□

Answer: E,F ([LEAVE A REPLY](#))

NEW QUESTION: 71

VLAN □□ □□□ □□□□ VM□□ NSX Edge □□□□ □□□ □ □□□ □□□ Tier-0 □□□□□ □□ □□□ □□□□ □□□?

- A. □□□ □□□□□
- B. □□□ □□□ □□
- C. □□□□ □□□□□
- D. VLAN □□□

Answer: A ([LEAVE A REPLY](#))

□□

"□□□ □□□□□□ □□ VLAN □□ □□□□□ □□ □□□□ □□□□□ □□ □□ □□□□□. North-South □□□ □□□ □□□ □□□□□□□ □□□□ □□□ □□□□ □□ North-South □□ □□ □□□□□□ □□ □□□ □□□□□□ □□□ □ □□ □□ □□□□□. □□□ □□□□□□ □□□ Tier-0 □□□ □□□□ Tier-1 □□□ □□□□ □□□□□. □□□, NAT □ VPN□ □ □□ □□□□□ □□□□□. □□□ □□□□□□ □□□□□□□□□."

NEW QUESTION: 72

□□□ □□□ □□□ □□ □□□ □□□ □□□ □□□□□?

- A. NSX API
- B. NSX □□
- C. NSX □□□
- D. □□□□□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

□□:

<https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.logging.doc/GUID-6F9DC53E-222D-464B-8613-AB2D517CE5E3.html>
<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-D57429A1-A0A9-42BE-A299-0C3C3546ABF3.html>

NEW QUESTION: 73

NSX □□□□ NSX UI□□ WEB-LS□□ □□□□□ □□□□□ □□ □□□□□ KVM □□ □□□ □ □□□□ □□ □□ □□□□□□. □ □□□ □ □□ □□□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. KVM □□ □□□□ □□ □□ □□ □□□ WEB-LS □□□□□ □□□□ □□□ □□□ □□ □□□□.
- B. KVM □□ □□□□ □□ □□ □□ □□□ WEB-LS □□□□□ □□□□ □□ □□□□.
- C. KVM □□ □□□ □□□□ □□□ □□ WEB-LS □□□□□ □□□□ □□□□.
- D. KVM □□ □□□□ □□ □□ □□ □□□ VDS□ □□□□ □□ □□□□.
- E. NSX UI□□ Compute Manager□ □□□ □□□□ □□□ KVM □□ □□□□ WEB-LS □□□□ □□□□□ □□□□.

Answer: C,E ([LEAVE A REPLY](#))

2V0-41.20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 2V0-41.20 □□!
 DumpTop □ □□ **2V0-41.20** □□ □□□ □□□□□□, DumpTop 2V0-41.20 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 2V0-41.20 □□□
 □□□□□. <https://www.dumptop.com/VMware/2V0-41.20-dump.html> (95 Q&As Dumps,
30%OFF Special Discount: KrDump)