VMware.2V0-51.21.v2023-03-10.q35

□□□□:	2V0-51.21
□□□□:	Professional VMware Horizon 8.X
□□□:	VMware
□□ □□ □□□:	35
□□:	v2023-03-10
# □□ □:	433
# □□ □□□:	350
https://www.krdump.com/VMware.2V0-51.21.v2023-03-10.q35.html	

NEW QUESTION: 1
Horizon □□□□ vMotion□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□ □□ □ □□□ □□□ □□□□□.
□□□□ □□ □□□ □□□□ □□ □□□ □ □□ □□□ □□ □□□ □□□□□?
A. □□ □□ □□□□ 3D
B. □□ □□ 3D □□□
C. □□ □□ □□□□ □□□ □□
D. □□ □□ □□□ □□
Answer: (SHOW ANSWER)

NEW QUESTION: 2
Horizon on Azure AVS(VMware Solutions)□□ □□□ □ □□ □ □□ □□□ □□ □□□□□?
(2□□ □□□□□.)
A. □□□ □□
B. □□ □□
C. □□ □□
D. □□ □□
E. □ □□
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 3
□□□ □□□□□.

□□□□ □□ □□□ □□□□ □□□□ □□ □□□□ □□□□. □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□□ □□ □□□ □□□□□.
□□□□ □ □□□ □□□□□ □□□□ □□□□ □□ □ □□ □□□ □□□ □□□□□? (2□ □ □□□□□.)

A. □□□ □□ □□□ □□□□□□ □□□ □□ □□□ □□□□□.
B. vSphere Client□ □□ □□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□□.
C. vSphere Client□ □□ □□ □□□ □□ □□□ □□□□ □□□□□ □□□□□.
D. vSphere Client□ □□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□.
E. □□□ □□□ □□ □□□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□.
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 4
□□ □ Application Profiler□ □□ □□□□ □□ □□ □□?
A. □□□□□□ □□□□□□ VMware Dynamic Environment Manager □□□□□□ □□ □□ □□ □□□□ □□□□ □□□□□ □□ □□□□ □□□ □□□□□.
B. VMware Dynamic Environment Manager FlexEngine□ □□□ □ Application Profiler□ □□□ □ □□□□□.
C. Dynamic Environment Manager Management Console □□ □ Application Profiler□ □□□□ □□□□□.

D. VMware Dynamic Environment Manager Agent□ Application Profiler□ □□□ □□□□ □□ □ □ □□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 5

□□ □□□□ □□ □□□□□ □□□ □ □□□ □□□ □□□□□. □ □ □ □□□ □□□□. □□□ □□□ □□□□□? (3□□ □□□□□.)

A. Horizon □□ □□□ □□□ □□□ □□□□ □□□ □□□□ □□□□.

B. □□□ □□□ □□□ □□□□.

C. Horizon □□ □□□ vRAM□ □□□□□.

D. □□□□□ □□□□ □□□ □□□□ □□ □□□□.

E. Horizon □□ □□ □□□ □□□□ □□ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 6

□□□□ Horizon □□ □□□ □□□ □□□□□□ □□□ □□ □□□□.

□□ □□□ Horizon LDAP □□□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□?

A. repadmin.exe /showrepl localhost:389□ □□□□□.

B. ViewDBChk.cmd --scanMachines□ □□□□□.

C. vdmadmin.exe -s□ □□□□□.

D. vdmexport.exe -f Myexport.LDF□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 7

□□□ □□□□□.

□□□□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□□□?

A. C:\Program Files\VMware\VMware View\Agent\DCT\support.bat setlogs

B. C:\Program Files\VMware\VMware Horizon Agent\DCT\support.bat □□ □□

C. C:\Program Files\VMware\VMware View\Agent\DCT\support.bat □□ □□

D. C:\Program Files\VMware\VMware Horizon Agent\DCT\support.bat □□ □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8
□□□□ □□□□ □□ □□ □□ Unified Access Gateway□ □□ RDP□ □□□□ Horizon □□ □ □□□ □ □□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□.
□□ □□ □□□ □□ □□□ □□□□□?
A. 443, 4172
B. 80,443
C. 443, 3389, 4172
D. 7443
E. 443
Answer: C (LEAVE A REPLY)

NEW QUESTION: 9
□□□□ □□□□ □□ □□□□ □□ □□□□ □□ Active Directory□□ □□□□ □□ □□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□? (3□□ □□□□□.)
A. □□□ □□ □□□ □□
B. □□ □□
C. □□□ □□ □□ □ □□
D. □□ □□ □□ □ □□
E. □□□ □□
F. □□ □□ □□ □ □□
Answer: B,C,F (LEAVE A REPLY)

NEW QUESTION: 10
□□□□ □□□ □□ □□□□ □ □□□ □□□□□□□ □□□□ □ □□□ □□□ □□□□ □.
□□□ □□□□ □□ □□□□ □□ □ □□ □□□ □□□□□? (3□□ □□□□□.)
A. □□□ □□□□ □ □□□□ □□□□ □□□ □□□ □□□□□?
B. □□□□ □ PC□□ □□ □□□ □□□□?
C. □□□ □□□ □□□ □ □□□□?
D. □□□ □□□□ □ □□□□ □□□ □□ □□□□□?
E. □□□□ □□□ □□□ □□ □□□□ □□□□ □□ □□ □□□□□□?
Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 11
□□□ □□□□□.

□□□□ □ □□□□ □□□□ □□ □□□□□ □□□□ □□□□ □□□□.
□□□□ □□ □□□ □□□ □□□□ □□□ □□□?

A. vCenter Server □□□ □□
B. □□□□ □□ □□ □□□ □□
C. □□ □□□ Active Directory □□□ □□
D. Horizon Console□ □□□□□ □ □□□□ □□
Answer: C (LEAVE A REPLY)

NEW QUESTION: 12
□□□□ □□□□ □□□ □□□□ □ □□□□ □□ □□□ □□□ □ □□□ □□□□ □□□ □□□□□.
□ □□ □□□ □□□□ □□ □□ VMware □□□□ □□□ □ □□□□?

A. vRealize Automation
B. Horizon □□ □
C. Horizon □□ □□□
D. vRealize □□
Answer: B (LEAVE A REPLY)

NEW QUESTION: 13
□□□ □□□□□.





□□□□ □□ □□□ □□ CA □□□□ □□□□□. □□□ □□ □□□ □□□□□ □ □ □□ □ □□□ □□□ □□□□□. □□□□□ CA □□ □□□□ □□□ □□□□□.
□□□□ □□□□ □□ □□ □□□□ □□□ □ □□□ □□ □□□ □□□□ □□□□ □□□ □□?

<□>: □

B. □

C. C

D. □

Answer:

D

NEW QUESTION: 14

□□□□ Horizon LDAP□□ VDI □□□□ □□□□ □□ □ □□□□?

A. OU=□□□□

B. OU=VDI

C. OU=□□

D. OU=□□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 15

□□□□ Horizon Console□ □□□□ □□□□ □□ VM□ Active Directory □□□□ □□□□□ □□ Active Directory □□□ □□□□□□.

□ □□□ □□□□□ Active Directory □□□ □□ □ □□ □□□ □□□□ □□□? (2□□ □□ □□□.)

A. Horizon □□□ □□□ □□□ □□□□□.

B. □□□□ □□□ □□□ □□□□□.

C. □□□ □□□ □□□ □□□□□.

D. □□□ □□□ □□□ □□□ □□□□□.

E. □□□ □□ □□ □□□ □□□ □□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 16

□□ □ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □ □□ □□ □□ □□ □□□ □□? (2□□ □□□□□.)

A. □□□

B. □□□□□□□ □□

C. □□□ □□

D. □□□□□□□ □□

E. □□□

Answer: A,C (LEAVE A REPLY)

2V0-51.21 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 2V0-51.21 □□! DumpTop □ □□ **2V0-51.21** □□ □□□ □□□□□□, DumpTop 2V0-51.21 □□ □□□ □ □□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 2V0-51.21 □□□ □□□□□. https://www.dumptop.com/VMware/2V0-51.21-dump.html (**100** Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

□□□ □□□ □□ □□□ □□ □□ □□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □.

Smart Card Authentication Step	Correct Sequence
Obtain the root certificate from the CA	Step 1
Prepare the AD for smart card authentication	Step 2
Configure smart card settings in the VMware Horizon console	Step 3
Add the root certificate to a server's truststore file	Step 4

vmware krdump.com

Answer:

Smart Card Authentication Step	Correct Sequence	
Obtain the root certificate from the CA	Step 1	Obtain the root certificate from the CA
Prepare the AD for smart card authentication	Step 2	Add the root certificate to a server's truststore file
Configure smart card settings in the VMware Horizon console	Step 3	Configure smart card settings in the VMware Horizon console
Add the root certificate to a server's truststore file	Step 4	Prepare the AD for smart card authentication

NEW QUESTION: 18

□□□ App Volumes □□ □□□ □□□□ □□□□ □□□□ □□□ □□□□.

App Volumes Component		Function Provided
App Volumes Agent		It is used for the assignment of packages and writable volumes.
App Volumes Manager		It runs on a virtual desktop or RDSH server.
Application		It is a collection of packaged versions of programs.
Writable Volume		It is a container of user installed applications.

Answer:

App Volumes Component		Function Provided
App Volumes Agent	Writable Volume	It is used for the assignment of packages and writable volumes.
App Volumes Manager	App Volumes Agent	It runs on a virtual desktop or RDSH server.
Application	Application	It is a collection of packaged versions of programs.
Writable Volume	App Volumes Manager	It is a container of user installed applications.

NEW QUESTION: 19

□□□□□□ □□ □ □□□ □□□ □□□□ □□ □□□ □□□□.

□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

Virtualization Procedural Step	Correct Sequence
Create a VM and specify the required hardware to run a specific OS	Step 1
The hypervisor abstracts the physical resources into virtual hardware	Step 2
The hypervisor takes control of the physical resources of the host	Step 3
Install a guest operating system inside the VM, as done on a physical computer	Step 4

Answer:

Virtualization Procedural Step	Correct Sequence	
Create a VM and specify the required hardware to run a specific OS	Step 1	The hypervisor abstracts the physical resources into virtual hardware
The hypervisor abstracts the physical resources into virtual hardware	Step 2	The hypervisor takes control of the physical resources of the host
The hypervisor takes control of the physical resources of the host	Step 3	Create a VM and specify the required hardware to run a specific OS
Install a guest operating system inside the VM, as done on a physical computer	Step 4	Install a guest operating system inside th VM, as done on a physical computer

NEW QUESTION: 20

□□□□□ □□□□ □□ VDI □□□□ □□□□ □□□ □□□ □ □□ □□□□□ □□□□ □? (2□□ □□□□□.)

A. □□□□ □□ VDI□ □□□□ □□□□ □□□□.

B. □□□ CapEx □□□ □□□□ □□□□.

C. □□□□ □□□ □□ □□□□ □□□□□.

D. □□□□ □□□□ □ □□ □□□ □□□□ □□□.

E. □□□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□.

Answer: B,E (LEAVE A REPLY)

NEW QUESTION: 21

□□□ TLS □□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

TLS Certificate Configuration Step	Correct Sequence
Modify the certificate-friendly name to vdm	Step 1
Import the TLS certificate into the Windows local computer certificate store	Step 2
Configure clients to trust the root and intermediate certificates	Step 3
Get a new signed TLS certificate from a CA	Step 4

Answer:

TLS Certificate Configuration Step	Correct Sequence
Modify the certificate-friendly name to vdm	Step 1 Get a new signed TLS certificate from
Import the TLS certificate into the Windows local computer certificate store	Step 2 Import the TLS certificate into the Windows local computer certificate s
Configure clients to trust the root and intermediate certificates	Step 3 Modify the certificate-friendly name vdm
Get a new signed TLS certificate from a CA	Step 4 Configure clients to trust the root an intermediate certificates

NEW QUESTION: 22

VMware Horizon Standard□ □□□□ □□□ □□□□ □□□□ □□ □□ □□ □□□□□ □□ □□ □ □□□ □ □□ □ □□□ □□□□□? (2□□ □□□□□.)

A. Horizon □□□ □□□

B. □□□□ □□

C. Horizon Agent □□

D. Horizon □□ □□□ □□

E. Horizon □□ □□□

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 23

□□ □□ □□□ □□ □□□ □□□□□ □□ □ □□□ □ □□ □□ □□□□□?

A. □□□ □□

B. □□□□ □□

C. □ □□□

D. □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 24

Internet Explorer 11□□ HTML □□□□ □□□□ □□ □□□ □□□□□ □□ □□□ □□ □ □ □□□□□□ □□□□ □□□ □□ □□□ □□ □□□ □□□□□ □□□□ □□□□□ □□ □□□. □□ □□ □□□□□ □□□ CA □□□□ □□ SAML 2.0 □□ □□□ □□ □□□□.

A. □□ □□ □□□□□□ Workspace ONE □□□ □□□□□□.

B. CA □□□□ □□ HTML □□□□ □□□□□□□.

C. □□ □□□ 5AML 2.0 □□ □□□ □□ □□ HTML □□□□ □□□□ □□□□.

D. Internet Explorer 11□ HTML Access□ □□□□ □□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 25

□□□ □□ □□□ □□□ □ □□□□ □□ □□□ □ Horizon □□□□ VMware Horizon □□□ □□□□□□□ □□ □□□□ □□□□□.

Machine_Name □□□ □□ □□□□□ □□ □□: □□□ □□ □□□ □□ □□ □□ □ □□□ □□□ □ □ □□ □ □□□ □□□□□? (2□□ □□□□□.)

A. □□□□ □ □□□□□□ □□□□□□□□□.

B. □□□□ □□□ □□□ Active Directory□□ □□□□□□□.

C. □□□ □□ □□□ □□□ □□□□□□ □□□□□□□.

D. □□ □□□□ □□ □□□ □□□□ □□□ □□□□□ □□□ □□□ □ □□□□.

E. □□□□□ □□□ □□ □□□ □□□□ □ □□ □□□ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 26

□□□ Blast□□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□.



Answer:



NEW QUESTION: 27
□□□□ □□□□ □□□ □□ □□ □□□□□□ □□□ □□□□ □□□ □□□□□.
□□□□ □□□ □□□ □□□□ □□ □□□ □ □□ □ □□ □□□ □□□□□?
A. VMware □□ □□ □□□
B. □□□ □□□
C. □□ □□□
D. VMware App Volume □□ □□ □□
E. □□ □□□
Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 28
□ □□ □□ □□□ Horizon □□□ □□□ □ CPA(□□□□ □□ □□□□) □□□ □□□□□ □□ □□□ □□□□ □□□?
A. □ Pod□□ CPA□ □□□□□□. □ □□ □□□□ CPA□ □□□□□□. □□□ □□□□ □ □ □□□ □□□□ □ □□□□ □□ □□ □□□□□.
B. □ Pod□□ CPA□ □□□□□□. □ □□ □□□□ CPA□ □□□□□□. □□□ □□□□ □ □□□ □□□□□□□ □□□□ □ □□□□ □□ □□ □□□□□.
C. □□□ □□□□ CPA□ □□□□□□. □ □□ □□□□ CPA□ □□□□□. □□□ □□□□ □□□□ □□□□□□□ □□□□ □ □□□□ □□□ □□□□□□.
D. □□□ □□□□ CPA□ □□□□□□. □ □□ □□□□ CPA□ □□□□□. □□□ □□□□ □□ □□□ □□□□ □ □□□□ □□ □□ □□□□□.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 29
□□□□ Active Directory □□ □□□ □□□□ □□□ Workspace ONE Access□ □□□□□ □ □ □□□□ □ □□□□□□□ □□□ □ □□□ □□□.
□ □□□ □□□□□ □□ Horizon □□ □□□ □□□□ □□□?
A. vCenter □□
B. □□ □□

C. □□ □□
D. □□ □□
Answer: B (LEAVE A REPLY)

NEW QUESTION: 30
Horizon □□□□ Dynamic Environment Manager□ □□□□ □□□□□□□ □□□ □ □□□ □□□□□□ □□ □□□□ □□□□. □ □□□ □□□□ □□□ □□□□□?
A. □□□□ □□
B. □□ □□
C. □□□□□□ □□□□□□
D. □□□□□□□
Answer: B (LEAVE A REPLY)

NEW QUESTION: 31
□□□□ Horizon □□□□ Horizon Console□ □□□□ □ □□□ 2□□ □□□ □□□□□ □□ □□ □□□. 2□□ □□□ □□□□ □□□□ □□ □□□ □□□□□?
A. SAML
B. □□
C. RSA SecureID
D. □□□ □□ □□
Answer: (SHOW ANSWER)

2V0-51.21 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 2V0-51.21 □□! DumpTop □ □□ **2V0-51.21** □□ □□□ □□□□□□, DumpTop 2V0-51.21 □□ □□□ □ □□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 2V0-51.21 □□□ □□□□□. https://www.dumptop.com/VMware/2V0-51.21-dump.html (**100** Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32
□□□ □□□□□.

□□ □□□□ □□ □□ □□□ □ □□□□ □□□□□ vRAM □□□ □□□□ □□□ □□ □ □□□□.

□□□□ □□□□ □□□ □□□ □ □ □□ □□ □□□□□?

A. VMware Blast□ □□ □□□□□ □□□ □□ vRAM □□ □□□ □□□□ □□□□.

B. vRAM □□ □□□ □ □□ □□□ □□□□□.

C. vRAM □□□ □□□ □□ □□ □□□□ □□□□□.

D. vSphere Client□ □□□□ □□□ □□□ □□ vRAM □□ □□□ □□□□ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 33

□□□□ □□ □□□□ □□□ □□ □□ □□□□ □□ USB □□□□□ □□□□□□ □□□ □□□□□.

□□ □ □□ □□□ □□□□ □□□ □□□□□?

A. Horizon Console□ □□ □□□□ □□□□ □□ □□ □□□□ □□ USB □□□ □□□ □□ □□□ □□□□□.

B. □ □□ □□□□ □□□□ Horizon Agent □□□□ USB □□□□□ □□ □□□□ □ □□□ □ □□ □□□□ □□ □□□□□.

C. Horizon □□□ □□□ □□□□ USB □□□□□ □□□□□□ □□ □□ □□□□ □□□□ □□□ □□□□□.

D. Horizon Console□ □□ m □□□ □□□□ USB □□□ □□□ □□□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 34

VMware Horizon □□□□ Workspace ONE□ □□□ □ □□ □□ □□ □□□ □□□□□.
□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

Integration Step	Correct Sequence
Create one or more virtual apps collections for the VMware Horizon pods in Workspace ONE Access	Step 1
Configure Workspace ONE Access to use the same AD domain as VMware Horizon	Step 2
Configure the SAML authenticator on the Horizon Connection Server	Step 3
Verify that users see assigned resources in Workspace ONE catalog and when clicked the resource triggers the SAML SSO process	Step 4
Synchronize Horizon AD users to the Workspace ONE Access service using Directory Sync	Step 5

Answer:

Integration Step	Correct Sequence	
Create one or more virtual apps collections for the VMware Horizon pods in Workspace ONE Access	Step 1	Create one or more virtual apps collectior VMware Horizon pods in Workspace ONE
Configure Workspace ONE Access to use the same AD domain as VMware Horizon	Step 2	Configure Workspace ONE Access to use t AD domain as VMware Horizon
Configure the SAML authenticator on the Horizon Connection Server	Step 3	Synchronize Horizon AD users to the Wor Access service using Directory Sync
Verify that users see assigned resources in Workspace ONE catalog and when clicked the resource triggers the SAML SSO process	Step 4	Configure the SAML authenticator on the Connection Server
Synchronize Horizon AD users to the Workspace ONE Access service using Directory Sync	Step 5	Verify that users see assigned resources i Workspace ONE catalog and when clicke resource triggers the SAML SSO process

krdump.com
vmware
vmware
krdump.com

NEW QUESTION: 35

□□□□ □□ □□□ □□□□□□□ □□□ □□□□ Windows □□□ □□□□ □□□ □□ □
□□ □□ □□□□□?

A. Horizon□ Workspace ONE Access□ □□□ □□□□ □□ □□ □□□□ □□□□ Windows □□□ □□□□ □□□□□.
B. □□ □□ □□□ □□□□ □□ □□ □□□□ Windows □□□ □□□□ □□□□ □□□□ □.
C. □□ □□ □□ □□ □□ □□□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□ Windows □□□ □□□□ □□□□□.
D. □□ □□ □□□□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□□□.
Answer: C (LEAVE A REPLY)

2V0-51.21 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 2V0-51.21 □□! DumpTop □ □□ **2V0-51.21** □□ □□□ □□□□□□, DumpTop 2V0-51.21 □□ □□□ □ □□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 2V0-51.21 □□□ □□□□□. https://www.dumptop.com/VMware/2V0-51.21-dump.html (**100** Q&As Dumps, **30%OFF Special Discount: KrDump**)