

VMware.3V0-21.21.v2022-04-11.q59

□□□□:	3V0-21.21
□□□□:	Advanced Design VMware vSphere 7.x
□□□:	VMware
□□ □□ □□□:	59
□□:	v2022-04-11
# □□ □:	1133
# □□ □□□:	590
https://www.krdump.com/VMware.3V0-21.21.v2022-04-11.q59.html	

NEW QUESTION: 1

□□□□□□ □□□□ Microsoft WSFC(Windows Server □□ □□ □□□□)□ □□□ □□□□□. □□ □□□ □□ □□ □□□ □□□□□.

* vSphere 7.0 □ vSAN 7.0

* NFS 3.0/4.1, SMB(□□ □□□ □□) 2.1□ □□□□ □□ □□□

* □□ □□□ □□ 10GbE □□□□ □□

□□□ □□□□ □□ □□□ □□□□□ □ □□ □□□ □□□□ □□□□ □□□□ □□□.

□□□□ □ □ □□ □ □□ □□ □□□□□? (2□□ □□□□□.)

- A. WSFC□ □□ vSAN □□ □□ □□
- B. □□ □ □□ □□□□ NFS 4.1 □□ □□
- C. □□ □□ □□(RDM) □□
- D. □□□ □□□ SMB 2.1 □□□□ □□
- E. vSAN iSCSI □□ □□□□□ WSFC □□

Answer: ([SHOW ANSWER](#))

□□/□□:

□□: <https://kb.vmware.com/s/article/79616>

NEW QUESTION: 2

□□□□ □□□ □□ □□□□ □□□□ □□□□. □□ □□□ □□□□ □□□□ □□□□ □□□□□ □□□ HCl □□ □□□□ □□□□□. □□□□ □□ □□ □□□□ □□□ □□□□ □□□□ 150Mb/s□ □□□□ □□ □□□ □□□□□□□.

□□ □□□ □□□□ □□ □□ □□□ □□□ □□□□ □□ □□□□ □□□ □ □□ □ □□□ □□ □ □□□ □□□ □□□□□?

- A. □□□ 1GbE □□□□ □□□ 2□
- B. □□□ 4□□ 1GbE □□□□ □□□
- C. □□□ 4□□ 10GbE □□□□ □□□
- D. □□□ 2□□ 10GbE □□□□ □□□

Answer: D (LEAVE A REPLY)

□□□□ □□□□□ HCI □□ □□□
□□ □□□ □□□□ □□ □□ □□□ □□□ □□ □□□□ □□□□ □□ □□ □□

NEW QUESTION: 3

□ □□□□ □□□□ □□□□ 600□□ ESXi □□□□ □□ □□□ □□□ □□□□ □□□□. □
□□□□ □□□□ □□ Linux □□□ NFS □□□□ □□□ PXE □□ □□, TFTP □□ □ DHCP □□□
□□ □□□□.

□□□□ □□ □□□ □□□□□ □□□□ □□ □□ □□ □□□ □□□□ □□□ □ □□□ □□□.
□□□□ ESXi □□□ □□□ □□ □□ □□ □□□ □□□□ □□□?

- A. Auto Deploy □□ □□□□ □□□ □□□ □□□□ □□□□ □□
- B. □□□ □□□□□ □□□ □□□□ □□ □□□ □□□□□□ □□
- C. □□□ □□ □□ □□□ □□□ □ □□ □□□ □□ □□□ □□ □□ □□□□ □□
- D. □ ESXi □□□□ □□□□□ □□□□ □□ □□ □□□ □□□□□ □□□□□□.

Answer: A (LEAVE A REPLY)

□□:
<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.esxi.install.doc/GUID-8DAC6FEE-0441-4072-8195-9461095C2041.html>

NEW QUESTION: 4

□ □□□□ □□□ □□ □□□ □□□ vSphere □□□ □□□□ □□□□. □□□ □□ □□ □ □□ □□
□□ □□□ □□□ □□□□□. □ □□□ □□□□ □□ □□□ □□ vSphere □□□ □□ □ □□□□.
□□□ □□ □□ vSphere □□□ □□ □□ □□□ □□□□□. CTO(□□ □□ □□□)□ □□□□ □□
VMware vRealize Automation Cloud □□□ □□□□□□□. □□ □□ □□□ □□ □□□□□ □□□□ □
□ □□ □□□□ OVF(Open Virtualization Format)□ □□□ □□□ □□ □□ □□□ HTTPS □□□ □□
□ □□ □□□□ □□□□□.

□□□□ □□ □□ □□□ □□□□ □□□ □□□□□ □□□□□ □□□□ □□□.
□ □□□ □□□□ □□□□ □□□ □□□□□□ □□□ □ □□□ □□□.
□□ □□□ □□□□ □□□□□□ □□□□ □ □ □□□ □□□□□□ □□□□□□ □□□.
□□□□ □□□ □□□□ □□□ □□ □□□ □□□□□ □□□□ □□□ □ □□□ □□□.
□□ □□ □ □□□□□ □□□□ □□□.

- A. □ □□□ □□□ □□ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□□.
- □□□ □□□ □ □□ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□□.
- □□□□ □□□□□□□ □□□ □□□□□□ □□□□□.
- B. □□ □□ □□□□ □ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□□.
- □□□□ □□□□□□ □□□□ OVF □□□□ □□□□□.
- C. □□□□□□□□ □□ □□□ □□□ □ □□□□□□ □□ JSON □□ □□□□□□ □□□□□ □□
□□ □□ □□□□□.
- vSphere □□□ □□ □□ □□□ □□□□□□ □□□□□.

□□□□ □□□□ □□□□□□□□ □□□ □□□□□□ □□□□□□.

D. □□□□□□□□ □□ □□□ □□□ □ □□□□□□ □□ JSON □□ □□□□□□ □□□□□□ □□ □□ □□□□□□.

□ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□□□.

□□□ □ □□□□ □□□□□□□□ □□□ □□□□□□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□□□ □□ □□□ □□□□ □□□ □□ vSphere □□□ □□□□ □□□□□.

vSphere □□□□□□ □□ □□ □□□□ □□ 3□□ □□□□ □□□□□.

3□□ □□ □□□□ □□□ □□□□□□ □□□□(□□ □□□)□ vSphere □□□□□□ □□□□□□.

□□□ □□ □□□□ □□□□□ □□ □□□ □□□□□□ □□□□ □□□ □ □□□ □□□□ □ □ □

□ □ □□ □□ □□□ □□□□□□? (2□□ □□□□□□.)

A. □□ □□ □ vSphere HA □□□□□

B. das.ignoreinsufficientbdatastore□ true□ □□

C. VM-VM □□□□ □□ □□

D. das.respectvmvantiiaffinityrules□ false□ □□

E. VM-□□□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□□□□.

□ □□□□□□ 2□□ 10GbE NIC□ □□□□□.

EtherChannel□ □□ □□□□ □□ □□□□□.

□□□ □□□□□ □□□ □ □□□□□.

□□□ □□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□ □□□□.

□□ □□□□□ □□□□ □□□□ □□ □□ □ □□ □□ □□□□□□? (2□□ □□□□□□.)

A. □□□ □□ Network I/O Control□ □□□□□□.

B. Network I/O Control□ □□□□□ □□□□□□.

C. LACP(Link Aggregation Control Protocol)□ □□□□□□.

D. □□□□□ I/O □□□ □□□□□□ □□□□□□.

E. □□□□ NIC □□ □□ □□□ □□□□□□.

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□□ □□□ □□□ □□□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□ □□ □ □ □□ □□ □□ □□ □

□ □□(REQ) □ □□ □□(CON)□ □□□□□□.

* REQ01 □□□□ □□ □□ □□□ □□□□ □□ □□□□□□□□ □□□□ □□□ □□□ □□□□□□

□□□□□□ □□□.

* REQ02 □□□□ □□□ 100□□ □□ □□□ □□□□ □□□□.

* REQ03 10□□ □□ □□□ □□ □□ □□□ □□□□ □□□.

* REQ04 □□ □□ □□□ □□ □ □□□□□□□ □□ □□□ □□□□ □□□ □□□□□.

* CON01 □□□ □□ □□ □□□□□ □□□ □□□□□ □□□□□□.

* CON02 □□□ □□□□□ □□ 5□□ □□□ □□□ □□□□ □□□□.

□□ □□□ □□ □□□ □□ 4□□ □□□ □□□ □□ □□□□□ □□□□□ □□□□□.

□□□□ □□□□ □□□ □□□□□□ □□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□□□ □□□?

A. □□ □□□□□ □□□□ □□□ □□ VLAN □ □□□□□ □□ □□ □□ □□□ □□□□□ □□□.

B. Network I/O Control□ □□□□ □□ □□ □□□ □ □□ □□ □□□ □□□ □□□.

C. □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□□ □□ □□□ □□□ □□□□□ □□□□ □.

D. □□ □□□□□ □□□□ DRS □□□□ □□□ □□□□ □□ □□ □□ □□ □□□ ESXi □□□□ □ □□□□□□□□ □ □□□ □□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

□□□ □□□□□□□ 6□□ □□□□ □□□ □ □□□□. □□ □□□□ □□□ □ □□ □□ □□□ □ □ □ □□□□□ □□□ □ □□□□.

□□□ □□□□□□ N+2 □□□□ □□ □□□□□ □□□ □ □□ □□□□ □□ □□ □□□ □□□ □ □ □□□?

A. 3

B. 2

C. 1

D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

□ □□□□ □□ VMware SDDC(□□□□□ □□ □□□ □□) □□ □□ □□ □□□ □□□□ □□□□.

□□ □□□□ □□ □□□ □□□□□□□.

Cluster One

- Six ESXi hosts
- vSphere HA with host failures cluster tolerates = 1
- Proactive HA is enabled and set to automated
- Fully Automated vSphere DRS
- Transparent Page Sharing (TPS) is enabled

Cluster Two

- Eight ESXi hosts
- vSphere HA with host failures cluster tolerates = 1
- Proactive HA is disabled
- Partially Automated vSphere DRS
- Transparent Page Sharing (TPS) is disabled

Cluster Three

- Three ESXi hosts
- vSphere HA with admission control is disabled
- Proactive HA is not supported
- Transparent Page Sharing (TPS) is disabled

Virtual Machine Resource Profile 1

- Memory sharing techniques should not be used
- Virtual machines should be automatically restarted in the event of host failure if resources are available
- Automated initial virtual machine placement

Virtual Machine Resource Profile 2

- Memory sharing techniques can be used
- Virtual machines should be protected from any host hardware failures
- Automated initial virtual machine placement



□□□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□ □ □□ □□ □
 □□ □□□□□? (2□□ □□□□□.)

- A. □□ □□ □□□ □□□ 1□ □□□□ □□ □□ □□□ □□□□ 2□ □□□□ □□□.
- B. □□ □□ □□□ □□□ 1□ □□□□ □□ □□ □□□ □□□□ 1□ □□□□□ □□□.
- C. □□ □□ □□□ □□□ 2□ □□□□ □□ □□ □□□ □□□□ 2□ □□□□ □□□.
- D. □□ □□ □□□ □□□ 2□ □□□□ □□ □□ □□□ □□□□ 1□ □□□□ □□□.
- E. □□ □□ □□□ □□□ 2□ □□□□ □□ □□ □□□ □□□□ 3□ □□□□ □□□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 10

□□□□ □□ □ □□ □□□ □□□ 10□□ □□ □□□ □□□ □□ □□ □□ □□ □□□ VMware
 SDDC(□□□□□ □□ □□□ □□) □□□□ □□□□ □□□ □□□□□.

□□□ □□ □□□ □□□□ □ □□□ □□□ □□ □□□□ □□ □□□ □□□□□□.

□□□□ □□ □ □□ □□□ □□□□ □□ 1,000□□ □□ □□ □□ □□□□ □□□.

□□□□ □ □□ □□□□ □□ 20□□ □□ □□ □□ □□□ □□□□ □□□.

□□□□ □□ □ LOB(□□ □□) □□□□□□ □□ □□□ □□□ □□□□ □□□.

□□ □□ □□ □□(□□□□ □□□, □□, □□□, □□ □ □□ □□)□ □□ □□□ □□□ □□□□ □
 □□.

□□ □□ □□□ □□ □□□□ N+1□ □□□□ □□□ □□□.

□□ □□□□ □□□□ □□□□ □□ □□□ □□ □□ □□□□□ □□□□ □□ □□□□□.
□□□□ 99.9%□ □□ □□ □□ □□□ □□□□ □□□.
□□□□ RTO(□□ □□ □□)□ 4□□□□□□ □□□.
□□□□ RPO(□□ □□ □□)□ 24□□□□□□ □□□.
□□□ □□□ □□□□ □□□□ □□□ □□□□ □□ □□□ □□□□□?

- A. □□ □□□□ □□□□□□ □□ □□□ □□ □□□ □□ □□ □□ □□□□□ □□□ □ □□□□□.
- B. □□ □□□□□ □□ □□□ □□□ □□□□□ □□□ □□□□ □□□ □□□□□.
- C. □ □□ □□□ □□ □□□ □□□□□ □□□.
- D. □ □□□□□□ □□ 4□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□□□ □□ □□□□ □□□□ □□□ vSphere □□□ □□□□ □□□□□.
600 vCPU
5,760GB RAM
□□ □□□ □□□□ □□□ □□□□□.
60 vCPU
1,152GB RAM
□□□□ □□ □□ □□□ □□□□ □□□□ □□□.
□□□ 25% □□□ □ □□□□□.
□ □□□□ 36□□ vCPU□ □□□ □ □□□ 512GB RAM□ □□□□□.
□□ □□□□□ 20%□□□□.
□□ □□ □□□ □□□□ □ □□□ □□ □□□ □□ □□□□□□?

- A. □□
- B. □
- C. □
- D. 4

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□□□ □□ □□ □□□ □□□□ □□ vSphere 7□ □□□□ □□□ VMWare SDDC(□□□□□ □□ □□ □□)□ □□□□ □□□□□.
SDDC□ □□ □ □□□ □ □□□ □□□□ □□□.
vSphere Replication□ □□□□ □ □□ □□ □□ □□□ □□□□ □□□.
DR(□□ □□) □□□ □□□□□ Site Recovery Manager□ □□□□ □□□.
□ □□ □□□□ □□□□ □□□□□ □□□ SSO(Single Sign On) □□□□ □□□□ □□□.
□□□ □□ □□□ □□□□ □□ □□□□ □□ □□ □□□ □□□ □□□□?

- A. vCenter Server Appliance□ □ □□□□ □□□□□□. □□□□□ □□□ SSO □□□□ □□□□□□.
- B. vCenter Server□ □ □□□□ □□□□ Windows □□ □□□ □□□□□□.
- C. vCenter Server Appliance□ □ □□□□ □□□□□□.

D. vCenter Server Appliance

Answer: C (LEAVE A REPLY)

https://docs.vmware.com/en/Site-Recovery-Manager/8.4/com.vmware.srm.install_config.doc/GUID-BB0C03E4-72BE-4C74-96C3-97AC6911B6B8.html

NEW QUESTION: 13

Microsoft WSFC(Windows Server Failover Cluster) is supported on vSAN 7.0.

vSphere 7.0 vSAN 7.0

NFS 3.0/4.1, SMB(2.1) 10GbE

10GbE

2.1 10GbE


(2.1)

- A. WSFC vSAN
- B. NFS 4.1
- C. (RDM)
- D. SMB 2.1
- E. vSAN iSCSI WSFC

Answer: A,E (LEAVE A REPLY)

https://blogs.vmware.com/virtualblocks/2018/04/18/vsan-6-7-introducing-wsfc-support-vsan

NEW QUESTION: 14



ESXi

- ESXi □□□□□ □ 200□□ □□ □□□ □□□□.
- □□ □□ □□ □□□□□□□□ □□ □□□□□□ □□□□□.
- □□ □□ □□□ □□□□ □□ □□□ □□□ □ □□ □□□ □□□□.
- □□□ □□□ □ □□□ □□□□ □□ □□ □ □□ □□ □□□□□? (2□□ □□□□□.)
- A. VMotion VMKernel□ □□ MTU□ 1,600□□□□ □□□□□ □□□□□ □□□□□.
- B. VMotion VMKernel□ □□ MTU□ 9,000□□□□ □□□□□ □□□□□ □□□□□.
- C. vMotion□ □□□ pNIC3□□ □□ □□ □□□ □□
- D. 3□□ pNIC□ □□□□ LAG(Link Aggregation Group) □□□□ □□
- E. 1GbE □□ 10GbE NIC □□

Answer: B,C (LEAVE A REPLY)

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-7DAD15D4-7F41-4913-9F16-567289E22977.html>

NEW QUESTION: 15

- vSphere □□□□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□ □□□ □□□□?
- A. □□□□□ RTO(□□ □□ □□) □□
 - B. □□□□□ □□ □□□□ □□□ □□□□ □□
 - C. □□ □□□ □□ □ □□ □□□ □□ □□□ □□ □□
 - D. □□□□ □□ □□ □□□ □ □□□ □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 16

- □□ □□□ □□ □□□ □□□□□ □□□□ □□□□□□ □□□□ □□ □□ □□ □□□□ □ □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□.
- □□ □□□□□□ □□ □□□ □□□□ □□ □□□ □□□□□.
- □□ □ □□ □□ □□ □□□□□?
- A. □□ □□ □□□ □□□ 10□□□□□.
 - B. □ □□□ □□ □□□ □□□□ □□ □□□ RTT(□□ □□) 8ms□□□.
 - C. □□□□□□□ □□□ □□ □□□ □□ □□□□ □□□□□.
 - D. □□ □□□□□ □□□□ □□□ □□□□□□□.

Answer: (SHOW ANSWER)

3V0-21.21 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 3V0-21.21 □□! DumpTop □ □□ **3V0-21.21** □□ □□□ □□□□□□, DumpTop 3V0-21.21 □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 3V0-21.21 □□□ □□□□□.

<https://www.dumpstopping.com/VMware/3V0-21.21-dump.html> (90 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ □□ □□ □□□ □□□□ □□ □□□ vSphere □□□ □□□□ □□□□.
□□□ 5,000□□ □□ □□□ □□□□ □□□.
□□□ □□□ 350□□ □□□□ □□□□ □□□□□.
□□□□ □□□ □□ □□ vCenter Server □□□□□□ □□ □□□ □□□□ □□□?

- A. □□
- B. □□
- C. □□
- D. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□□ □□□□ □□ IP □□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□□□ □□□ □□□□
□□□□□□□ □□□□□.
IP □□□□ □□□□□ □□□ □ □□ □□□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□ □□ □□
- B. □□□ □□ □□□□(STP)
- C. 10GbE □□□□ □□ 2:1 □□□ □□□ □□ □□
- D. □□□□ □□□
- E. □ □□ □□□ □□□ □□□

Answer: D,E ([LEAVE A REPLY](#))

□□:

<https://www.arista.com/en/solutions/ip-storage-network-infrastructures>

NEW QUESTION: 19

□□□ □□/□□ □□□ 40/60□□ □□□□ vSAN □□□□□□ □□□ □□ □□ IOP □□ □□□ □□
□□□□□□ □□□□□ □□□□ □□□□.
□□□ □□□ □□ □□ □ □□ □□□□ □□□ □□□□ □□□? (2□□ □□□□□.)

- A. RAID 5/6
- B. IOP □□ □□□□
- C. RAID 1
- D. □□ □□ □ □□ □□□□
- E. □□ □□ □ □□ □□

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□□□ □ vSphere □□□□□ □□□□ □□□□. □□ □□□ □□ □□□□□ □ 96□□ CPU □□□
1.5TB RAM □ □□□□ □□□□.
□□ □□□ □□□□□□□□.
□□□□□ ESXi □□□□ □□ □ □□ □□ □□□ □□□□ □□□□ □□□ □ □□□□.
- □□□ 1: 16 CPU □□ □ 256GB RAM

- B. 1000 00
- C. 100 0000 000
- D. 1000 00 000

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

1000 00 0 00 00 0000 00000 00 00 000000 0000000 0000 000 vSphere
 000000 000000 000000.

0 0000 0000 0 00 0000 000000? (200 000000.)

- A. 00 00000 00 0000 000000 00000 000.
- B. 0 000000 00 00 00000 0 00 00 0000 00000.
- C. 00 000000 000000.
- D. 0000 000000.
- E. 00 0000 0 000000 0000 0000 00000.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 25

000 0000000 600 00000 0000 0 00000. 00 00000 0000 0 00 00 0000 0 0
 0 000000 0000 0 000000.

000 000000 N+2 00000 00 0000000 0000 0 00 00000 00 00 0000 0000 0 0
 0000?

- A. 00
- B. 1
- C. 3
- D. 2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

00000 00 00000 00000 0000 vSphere 0000 000000 000000.

600 vCPU
 5,760GB RAM

00 0000 000000 0000 000000.

60 vCPU
 1,152GB RAM

00000 00 00 0000 000000 0000.

0000 25% 0000 0 000000.

0 00000 3600 vCPU 0000 0 0000 512GB RAM 000000.

00 0000000 20%0000.

00 00 0000 000000 0 0000 00 0000 00 0000000?

- A. 4
- B. 5

C. 3

D. 2

Answer: (SHOW ANSWER)

NEW QUESTION: 27

□□□ □□ □□ □ □□ □□□ □□□ □□ □□□□ □□□□ □□ □□□□□?

- A. □□ □□ □□□ □□□ □□ □□ □□ □□ □□□□□ □□□□ □□□.
- B. □□□□ □□□ □□□□□ □□□□ □□ 24□□, □ 7□ □□□ □ □□□ □□□.
- C. □□□□ 30□□ □□ □□ □□□□(MTD)□ □□□ □ □□□ □□□.
- D. □□□□ □□ □□ □□ □□ □□□□□ □□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 28

□ □□□□ □□□□□ □□ □□□ VMware SDDC(□□□□□ □□ □□□ □□) □□□ □□□□ □□ □ □□□□□. □□□□ □□ □□□□ □ □□□□ □□□□ □ □□□□□. □□□ □□□ □□□□□□ □ □□□ □□□□ □□□□□.

□□□□ □□ □□ □□□□□ □□□□□□ □□ □□□ □□□□ □□□□□□.

□□ □□□□ □□□ □□□ □□□ □□□□.

4□□ ESXi □□□(□□ 2□ * □□ 16□)

□□ □□ □□□□ □□□ 512GB RAM

□□□ □□□ □□□□.

□□□□ □□□□ □□□ □□□ □□□ □□□□.

□□ 2□ * □□ 8□□ □□ ESXi □□□ 8□

□□ □□ □□□□ □□□ 256GB RAM

□□□ □□□ □□□□.

□□□ □□□□□□ □□ □□□ □□□ □□□□□□□ □□ □□□□. □□□□□□ □□□□ 8□□

vCPU 256GB RAM □□□ □□□□ □□□□□□ □□ □□□ □□□ □□ □□□□□ □□□□. □□

□□□□ □□ □□ □□□ □□ □□□□□□ □□□ □ □□□ □□□ □□□□□. □□□□□□ □□ □

□□ □□ □□ □□□□□ □□□□ □□□□□□ □□□ □ □□ □□□ □□□ □□□□□. □□□ □ □

□ □□ □□□□ □□□ □□□ □□□□□□□ □□□ □ □□□□.

□□ □□□□□ □□□□ □□□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□□□?

- A. □□□□□□ □□□ □□□□ □□□□□ □□ □□ NUMA □□ □□□ □□□
- B. □□ □□□□□□ □□□□ □□ □□□ RAM □ □□□□.
- C. □□□□□□ □□□ □□ □□□□□ □□ □□ NUMA □□ □□□ □□□□□.
- D. □□ □□□□□ vCPU □ □□□ %Ready □□□□ □□□ □ □□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 29

□□□□□ □□□□□ □□□□□□□ □□□□ □□ □□ □□ □□ □□□□□ □□□ □□ □□□ □ □□□□.

* □□ □□□□ □□ □□□ □□ □□ □□□ □□ □□□ □□□□ □□□□.

* □□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□□□ □□□.

* □□□□□□□□ □□ □□□ □□□ □□□ VLAN□ □□□□□.

□□ □□□□□ □□□ □□ □□ □□□ □□□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□?

A. □□□ □□□ □ □□ □□□
□□ □□ □□ □□ □□

B. □□ □□□ □□ VLAN□□ □□
□□ □□ □□

C. □□ □□□ □□□ VLAN ID□ □□ □□ □□
□□ □ □□ □□□□ □□ □□□ □□□ □□□

D. □□□ □□□ □ □□ □□□□
□□ □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

□□□□ □□□ □□ □□□ □□□□□□□□ □□ □□□ □□□□□ □□□ □□ □□□ □□

SaaS(Software-as-a-Service) □□□□ □□□ □□□□□. □□□ □□□□ □□ □□ □□□□ □□□□

□ □□ □□□ vSphere □□□ □□ □□□□ □□□□ □□□□ □□□□□□. ESXi □□□□

PTP(Precision Time Proalhazi@1tocol) □ □□ stratum-1 □□□□ □□ □□□ □□□□□ □□□□□.

□□□□□□ □□□□□ □ □□□ VMWare vRealize Automation□□ □□□□ Microsoft Windows □□

□□ Linux □□□□□ □□□ □ □□□□.

□□□□ 1□□ □□□ □□□ □□ □□□ □□□□□ □□□□ □□□ □□□□ □□ □ □□ □□ □□

□ □□□□□? (3□□ □□□□□.)

A. Microsoft Windows Server□ □□□ □□ □□□ □□□□□.

B. □ □□ □□ □□□ □□ □□□□ chrony □□ □□□ □□□□□ □□□□□.

C. □□□□□□□□ □□□□ □ □□ □□□ □□ □□□ □□□ □□(NTP)□ □□□□□ □□ □□□□□

□□□ □□□□□.

D. □□□□□□□□ □□□□ □ □□ □□□ □□ □□ □□ □□□ □□□□□.

E. Linux □□□□□ □□□ □□ □□□ □□□□□.

F. □□□□□□□□ □□□□ □ □□ □□□ □□ □□ □□□(VWDT) □□□ □□□□□.

Answer: B,D,E (LEAVE A REPLY)

- <https://blogs.vmware.com/apps/2021/04/lets-be-precise-enabling-and-configuring-precision-time-protocol-in-vsphere.html>
- <https://core.vmware.com/blog/introducing-ptpvmw-new-linux-driver-achieve-high-time-synchronization-accuracy>
- <https://blogs.vmware.com/apps/2020/09/ensuring-accurate-time-keeping-in-virtualized-active-directory-infrastructure.html>

NEW QUESTION: 31

□□□□□ □□□□□ □□□□□□□□ □□□□ □□ □□ □□ □□ □□□□□ □□□ □□ □□□ □

□□□□.

Which of the following is a valid vSphere storage format? (Select two.)

A. VMFS

B. NFS

C. VMDK

D. VMX

E. VVOL

F. VSA

G. VSSD

Which of the following are valid vSphere storage formats? (Select three.)

A. VMFS

B. NFS

C. VMDK

D. VMX

E. VVOL

F. VSA

G. VSSD

Answer: (SHOW ANSWER)

NEW QUESTION: 34

Which of the following is a valid vSphere storage format? (Select two.)

A. VMFS

B. NFS

C. VMDK

D. VMX

E. VVOL

F. VSA

G. VSSD

H. VSSD

I. Storage DRS

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 35

Which of the following is a valid vSphere storage format? (Select two.)

A. VMFS

B. NFS

C. VMDK

D. VMX

E. VVOL

F. VSA

G. VSSD

Which of the following is a requirement for vMotion?
Which of the following is a requirement for vMotion?

vMotion requires

iSCSI storage

Network I/O Control

Network I/O Control must be enabled on the source and destination hosts?

- A. vMotion requires TCP/IP connectivity between source and destination hosts.
- B. vMotion requires at least 4GB of free memory on the destination host.
- C. vMotion requires VMkernel network interface cards (NICs) to be connected to the same physical network.
- D. Network I/O Control must be enabled on the source and destination hosts.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 38

Which of the following is a requirement for vMotion?
Which of the following is a requirement for vMotion?

Network I/O Control must be enabled on the source and destination hosts.

Network I/O Control

vMotion

vSAN

Network I/O Control

Network I/O Control must be enabled on the source and destination hosts. vMotion requires at least 4GB of free memory on the destination host. Network I/O Control must be enabled on the source and destination hosts?


- A. Network I/O Control must be enabled on the source and destination hosts.
- B. vMotion, vSAN, and Fault Tolerance require at least 1GB of free memory on the destination host. vMotion requires at least 4GB of free memory on the destination host.
- C. Network I/O Control must be enabled on the source and destination hosts. vMotion requires at least 4GB of free memory on the destination host.
- D. Network I/O Control must be enabled on the source and destination hosts. vMotion requires at least 4GB of free memory on the destination host.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 39

Which of the following is a requirement for vMotion?
Which of the following is a requirement for vMotion?

Network I/O Control must be enabled on the source and destination hosts. vMotion requires at least 4GB of free memory on the destination host. Network I/O Control must be enabled on the source and destination hosts?



Which of the following is a valid vSphere HA admission control policy for this cluster?

- A. vSphere HA Admission Control Policy: Normal
- B. vSphere HA Admission Control Policy: Full
- C. vSphere HA Admission Control Policy: Partial
- D. vSphere HA Admission Control Policy: None

Answer: D (LEAVE A REPLY)

NEW QUESTION: 40

Which of the following is a valid vSphere HA admission control policy for this cluster?



Which of the following is a valid vSphere HA admission control policy for this cluster?

□□□ □□□□□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □ □ □□ □
□ □□□ □□□□□?

- A. □□□□□ □□□□□□ □□□□ □□
- B. vSphere HA □ □□□□□ □□□□ VM □□ □□ □□ □□□ □□ □□□□ □□□ VM □□□□ □
□□□□.
- C. □□□□ □□□
- D. vSphere HA □ □□□□□ VM □□ □□ □□ □□□ □□ □□□□ □□□ VM □□□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 41

□ □□□□ □□ vSphere 7□ □□□□□□□ vSphere □□□□ □□ □□□ □□ □□□□ □□□□ □□
□□.

□□□□ □□ □□□□ □□□ □□□□□□ □□□□.

□□ □□ □□ □□□ □□ □ □□

□□ □□ □□ □□□ □□ □ □□

Windows □ Linux □□ □□ □□□ □□ □□ □□ □ □□ LAN □□ □□ □□□□ □ □□ □□□ □□
□ □□□□ □□ □□□ □□ □□□ □□□□□?

- A. □□ □□□□ VCB(VMware Consolidated Backup) □□□□□□ □□□□ □□□.
- B. □□ □□□□ □□ □□ □□□□ □□□□ □□□.
- C. □□ □□□□ VMware vSphere Storage API - □□□ □□□ □□□□ □□□.
- D. □□ □□□□ VADP(VMware vStorage APIs for Data Protection)□ □□□□ □□□.

Answer: C (LEAVE A REPLY)

<https://kb.vmware.com/s/article/1021175>

NEW QUESTION: 42

□□□□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□□□. □□□ □□□ □
□□ □□□□ □□ □□□ □□□ □□□ □□□□□ □□□?

- A. □□ □□, □□ □□ □ □□ □□
- B. □□ □□□ □□ □□□ □□ □□□□ □ □□□□□ □□□□ □□□□ □□□ □□ □□□□□
- C. □□ □□ □ □□□ □□□ □□□ □□□ □□□□ □□□□□
- D. □□ □ IP □□□ □□ □□ □□□ □□□□ □□□ □□□□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 43

□□□ □□□□□.

□□ □□ □□ □□□□□ □□□□ □□ □□□□□□ □□□□□.



Which vDS is connected to pNIC3?

- A. ESXi VM Network IP address is 10.10.10.10 vMotion network is 10.10.10.10 pNIC3 is connected to vDS_01
- B. vDS_01 is connected to LAG (pNIC0, pNIC1) vMotion network is 10.10.10.10 pNIC3 is connected to vDS_02
- C. ESXi VM Network IP address is 10.10.10.10 pNIC0 is connected to vDS_01 pNIC1 is connected to vDS_02 vMotion network is 10.10.10.10 pNIC3 is connected to vDS_03
- D. ESXi VM Network IP address is 10.10.10.10 pNIC1 is connected to vDS_02 vDS_02 is connected to LAG (pNIC2, pNIC3)

Answer: C (LEAVE A REPLY)

NEW QUESTION: 44

Which vGPU type is supported by vSphere DirectPath I/O? (2 correct answers.)

- A. NVIDIA vGPU
- B. AMD MxGPU
- C. vSphere DirectPath I/O
- D. vSGA
- E. vSphere Bitfusion

Answer: A,E (LEAVE A REPLY)

Source:

<https://blogs.vmware.com/apps/2018/07/using-gpus-with-virtual-machines-on-vsphere-part-1-overview.html>

NEW QUESTION: 45

NEW QUESTION: 52

VMware VMFS 5 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

10,000,000

- 10,000,000

- 100

- WORM(Write-Once-Read-Many) 数据块

10,000,000 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

WORM 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

10,000,000 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

10,000,000 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

10,000,000 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

A. 10,000,000 WORM 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

B. 10,000,000 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

C. 10,000,000 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

D. 10,000,000 数据块大小是 1 MB。在 10 TB 的存储设备上，最多可以创建多少个数据块？

Answer: (SHOW ANSWER)

NEW QUESTION: 53

在 vSphere 7.0 中，以下哪项是 vSphere 7.0 的默认设置？

A. 30 天保留策略

B. 500 天保留策略

C. API 保留策略

D. 100 天保留策略

Answer: (SHOW ANSWER)

NEW QUESTION: 54

在 vSphere 7.0 中，以下哪项是 vSphere 7.0 的默认设置？
vSphere 7.0 默认使用 vGPU 技术来支持 GPU 加速。vGPU 技术允许在虚拟机中分配 GPU 资源。vGPU 技术使用 vGPU 驱动程序来管理 GPU 资源。vGPU 技术使用 vGPU 驱动程序来管理 GPU 资源。

在 vSphere 7.0 中，以下哪项是 vSphere 7.0 的默认设置？ (2 分)

A. NVIDIA vGPU

B. AMD MxGPU

C. vSphere DirectPath I/O

D. vSGA

E. vSphere Bitfusion

Answer: A,D (LEAVE A REPLY)

URL: https://blogs.vmware.com/apps/files/2019/08/5521-VMW-GPU-MACHINE-LEARNING-GUIDE-USLET-WEB-20190812.pdf

NEW QUESTION: 55

□□□□ □□□ □□□□ □□□ vSphere □□ □□ □□□ □□ □□□□□□ □□□ □□□□□ □□ □.

□□ □□□ □□□□□.

ESXi □□□□ □□ 4□□(2 * 10GbE □ 2 * 1GbE) NIC□ □□□□. □□ ToR(Top-of-Rack) □□□□ 10GbE□□ □□□ □□□□□. □□ □□□□ □□ □□□□ □□□ □□□□ □ □□□. □□ □ □□ □ □□□ □□□□ □□□. □□□□ □□□ □□□□ □□□ □ □□□ □□□□? (2□□ □□□□□.)

- A. □□ NIC□ ESXi □□□□ 2□□ 25GbE NIC□ □□
- B. □□ □□ □□ □□□□ □□□ □□□ □ □□ □□
- C. ESXi □□□□ □□□ 2□□ 10GbE NIC □□
- D. CoS(Class of Service) □ DSCP(Differentiated Services Code Point) □□ □□□ □□□□□ □□□□ □□.
- E. 1GbE □□□□ □□□□ □ □□ □□□ □□

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 56

□□□ □ □□□□□ □□□□ □ □□□□ □□□ □□□□ □□□□□ □ □□□ □□□□. □□□□□ □□ □□□ □□□□ □□ □□□ □□□□□ N+1 □□□□ □□□ □ □□□ □□□. □□ □□□□ □□ □ □□□□□ □□ □□ □□□ □□□□ □□ □□ 2□□ □□□□ □□□□□.

- A. 7
- B. 5
- C. 6
- D. 4

Answer: D (LEAVE A REPLY)

NEW QUESTION: 57

□□□□ □□ □□ □□□ □□□□ □□ vSphere 7□ □□□□ □□□ VMware SDDC(□□□□□ □□ □□□ □□)□ □□□□ □□□□.

SDDC□ □□ □ □□□ □ □□□ □□□□ □□□.

vSphere Replication□ □□□□ □ □□ □□ □□ □□□ □□□□ □□□.

DR(□□ □□) □□□ □□□□□ Site Recovery Manager□ □□□□ □□□.

□ □□ □□□□ □□□□ □□□□□ □□□ SSO(Single Sign On) □□□□ □□□□ □□□.

□□□ □□ □□□ □□□□ □□ □□□□ □□ □□ □□□ □□□ □□□?

- A. vCenter Server□ □ □□□□ □□□□ Windows □□ □□□ □□□□□.
- B. vCenter Server Appliance□ □□ □□□□□ □□□□□.
- C. vCenter Server Appliance□ □ □□□□ □□□□□. □□□□□ □□□□ SSO □□□□ □□□□□.
- D. vCenter Server Appliance□ □ □□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 58

□□□□ □□□ vCenter Server □□□□ □□□ □□ □□□ □□□□□ □□□□.
□□□□ □□□□ □□□□□ □□ □ □□□ □□□□□?

- A. DVS(Management Distributed Virtual Switches)□□ □□□□ □□ □□□ □□□□
- B. vCenter Server□ □□ □□□ □□ SSH □□ □□
- C. □□ □□ vCenter Server□ □□ vCenter □□ □□□□ IPv4 □□
- D. □□, □□ □ □□ □□□ □□ □ vCenter Server □□□□□ □□ □□

Answer: C (LEAVE A REPLY)

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-9B176C8A-4EEE-4A28-A3C1-24656D6402CF.html>

NEW QUESTION: 59

□□□ vSphere □□□□ □□ □□ □□ □□ □□□□□.

REQ01 □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□.

REQ02 □□□□ 30□ □□ □□□ □□□ □ □□□ □□□.

REQ03 □□□□ □□ □□ □□□ □□□□ □□ □□□□ □□□□□ □□□.

REQ04 □□□□ □□ ESXi □□□□ □□□ □ □□□ □□□.

REQ05 □□□□ □□□□ □□ □□□ □□ □□□ □ □ □□□ □□□□ □□□.

□□□ □□ □□ □ □□□ □□ □□□□ □□□□ □ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□ □□ ESXi □□□□ □□□ □□□□ □□□.
- B. □□□□ 30□ □□ □□□ □□□ □ □□□ □□□.
- C. □□□□ □□ □□ □□□ □□□□ □□ □□□□ □□□□□ □□□.
- D. □□□□ □□□□ □□ □□□ □□ □□□ □ □ □□□ □□ □□□.
- E. □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□.

Answer: B,E (LEAVE A REPLY)

3V0-21.21 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 3V0-21.21 □□! DumpTop □□ □□ **3V0-21.21** □□ □□□ □□□□□□, DumpTop 3V0-21.21 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 3V0-21.21 □□□ □□□□□.

<https://www.dumptop.com/VMware/3V0-21.21-dump.html> (90 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)