

VMware.3V0-21.21.v2023-02-25.q60

□□□□:	3V0-21.21
□□□□:	Advanced Design VMware vSphere 7.x
□□□:	VMware
□□ □□ □□□:	60
□□:	v2023-02-25
# □□ □:	920
# □□ □□□:	600
https://www.krdump.com/VMware.3V0-21.21.v2023-02-25.q60.html	

NEW QUESTION: 1

□□□ □□□□□.
□□ □□ □□ □□□□□ □□□□ □□ □□□□□□ □□□□□.



- □ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□?
- A. ESXi □□ □ VM □□□□□ □□ pNIC0□ □□□□ □□□□ □□□ □□ □□ □□ □□ □□□□□ □□ pNIC1□ □□□□ □□ □□ □□□ □□ □□ □□ □□ □□ □□ vMotion□ □□ □□□□ pNIC2□ □□□□ □□□ □□ □□ □□ □□ □□ □□ □□ pNIC3□ □□□□ □□ □□ □□□ □□ □□ □□ □□ □□ □□
- B. vDS_01□ □□ LAG(□□ □□ □□) □□ vMotion□ □□ □□□ NIC □□ □□ □□ □□ □□□ □□□ NIC □□ □□ □□ □□ □□
- C. ESXi □□ □ VM □□□□□ IP □□ □□ □□ □□ □□ □□□□□ IP □□ □□ □□ □□ □□

vMotion
NIC3
D. ESXi VM IP
NIC1
vDS_02 LAG

Answer: C (LEAVE A REPLY)

NEW QUESTION: 2

IP
IP

- A.
- B. (STP)
- C. 10GbE 2:1
- D.
- E.

Answer: D,E (LEAVE A REPLY)

:
<https://www.arista.com/en/solutions/ip-storage-network-infrastructures>

NEW QUESTION: 3

vSphere
?

- A. VLAN(PVLAN)
- B. 15
- C.
- D.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 4

VMware
LUN
IPv4
?
A. ESXi FCoE(Fibre Channel over Ethernet)
B. ESXi (FC)

C. ESXi NFS 3 .

D. ESXi ☐☐☐☐ NFS 4.1 ☐ ☐☐☐☐.

E. ESXi □□□□ iSCSI□ □□□□□.

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 5

□□□□ □□□ □□ □□□□ □□□□ □□□□. □□ □□□ □□□□ □□□□ □□□□ □□□ □□□□ □□□ HCl □□ □□□□ □□□□
□. □□□□ □□ □□ □□□□ □□□ □□□□ □□□□ 150Mb/s□ □□□□ □□ □□□ □□□□□□□.

[illegible]

A. ☐☐☐ 4☐☐ 1GbE ☐☐☐☐ ☐☐☐

B. ☐☐☐ 2☐☐ 1GbE ☐☐☐☐ ☐☐☐

C. ☐☐☐ 2 ☐☐ 10GbE ☐☐☐☐ ☐☐☐

D. 4 10GbE

Answer: D (LEAVE A REPLY)

NEW QUESTION: 6

□□□ vSphere □□□□ □□ □□ □□ □□ □□□□ □□□□□.

REQ01 □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□.

REQ02 □□□□ 30□ □□ □□□ □□□ □ □□□ □□□.

REQ03 ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

REQ04 □□□□ □□ ESXi □□□□ □□□ □ □□□ □□□.

REQ05 □□□□ □□□□ □□ □□□ □□ □□□ □ □ □□□ □□□□ □□□.

□□□ □□ □□ □ □□□ □□ □□□□ □□□□ □ □□□ □□□□□? (2□□ □□□□□.)

A. □□□□ 30□ □□ □□□ □□□ □ □□□ □□□.

B. □□□□ □□ ESXi □□□□ □□□ □ □□□ □□□.

C. ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

D. □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□.

E. □□□□ □□ □□ □□□□ □□ □□□□ □□□□□ □□□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 7

□ □□□□ □□□□ □□□□ 600□□ ESXi □□□□ □□ □□□ □□□ □□□□ □□□□. □□□□□ □□□□ □□ Linux □□ □□ □□ NFS □□□□ □□□ PXE □□ □□, TFTP □□ □ DHCP □□□ □□ □□□□.

□□□□ □□ □□□ □□□□□ □□□□ □□ □□ □□ □□□ □□□□ □□□ □ □□□ □□□.

□□□□ ESXi □□□ □□□ □□ □□ □□ □□□ □□□□ □□□?

[illegible]

B. □□□ □□□□□ □□□ □□□□ □□ □□□ □□□□□□ □□

C. ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

D. ☐ ESXi ☐☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

Cluster One

- Six ESXi hosts
- vSphere HA with host failures cluster tolerates = 1
- Proactive HA is enabled and set to automated
- Fully Automated vSphere DRS
- Transparent Page Sharing (TPS) is enabled

Cluster Two

- Eight ESXi hosts
- vSphere HA with host failures cluster tolerates = 1
- Proactive HA is disabled
- Partially Automated vSphere DRS
- Transparent Page Sharing (TPS) is disabled

Cluster Three

- Three ESXi hosts
- vSphere HA with admission control is disabled
- Proactive HA is not supported
- Transparent Page Sharing (TPS) is disabled

Virtual Machine Resource Profile 1

- Memory sharing techniques should not be used
- Virtual machines should be automatically restarted in the event of host failure if resources are available
- Automated initial virtual machine placement

Virtual Machine Resource Profile 2

- Memory sharing techniques can be used
- Virtual machines should be protected from any host hardware failures
- Automated initial virtual machine placement

Which of the following configurations are supported by vSphere HA? (Choose two.)

- A. Three ESXi hosts, vSphere HA with admission control is disabled, Proactive HA is not supported, Transparent Page Sharing (TPS) is disabled.
- B. Eight ESXi hosts, vSphere HA with host failures cluster tolerates = 1, Proactive HA is disabled, Partially Automated vSphere DRS, Transparent Page Sharing (TPS) is disabled.
- C. Six ESXi hosts, vSphere HA with host failures cluster tolerates = 1, Proactive HA is enabled and set to automated, Fully Automated vSphere DRS, Transparent Page Sharing (TPS) is enabled.
- D. Three ESXi hosts, vSphere HA with admission control is disabled, Proactive HA is not supported, Transparent Page Sharing (TPS) is disabled.
- E. Eight ESXi hosts, vSphere HA with host failures cluster tolerates = 1, Proactive HA is disabled, Partially Automated vSphere DRS, Transparent Page Sharing (TPS) is disabled.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which of the following configurations are supported by vSphere HA? (Choose two.)

- A. Three ESXi hosts, vSphere HA with admission control is disabled, Proactive HA is not supported, Transparent Page Sharing (TPS) is disabled.
- B. Eight ESXi hosts, vSphere HA with host failures cluster tolerates = 1, Proactive HA is disabled, Partially Automated vSphere DRS, Transparent Page Sharing (TPS) is disabled.
- C. Six ESXi hosts, vSphere HA with host failures cluster tolerates = 1, Proactive HA is enabled and set to automated, Fully Automated vSphere DRS, Transparent Page Sharing (TPS) is enabled.
- D. Three ESXi hosts, vSphere HA with admission control is disabled, Proactive HA is not supported, Transparent Page Sharing (TPS) is disabled.
- E. Eight ESXi hosts, vSphere HA with host failures cluster tolerates = 1, Proactive HA is disabled, Partially Automated vSphere DRS, Transparent Page Sharing (TPS) is disabled.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

□□□□ □□ □□□ □□□□ □□□ vSphere □□□□ □□ □□□ □□□□□ □□□□.

□□ Windows □□ □□□ □□□□ □□□□ □□ □□□□□□ □□□□□□.

Linux 4.4.0-100-generic

□ 10□□ □□□ □□□□ □□ □□□ □□□□□ □ □□□□□.

[illegible]

vCenter Server□ □□ □□ □□ □□□ □□□□ □□ □□□□ □□ Active Directory □□□□ □□ □□□□□ □□□.

Windows ☐ Linux ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐ Active Directory ☐☐☐☐ ☐☐ ☐☐☐☐☐.

□□ □ □□□ Active Directory □□□□ □□□ Active Directory □□□□□ □□□□ □□ □□ □□□□□ □□□□.

□□□□ Windows □□ □□□ □□ Active Directory□ □□□□□.

□□□□ □ □□□ □□ vCenter Server □□□ □□□ □□□□□ □□□?

A. ☐ ☐ SSO ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ vCenter Server ☐ ☐ ☐ ☐.

□□□ □□ □□□□□ □□ vCenter Server□ □□□□ □□ SSO □□□□ □□ □□□ □□□□□ □□□□□.

B. □□ SSO □□□□ □□ □□ □□□□□ vCenter Server□ □□□□□.

□□□ □□ □□□□□ □□ vCenter Server□ □□□□ □ □□□ □□□□ □□ SSO □□□□ □□□□□.

C. vCenter .

□□□ □□ □□□□□ □□ vCenter Server□ □□□□□. □ □□□ □□□□ □□ □□ SSO □□□□ □□□□.

D. ☐☐ ☐☐☐☐☐ vCenter Server ☐ ☐☐☐☐.

□□□ □□ □□□□□ □□ vCenter Server□ □□□□□.

□□ □□□ □□□□□ □□ SSO □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

□□□ □□ vSphere □□□ □□□ □□ □□□ □□□□□.

□□ □□□ □□□□□.

□□ □□□□ □ □□ □□ □□□□ □□□□ □□□□.

□□ 1 □□ □□□ □□□ □□□□ □□□□□□□ □□□□ CPU □ RAM □□ □□□ □□□□□.

□□ 2 □□ □□□ □□□ □□ □□□□□□□ □□□□ □□ □□ □□□□□ □□ □□□□ □□□□□.

Tier-3 □□ □□□ vCenter Server□ □□ □□□ □□ □□□ □□□□ □□ □□ □□ □□ □□□ □□□□.

Tier-1, Tier-2 ☐ Tier-3 ☐☐ ☐☐☐ ☐☐☐ vSphere ☐☐☐☐☐☐.

CISO(□□ □□ □□ □□□) □ □□ □□□ □□ □□□ □□□ □□□□□□□ □□□□□ □□ □□ □□ □□ □□□ □□□□ □□□□
□□□ □□□□□□.

[illegible][illegible]

.

A. ☐☐☐ ☐ ☐☐☐☐☐☐ Tier-1, Tier-2 ☐ Tier-3 ☐☐ ☐☐☐

B. Tier-2 ☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐☐

C. ☐ ☐ DVS(☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Tier-1, Tier-2 ☐ Tier-3 ☐ ☐ ☐ ☐ ☐

[illegible]

Answer: A (LEAVE A REPLY)

NEW QUESTION: 13


vSphere □□□□ □□□ □□□□ □□ □□ □□ □□□□ □□ □□□ □□□□?

- A. □□□□ □□ □□ □□□ □ □□□ □□
- B. □□□□□ □□ □□□□ □□□ □□□□ □□
- C. □□□□□ RTO(□□ □□ □□) □□
- D. □□ □□□ □□ □ □□ □□□ □□ □□□ □□ □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 14

□□□ □□□□□.
□□ □□ □□ □□□□□ □□□□ □□ □□□□□□ □□□□□□.



- □ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□?
- A. ESXi □□ □ VM □□□□□ □□ IP □□ □□ □□ □□ □□ □□□□□ □□ □□□□ pNIC1□ □□ □□ □□ □□ vDS_02□ □□ □ □□ □□(LAG) □□
 - B. vDS_01□ □□ LAG(□□ □□ □□) □□
vMotion□ □□ □□□ NIC □□ □□ □□ □□ □□□ □□□ NIC □□ □□ □□ □□
 - C. ESXi □□ □ VM □□□□□ IP □□ □□ □□ □□ □□ □□□□□ IP □□ □□ □□ □□ vMotion□ □□ □□ □□ □□ □□ □□ □ □□□ □□ pNIC3□ □□ □□□ □□□□ □□
 - D. ESXi □□ □ VM □□□□□ □□ □□□□ pNIC0□ □□□□ □□□ □□□□ □□ □□ □□ □□□□□ □□ □□□□ pNIC1□ □□ □□□ □□□□ □□ □□ vMotion□ □□ □□□□ pNIC2□ □□ □□□ □□□□ □□ □□ □□□ □□ □□□□ pNIC3□ □□ □□□ □ □□□ □□ □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 15

□□□ □□/□□ □□□ 40/60□□ □□□□ vSAN □□□□□□ □□□ □□ □□ IOP □□ □□□ □□ □□□□□□ □□□□□ □□□□ □□□□.
□□□ □□□ □□ □□ □ □□ □□□□ □□□ □□□□ □□□? (2□□ □□□□□.)

- A. IOP □□ □□□□

- B. 1000 1000 1000 1000
- C. RAID 5/6
- D. 1000 1000 1000 1000
- E. RAID 1

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 16

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000? (200 100000.)

- A. 1000 1000 1000 1000.
- B. 1000 1000 1000 1000
- C. C 100 100 1000 100 100 1000 1000 1000.
- D. 100 1000 100000.
- E. 100 1000 100 1000 100000 1000 100000.

Answer: C,E (LEAVE A REPLY)

3V0-21.21 100 1000 100000 100 DumpTop 100 10000 1000 3V0-21.21 100! DumpTop 100 100 3V0-21.21 100 1000 1000 1000, DumpTop 3V0-21.21 100 1000 1000000000 1000 1000000000. 10000 1000 10000 100 DumpTop 3V0-21.21 1000 100000. <https://www.dumptop.com/VMware/3V0-21.21-dump.html> (90 Q&As Dumps, 30%OFF Special Discount: KrDump)

NEW QUESTION: 17

1000 100/100 1000 40/6000 10000 vSAN 1000000 1000 100 100 IOP 100 1000 100 1000000 1000000 10000 10000.

1000 1000 100 100 100 10000 1000 10000 1000? (200 100000.)

- A. RAID 5/6
- B. RAID 1
- C. 100 100 1000 1000
- D. 100 100 1000 10000
- E. IOP 100 10000

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 18

100000 100000 100 1000 VMware SDDC(100000 100 1000 100) 1000 10000 1000 1000000. 10000 100 100 100 100000 100000 10000000. 1000 1000 1000000000 1000 100000 1000000 100 100 100 1000000.

10000 100 100 1000000 10000000 100 1000 100000 10000000.

100 100000 1000 1000 1000 10000.

* 2 100 × 16 1000 100 400 ESXi 1000

* 100 100 100000 1000 512GB RAM

* 1000 1000 10000.

10000 100000 1000 1000 1000 10000.

- * 200 × 8000 00 800 ESXi 000
- * 00 00 0000 000 256GB RAM
- * 0000 0000 0000.

000 0000000 00 000 000 00000000 00 0000. 0000000 00000 800 vCPU 256GB RAM 000 000
0 0000000 00 000 000 00 000000 0000. 0000000 00 00 000 00 0000000 000 0 000 000
000000.

0000000 00 000 00 00 000000 00000 0000000 000 0 00 000 000 000000. 000 0 00 00 00
00 000 000 000000000 000 0 0000.

00 000000 00000 00000 00 00 000 00 000 00 000 00 000 000 000000?

- A. 00 000000 vCPU 0 00 %Ready 000 000 0 0000.
- B. 0000000 000 00000 000000 00 00 NUMA 00 000 000
- C. 00 0000000 00000 00 000 RAM 0 0000.
- D. 0000000 000 00 000000 00 00 NUMA 00 000 000000.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 19

000 00 00000 000000 000000 000 0 00000 00000 0 000 000 00000 00000 000. 0000 0000 00
00 00 00 000000 00 00 00 0 000 00000 000 00 000 00000.

00 00000 00 00 000 000000?

- A. 00000 00
- B. 0000 00 000
- C. 00 0 0000 000
- D. OS 00 000

Answer: B (LEAVE A REPLY)

NEW QUESTION: 20

00000 00 00 000 00000 00 vSphere 70 00000 000 VMware SDDC(0000000 00 0000 00)0 00000 00000.
SDDC0 00 0 0000 0 0000 00000 000.

vSphere Replication0 00000 0 00 00 00 000 00000 000.

DR(00 00) 0000 0000000 Site Recovery Manager0 00000 000.

0 00000 00000 0000000 000 SSO(Single Sign On) 00000 00000 000.

00000 0000 00 0000 00000 00 00 00 000 0000 0000?

- A. vCenter Server Appliance0 00 0000000 000000.
- B. vCenter Server Appliance0 0 00000 000000.
- C. vCenter Server0 0 00000 0000 Windows 00 0000 000000.
- D. vCenter Server Appliance0 0 00000 000000. 0000000 000 SSO 000000 000000.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

Which of the following is a benefit of using a cloud-based storage solution? (Select two)

A. Reduced cost of ownership B. Increased security C. Scalability D. Improved performance

- A. Reduced cost of ownership
- B. Increased security
- C. Scalability
- D. Improved performance

Answer: A (LEAVE A REPLY)

NEW QUESTION: 22

Which of the following is a benefit of using a cloud-based storage solution? (Select two)

- A. Reduced cost of ownership
- B. Increased security
- C. Scalability
- D. Improved performance

Answer: (SHOW ANSWER)

NEW QUESTION: 23

Which of the following is a benefit of using a cloud-based storage solution? (Select two)

- Reduced cost of ownership
- Increased security
- Scalability
- Improved performance

- A. Reduced cost of ownership
- B. Increased security
- C. Scalability
- D. Improved performance

Answer: B (LEAVE A REPLY)

NEW QUESTION: 24

Which of the following is a benefit of using a cloud-based storage solution? (Select two)

- A.** vSAN ReadyNode □□
- B.** □□□ □□ □□□ □□ □□□□ □□
- C.** □□□□□ □□ □□□□ N+1□□□.

NEW QUESTION: 28

Which of the following is a best practice for configuring ESXi hosts?
 ESXi hosts should be configured with a minimum of 6GB of memory.
 ESXi hosts should be configured with a minimum of 1GB of memory.
 ESXi hosts should be configured with a minimum of 2GB of memory.
 ESXi hosts should be configured with a minimum of 4GB of memory.

- A. 1GB
- B. 2GB
- C. 4GB
- D. 6GB

Answer: (SHOW ANSWER)

NEW QUESTION: 29

Which of the following is a best practice for configuring ESXi hosts?
 ESXi hosts should be configured with a minimum of 1GB of memory.
 ESXi hosts should be configured with a minimum of 2GB of memory.
 ESXi hosts should be configured with a minimum of 4GB of memory.
 ESXi hosts should be configured with a minimum of 6GB of memory.

- A. SAN storage should be configured with a minimum of 1GB of memory.
- B. SAN storage should be configured with a minimum of 2GB of memory.
- C. SAN storage should be configured with a minimum of 4GB of memory.
- D. SAN storage should be configured with a minimum of 6GB of memory.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

Which of the following is a best practice for configuring ESXi hosts?
 ESXi hosts should be configured with a minimum of 1GB of memory.
 ESXi hosts should be configured with a minimum of 2GB of memory.
 ESXi hosts should be configured with a minimum of 4GB of memory.
 ESXi hosts should be configured with a minimum of 6GB of memory.

- vMotion
- vSAN
- ESXi
- ESX

Which of the following is a best practice for configuring ESXi hosts?
 ESXi hosts should be configured with a minimum of 1GB of memory.
 ESXi hosts should be configured with a minimum of 2GB of memory.
 ESXi hosts should be configured with a minimum of 4GB of memory.
 ESXi hosts should be configured with a minimum of 6GB of memory.

- A. vMotion, vSAN, Fault Tolerance, and ESXi should be configured with a minimum of 1GB of memory.
- B. Network I/O Control, vMotion, vSAN, Fault Tolerance, and ESXi should be configured with a minimum of 1GB of memory.
- C. vMotion, vSAN, Fault Tolerance, and ESXi should be configured with a minimum of 2GB of memory.
- D. vMotion, vSAN, Fault Tolerance, and ESXi should be configured with a minimum of 4GB of memory.

Answer: (SHOW ANSWER)

NEW QUESTION: 31

Which of the following is a best practice for configuring ESXi hosts?
 ESXi hosts should be configured with a minimum of 1GB of memory.
 ESXi hosts should be configured with a minimum of 2GB of memory.
 ESXi hosts should be configured with a minimum of 4GB of memory.
 ESXi hosts should be configured with a minimum of 6GB of memory.

vSphere 7.0 and vSAN 7.0

NFS 3.0/4.1, SMB(□□ □□□ □□) 2.1□ □□□□ □□ □□□
□□ □□□ □□ 10GbE □□□□ □□
□□□ □□□□ □□ □□□ □□□□□ □ □□ □□□ □□□□ □□□□ □□□□ □□□.
□□□□ □ □ □□ □ □□ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. WSFC□ □□ vSAN □□ □□ □□
- B. □□ □ □□ □□□□ NFS 4.1 □□ □□
- C. □□ □□ □□(RDM) □□
- D. □□□ □□□ SMB 2.1 □□□□ □□
- E. vSAN iSCSI □□ □□□□□ WSFC □□

Answer: A,E (LEAVE A REPLY)

<https://blogs.vmware.com/virtualblocks/2018/04/18/vsan-6-7-introducing-wsfc-support-vsan>

3V0-21.21 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 3V0-21.21 □□! DumpTop □ □□ **3V0-21.21** □□ □□□ □□□
□□□, DumpTop 3V0-21.21 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 3V0-21.21
□□□ □□□□□. <https://www.dumptop.com/VMware/3V0-21.21-dump.html> (90 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

□□□□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□□□ □□□ □□□□□. □□□ □□□ □□ □□□□ □□ □□ □□□ □□
□ □□□□□ □□□?

- A. □□ □□, □□ □□ □ □□ □□
- B. □□ □□ □ □□□ □□□ □□□ □□□ □□□□□
- C. IP □□□ □□ □□ □ □□ □□□ □□□ □□□□□
- D. □□ □□□ □□ □□□ □□ □□□□ □ □□□□□ □□□□ □□□□ □□□ □□ □□□□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 33

□ □□□□ □□ □ □□ □□□ □□□ 10□□ □□ □□□ □□□ □□ □□□ □□ □□□ VMware SDDC(□□□□□ □□ □□□
□□) □□□□ □□□□ □□□.
□□□ □□ □□□ □□□□ □□ □□□ □□ □□□□ □□ □□□ □□□□□□.
□□□□ □□ □ □□ □□□ □□□□ □□ 1,000□□ □□ □□ □□ □□□ □□□□ □□□.
□□□□ □ □□ □□□□ □□ 20□□ □□ □□ □□ □□□ □□□□ □□□.
□□□□ □□ □ LOB(□□ □□) □□□□□□ □□ □□□ □□□ □□□□ □□□.
□□ □□ □□ □□(□□□□ □□□, □□, □□□, □□ □ □□ □□)□ □□ □□□ □□□ □□□□□ □□□.
□□ □□ □□□ □□ □□□□ N+1□ □□□□ □□□ □□□.
□□ □□□□ □□□□ □□□□ □□ □□□ □□ □□ □□□□□ □□□□ □□ □□□□□.
□□□□ 99.9%□ □□ □□ □□ □□□ □□□□ □□□.
□□□□ RTO(□□ □□ □□)□ 4□□□□□□ □□□.
□□□□ RPO(□□ □□ □□)□ 24□□□□□□ □□□.
□□□ □□□ □□□□ □□□□ □□□ □□□□ □□ □□□ □□□□□?

- B. 100 1000 1000 1000 10 1000 1000.
- C. 1000 1000 10 1000 10 vSphere 10000 10000000
- D. 1000 1000 1000 1000 1000 1 1000

Answer: A (LEAVE A REPLY)

NEW QUESTION: 37

100 100 100 1000 10 1000 10 10 100(REQ) 1 100 100(CON)1 100000.
REQ01: 1000 CPU 10000 1000 10000 10 1000000 VM(100 100) 1000 10000 1000 10 10000.
CON01: 1000 1000 10 10 100000 10000.
CON02: 10 10 1000 10 1000000 100000 1000.
10000 10 10 1000 10000 10 10 1 10 10 1000 1000 1000? (200 1000000.)

- A. 10000 VM-1000 1000 1000 10000 1000.
- B. 10000 VM 1000 10 vRealize Orchestrator 100000 10000 1000.
- C. 10000 VM-VM 10000 1000 10000 1000.
- D. 10000 vSphere VM 1 1000 DRS 1000 10000 1000.
- E. 10000 10 10000 vSphere DRS1 10000 1000.

Answer: (SHOW ANSWER)

NEW QUESTION: 38

100 100 1 vSphere 1000 10000 1 10 1000 1000 10000. 1 1000 10 10 1000 1000 3 vMotion 100000 100000 100000.
1000 10 10 1000 10000000 100000 10 10 1000 10000 10000 1000?

- A. 1000 10 10 10 1000 100000000000 10 1000 1000 10 1000.
- B. 10 10000000 10 vMotion1 10 TCP/IP 1000 10000 1000.
- C. 1000 10 10 1000 vMotion 100000 10000 1000.
- D. vMotion 10000 10 VMkernel 100000 10000 1000.

Answer: (SHOW ANSWER)

NEW QUESTION: 39

vCenter HA(10000)1 10000 10 1000 1000000 10 10 1000 1000 10000 1000?
A. vCenter HA 1000000 1 10000 10000000000.
B. vSphere 100000 31 1000 1000 1000000.
C. 1000 vCenter Server1 Tiny1000.
D. vCenter HA 100000 50ms 1000 10 1000 1000000.

Answer: A (LEAVE A REPLY)

100:
<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-8FD87389-8CC9-4298-8B08-A1526FB44524.html>

NEW QUESTION: 40

100 10000 10 10000 10000 1000 10 1000 10000 10 10000 1 10 1000 1000000.
1000 1 10 10 1 10000 10 1000 1000000? (200 1000000.)

1. 100% RPO (Recovery Point Objective) 200MB/s 100MB/s 100MB/s 100MB/s.
 2. 100% RTO (Recovery Time Objective) 100MB/s 100MB/s 100MB/s 100MB/s.
 3. 100% RPO (Recovery Point Objective) 100MB/s, 100MB/s, 100MB/s, 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 4. 100% RTO (Recovery Time Objective) N+1 100MB/s 100MB/s 100MB/s.
 5. 100% RPO (Recovery Point Objective) 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 6. 100% RPO (Recovery Point Objective) 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 7. 100% RTO (Recovery Time Objective) 4 100MB/s 100MB/s.
 8. 100% RPO (Recovery Point Objective) 24 100MB/s 100MB/s.
 9. 100% RPO (Recovery Point Objective) 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s?

- A. 100% RPO (Recovery Point Objective) 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 B. 100% RPO (Recovery Point Objective) 100MB/s 100MB/s 100MB/s 100MB/s.
 C. 100% RPO (Recovery Point Objective) 4 100MB/s 100MB/s.
 D. 100% RPO (Recovery Point Objective) 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

1. 100% RPO (Recovery Point Objective) 100MB/s 100MB/s 100MB/s 100MB/s. 100MB/s 100MB/s 100MB/s 100MB/s (REQ) 100MB/s 100MB/s (CON) 100MB/s.
 * REQ01 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 * REQ02 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 * REQ03 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 * REQ04 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 * CON01 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 * CON02 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 50 100MB/s.
 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s?

- A. Network I/O Control 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 B. 100MB/s 100MB/s DRS 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s ESXi 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 C. 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 D. 100MB/s 100MB/s 100MB/s 100MB/s VLAN 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

1. 100% RPO (Recovery Point Objective) 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s? (200MB/s 100MB/s.)
 A. 100MB/s 100MB/s 100MB/s vSphere Fault Tolerance 100MB/s 100MB/s.
 B. ESXi 100MB/s 500MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 C. vSphere 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.
 D. 100MB/s 100MB/s 100MB/s 100MB/s 50MB/s 70% 100MB/s ESXi 100MB/s 100MB/s 100MB/s.
 E. ESXi 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s 100MB/s.

Answer: D,E (LEAVE A REPLY)

3V0-21.21                               

NEW QUESTION: 47

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ vSphere ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ ☐ 5☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ vCenter Server☐ ☐ ☐.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ SSO(Single Sign-On) ☐ ☐ ☐ ☐ ☐

- A.** vCenter Server □□□□□□ SSO □□□ □□
- B.** □□□ SSO □□□ □□
- C.** □□ vCenter Server □□□□□□ SSO □□□ □□
- D.** □□□□ SSO □□□ □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

■■■■ vSphere ■■■■ ■■ ■■■■ ■■■■ ■■ ■■■■ ■■ ■■ ■■■■■■■■■■ ■■ ■■■■ ■■■■. ■■■■ ■■■■ ■■ ■■ ■■
 ■■■■ ■■ ■■■■■■■■ 2002 ■ SOX(Sarbanes-Oxley Act) ■■■■ ■■ ■■■■■■■■■■.
 ■■■■■■ ■■■■ ■■ ■■■■ ■■■■.
 vRealize Operations ■ ■■ ■■■■■■ ■■■■■■■■ ■ ■■■■■■.
 ■■ ■■ ■■■■ ■■■■ ■■ ESXi ■■■■■■ ■■■■.
 ■■ ■■■■ ■■■■ DVS(■■■ ■■ ■■■■) ■ ■■ ■■■■■■■■.
 ■■ LOB(■■■ ■■) ■■■■■■■■■■ ■■ ■■ ESXi ■■■■■■ ■■■■.
 ■■■■ ■■■■ NSX-T■■■ ■■■■■■■■.
 VDI(■■■ ■■■■ ■■■■) ■ ■■ ESXi ■■■■■■ ■■■■.
 ■■■■ ■■■■ NSX-T■■■ ■■■■■■■■.
 ■■■■■■■■ ■■■■ PCI(Payment Card Industry) ■■■■ ■■ ■■■■ ■■ ■■■■ ■■ ■ ■■■■ ■■■■ ■■ ■■■■ ■■■■ ■■■■
 ■.
 ■■■■ ■■■■ ■■■■ ■■ ■■■■ ■■■■ ■■■■ ■■ ■■ ■■■■ ■■ ■■■■ ■■■■■■?


- A.** vSphere ☐☐☐ ☐☐☐☐ ☐ PCI ☐☐☐☐☐☐ ☐ ☐☐☐ PCI(Payment Card Industry) ☐☐☐ ☐☐ ☐☐☐☐☐☐☐☐☐.
- B.** vSphere ☐☐☐ ☐☐☐☐ ☐ PCI ☐☐☐☐☐☐ ☐ ☐☐☐ vRealize Operations Compliance Pack for Payment Card Industry ☐ ☐☐☐ ☐☐☐☐☐☐.
- C.** vSphere ☐☐☐ ☐☐☐☐ ☐ PCI ☐☐☐☐☐☐ ☐ ☐☐☐ SOX ☐☐ ☐☐☐☐☐.
- D.** vSphere ☐☐☐ ☐☐☐☐ ☐ PCI ☐☐☐☐☐☐ ☐ ☐☐ ☐☐☐ ☐☐☐ NSX-T ☐☐ ☐☐☐☐☐☐.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 49

□□□ □□□□□.

□□ □□ □□ □□□□ □□□ □□□ SLA(□□□ □□ □□)□ □□□□ □□ □□□□□□ □□□□□.



- □□□ □□□□□□□□ □□ □□□□□□ □□ □□□□ □□□ □□□□.
- □□□□□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□ □□□ □□ □□□ □□□□□□□□?
- A. □□□□ □□□
- B. □□□□□ □□□□□□ □□□ □□
- C. vSphere HA□ □□□□□ □□□□□ VM □□ □□ □□ □□□ □□ □□□□ □□□ VM □□□□ □□□□□.
- D. vSphere HA□ □□□□□ VM □□ □□ □□ □□□ □□ □□□□ □□□ VM □□□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 50

- □□ □□□□ □□□□ □□□ vSphere □□□ □□□□ □□□□.
- 600 vCPU
- 5,760GB RAM
- □□□ □□□□ □□□ □□□□.
- 60 vCPU
- 1,152GB RAM
- □□ □□ □□□ □□□□ □□□.
- 25% □□□ □ □□□□.
- □□□□ 36□□ vCPU□ □□□ □ □□□ 512GB RAM□ □□□□.
- □□□□□ 20%□□□.
- □□ □□□ □□□□ □ □□□ □□ □□□ □□ □□□□□?
- A. □
- B. □
- C. □□

D. 4

Answer: (SHOW ANSWER)

NEW QUESTION: 51

□□□□ □□ □□ □□ □□□□ VMware SDDC(□□□□□ □□ □□□ □□) □□□□ □□□□ □□□□. □□□□ □□□ 1,000□□ □□ □□□ □□□□ □□□. □□□□ □□ 5,000□□ □□ □□□ □□ □□□ □□□□□ □□□□□ □□□. □□□□ □□□ 2□□ □□□ □□□ □□ □□□□□ □□. □□□□ □□ □□ □□ □□ □□(MTD)□ 4□□□□□ □□□. □□□□ □□ □□□ □□□ □□□ 99.8□□□ □□□. % □□□□ □□□ □□□□ □ □□□ □□□ □□□□ □□□ □□□ □□□□ □ □ □□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□□ vSphere □□□ □
- B. vSphere □□□□ □□(CPU/RAM/□□□□)
- C. □□ □□□ □□ □□□ □□□
- D. □□ □□ □□□ □□(CPU/RAM/□□□□)
- E. □ □□ □□□ □□□ □□ □□

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 52

□□□□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□□□ □□□ □□□□□. □□□ □□□ □□ □□□□ □□ □□ □□□ □□ □ □□□□□ □□□?

- A. □□ □ IP □□□ □□ □□ □□□ □□□□ □□□ □□□□□
- B. □□ □□, □□ □□ □ □□ □□
- C. □□ □□ □ □□□ □□□ □□□ □□□ □□□□□ □□□□□
- D. □□ □□□ □□ □□□ □□ □□□□ □ □□□□□ □□□□ □□□□ □□□ □□ □□□□□

Answer: A (LEAVE A REPLY)

"□□□ □□□ □□□ □□□ □□□□ □□□. □□□ □□□□ □□ □□□□□ □□ □□□□□ □□□□□. □ □□□□ □□□ □ □□ □□□ □□ □□ □□□ □□□□□."

NEW QUESTION: 53

- □□ □□ □ □□ □□□ □□ □□□□ □□□□ □ □□□ □□□□□? (2□□ □□□□□.)
- A. vSphere □□□□ 30□□ □□ □□□ □□□ □ □□□ □□□.
- B. vSphere □□□□ 99.9%□ SLA(□□□ □□ □□)□ □□□ □ □□□ □□□.
- C. vSphere □□□□ 15ms□ □□ □□ □□ □□□ □□□ □ □□□ □□□.
- D. vSphere □□□□ 400MB/s□ □□ □□□□ □□□ □ □□□ □□□.
- E. vSphere □□□□ N+1 □□□□ □□□ □ □□□ □□□.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 54

□ □□□□ □□□ □□ vSphere □□□ □□□□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□□□□. □□ vSphere □□□□ RAID □□□ □□ □□ 2□□ □□□□ □□□ □ □□□ □□□ □□□□ □□ □□□□ □□ □ □□ □□ □□□ □□□ □□□□ □□□ □□□□? (2□□ □□□□□.)

- A. Storage DRS
- B. VMDK
- C. 3
- D. VM
- E.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 55

VMware SDDC()

2 * 16 ESXi 4

512GB RAM

2 * 8 ESXi 8

256GB RAM

8 vCPU 256GB RAM

NUMA

Answer: A (LEAVE A REPLY)

NEW QUESTION: 56

VDI()

VMware SDDC()

500

99.5%

99.9%

□□□ □□□ □□□□ □□□□ □□□ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□ □□ □□□□ □□□ VDI □□□□□ □□□□□□ □□□ □□□ □□□□.
- B. □□ □□ □□□□□□ □□ VDI □□□□ □□ □□ □□□ □□□□ □ □□ □□□ □□□ □□□□.
- C. □□ □□□□□ N+1 □□□□ □□□□.
- D. VDI □□□□ □□ □□ SLA□□ □□ SLA(□□□□ □□ □□)□ □□□□.
- E. □□ □□ □□□□ □□□ □□□ VDI □□□□ □□□□□ □ □□ □□□ □□□ □□□□.

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 57

□ □□□□ □□ □□□□ ESXi□ □□□ □□□ □□□ □□□ □□□□ □□□□. ESXi □□□□ □□ □ □□ □□□ □□□□□ □□ □ □□□ □□□□.

□□□□ □□□ □□ □□□ □□□□ □□ ESXi □□□□ □□□□ □□ □□ □□ □□□ □□□□ □□□□ □□□?

- A. □□ □□□ □□ □□□ □□□ Auto Deploy
- B. □□ □□ □□ □□□ □□□ □□ □□
- C. □□□□ □□□□□ □□
- D. SAN□□ □□□ □□□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

□□□ □□ □□□ □□ □□□ □□□□□ □□□□ □□□□□□ □□□□ □□ □□ □□ □□□□ □□ □□□ □□ □□□ □□□ □□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□□.

□□□□ □□ □□□□□□ □□ □□□ □□□□ □□ □□□ □□□□□.

□□□□ □□ □ □□ □□ □□ □□□□□?

- A. □□□□□□□□ □□□ □□ □□ □□□ □□ □□□□ □□□□□.
- B. □□ □□□□□ □□□□ □□□ □□□□□□□.
- C. □ □□□ □□ □□□ □□□□ □□ □□□ RTT(□□ □□) 8ms□□□.
- D. □□ □□ □□□ □□□ 10□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 59

□□□ □□ □□ □□□□□□□ MVP(Minimum Viable Product) □□□ □□ □□□□ □□ □□□□ □□ □□ □□□□ □□□□□□ □□ □□□ □□ □□ □□□ □□□□ □□□□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□□□.

□□ □□□□□ □□ □□ □□□ □□□□□.

* □ □□

- □ □□□ □□□□ □□□□□ □□□□ □□□ □□ □□□ □□□ □□ □ □ 15□□ □□□□□.

* □□□□□□ □□

- □□ □□□□ □□ □□□□ □□□□ □□□ □□□□□□□ □□□ □□□ □ □ 15□□ □□□□□.

* □□□□□□ □□

- □□□□□□□ □□□ 1□□ □□□ □□□□□□ □□□□ □□□□ □□□□ □□ □□□ SLA(□□□□ □□ □□)□ □□ □□□□□□ □ □□□ □□□□□.

3V0-21.21 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ 3V0-21.21 ☐☐! DumpTop ☐ ☐☐ **3V0-21.21** ☐☐ ☐☐☐ ☐☐☐ ☐☐☐, DumpTop 3V0-21.21 ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ DumpTop 3V0-21.21 ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/VMware/3V0-21.21-dump.html> (90 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)