

VMware.3V0-21.23.v2024-10-17.q94

□□□□:	3V0-21.23
□□□□:	VMware vSphere 8.x Advanced Design
□□□:	VMware
□□ □□ □□□:	94
□□:	v2024-10-17
# □□ □:	757
# □□ □□□:	940
https://www.krdump.com/VMware.3V0-21.23.v2024-10-17.q94.html	

NEW QUESTION: 1

□□□□ □□□ vSphere □□□ □□ □□□□ □□□ □□□ □□□□.

□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□.

- □□

- v□□

- vSAN

- □□ □□□

- □□ □□□ □□□□ □□□ □□ □□ □□ □□ □□□. □□□□□ vSphere □□□□ □□□

□□□□ □□□□ □□□ □□ □□□□ □□□□ □□ □□ □□ □□ □□□ □□□ □ □□□

□?

A. □□□ NIC □□□ □□ NIC □ □□ □□□ □□□□□.

B. □□□ VLAN□□ □□□□ □□□□□ □□□ □□ □□ □□□ □□□□□ □□□□□.

C. □□ □□□ □□□□ □□ □ □□ □□ □□ □□□□ □□□□ □□, vMotion, vSAN □ Fault Tolerance □□□□ □□□ □□ □□□□ □□□□ □ □□ □□ □□□□ □□ □□ □□□□ □ □□□□.

D. □□□□ I/O □□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□ □□ □□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□□□□ □□ VMware □□□□□ □□ □□□ □□(SDDC) □□□□ □□□□ □□ □□ □□□ □□ □□ □□□□ □□□(VDI) □□□□ □□□□ □□□ □□□□□.

□□□□ □□□ □□ □□□□□ □□□ □ □□ □□□ □□□ □□□□□. □ □□□ □□□ □□

□□ □□ □□□□ □□□□ □□□□ □ □□□ □□□ □□ □□ □□□□ □□□□. □□ □□

□□ □□ □□□ □□(SDDC)□ □□ □□□ □□□ □□□ 99.5%□□, □□□□ □□ □□ □□ □□□

□□□□□.

□□□ □□□ □□□□ 500□□ □□ □□ □□□□□ □□□ □□□ □ □□□ □□□□□ □□ □□□. □□ □□□□□ □□ □□ □□□ □□□ □□ □□□□ □□□□□ □ □□□ □□□ VMware □□ □□ □□ □□□ □□□□ □□□ □ □□□□. □□ □□□ VDI □□□ □□ □□ □□ □□ □□□□□ □□□□ □□□. □□ □□ □□□ □□□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□. VDI □□□□□ □□□□□ □□□ □□□□ □□□□ □□□ □□□ 99.9%□□ □□□.

□□□□□□ □□ □□□ □□□ □, □□□□ □□ □ □□ □□□ □□□ □□□□□□? (□ □□ □ □□□□□.)

- A. VDI □□□□ □□ □□ SLA□□ □ □□ □□□ □□ □□(SLA)□ □□□□.
- B. □□ □□ □□□□ □□□ □□□ VDI □□□□ □□□□□□□□ □□□ □□□ □□□ □□□ □□.
- C. □□ □□ □□□□ □□□ VDI □□□□□ □□□□ □ □□ □□□ □□□ □□□ □□□□.
- D. □□ □□□□□□□ N+1 □□□□ □□□□.
- E. □□ □□ □□□□□□ VDI □□□ □□ □□ □□□ □□□□ □ □□ □□□ □□□ □□□□.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□□□□ VMware vSAN□ □□□□ □□□ VMware □□□□□ □□ □□□ □□(SDDC)□ □ □□□ □□□ □□□□□. □□□□□ □□□□ □□ □□□ □□□□ □□□ vSAN □□□□□ □ □□□ □□ □□□ □□□□□. □□□ SDDC□ □□ □□□ □□□ □□□□ □□ □□ □□□□ □□□□ □□□□□ □□□.

□□□□ □□ □□□□ vSAN ReadyNodes□ □□□□□ □□□□□□□.

□□□□ □□□ □ □□ □□□ □□:

- □□□ □□ □□□ NVMe 800GB □□□□
- □□□ □□ 4□□ 3.84TB □□□ NVMe
- 4□□ 10GbE □□

□ □□□ □□□□□ □ □□□ □□□□ □□□ □□□□□?

- A. vSAN ReadyNodes □□
- B. vSAN ReadyNode□ 10GbE □□ □□ □
- C. □□ □ □□□ □□ NVMe □□□□ □□
- D. □□ □□□□□ 10GbE□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

□□ □□□ □□□□□ □□ □□□ □□□ □□ □□□ □□□□□□□ □□ □□□, □□ □□□ □□ □ □□□(SaaS) □□□□ □□□ □□□□□. □□□ □□□□□ □□ □□ □□□□ □□□ □□ □□ □□□ vSphere □□□ □□ □□□□ □□□□ □□□□ □□□□□□. ESXi □□□□ Precision Time Protocol(PTP)□ □□ Stratum-1 □□□□ □□ □□□ □□□□□ □□□□ □□□ □□. □□□□□□ □□□□□ □ □□□ VMware vRealize Automation□□ □□□□ Microsoft Windows □□ □□ Linux □□□□□ □□□ □ □□□□.

Which of the following are supported by vSphere? (Select all that apply.)

- A. Microsoft Windows Server 2016
- B. Linux distributions using chrony for time synchronization.
- C. Network Time Protocol (NTP) servers.
- D. VMware Workstation.
- E. Linux distributions using systemd for time synchronization.
- F. VMware Workstation (VWDT) servers.

Answer: B,D,E (LEAVE A REPLY)

Source:

<https://blogs.vmware.com/apps/2021/04/lets-be-precise-enabling-and-configuring-precision-time-protocol-in-vsphere.html>

<https://core.vmware.com/blog/introducing-ptpvmw-new-linux-driver-achieve-high-time-synchronization-accuracy>

<https://blogs.vmware.com/apps/2020/09/using-vmtoolsd-to-synchronize-time-in-vmware-workstation.html>

NEW QUESTION: 5

Which of the following are supported by vSphere? (Select all that apply.)

- A. vSphere supports 30-day retention for logs.
- B. vSphere supports 99.9% availability (SLA) for the vCenter Server.
- C. vSphere supports N+1 redundancy for vCenter Server.
- D. vSphere supports up to 400MB/s for vCenter Server logs.
- E. vSphere supports up to 15ms for vCenter Server logs.

Answer: (SHOW ANSWER)

NEW QUESTION: 6

vSphere supports which of the following? (Select all that apply.)

- A. vSphere supports up to 1000 vCPUs per VM.
- B. vSphere supports up to 1000 VMs per host.
- C. vSphere supports up to 1000 VMs per ESX host.
- D. vSphere supports up to 1000 VMs per vCenter Server.

Answer: (SHOW ANSWER)

NEW QUESTION: 7

Which of the following are supported by vSphere? (Select all that apply.)

- A. vSphere supports up to 1000 VMs per host.
- B. vSphere supports up to 1000 VMs per ESX host.
- C. vSphere supports up to 1000 VMs per vCenter Server.

- 1□□ □□ □□□ □□□ □□□□□□□ □□□□ CPU□ RAM□ □□ □□ □□□ □□□□.
 - Tier-2 □□ □□□ □□□□ □□□ □□□□□□□ □□□□□ □□ □□□□□ □□□□□ □□□□□ □□.
 - Tier-3 □□ □□□ vCenter Server□ □□ □□□ □□ □□□ □□□□ □□□ □□ □□ □□ □□ □□□□ □□□□.
 - Tier-1, Tier-2 □ Tier-3 □□ □□□ □□ □□ □□□ vSphere □□□□□ □□□□□□□.
 - □□□□□□□□□(CISO)□ □□ □□□ □□ □□ □□□□□□□ □□□□□ □□ □□ □□ □□ □□□ □□□□ □□□□ □□□ □□□□□□□.
 - □□ □□ Tier-1 □□ □□□ vCenter Server □□□ □□□□ □□□ □□□□ □□□ □□□□□ □□□.
 - □□ □□□□ □□□□□□ □□□ □□□ □□□ □□□□□ □□□ □□□ □□□□□□.
 - □□, □□□□ □ □□□□ □□□ □□□□ □□ □□ □□□ □□□ □□□□?
- A. □□ □□ □□ □□□(DVS)□ □□□□ Tier-1, Tier-2 □ Tier-3 □□ □□□ □□□□□.
- B. Tier-1, Tier-2 □ Tier-3 □□ □□□ □□ □□□□□ □□
- C. □□ □□□□□ Tier-2 □□ □□ □□
- D. □□□ □□ □□□ □□□□ Tier-1, Tier-2 □ Tier-3 □□ □□ □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8

- vSphere □□□ □□ □□ □□ □□ □□□ □□□□ □□ □□□ □□□□□?
- A. vSphere □□□□ □□ □□ □ □□□ □□□□□ □□□□□.
 - B. vSphere □□□□ □□□ □□ □□□ □□□ □□□□□.
 - C. □□□□ □□□ □□ □ □□ □□□□□ □□□□□□.
 - D. vSphere □□□□ □□□ □□□□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 9

- □□ □□ □ □□ □ □□□ □□ □□□ □□ □□□□ □□□□□? (□ □□□ □□□□ □.)
- A. vSphere □□□□ 30□□ □□ □□ □□□ □□□ □ □□□ □□□.
 - B. vSphere □□□□ □□ 400MB/s□ □□□□ □□□ □ □□□ □□□.
 - C. vSphere □□□□ N+1 □□□□ □□□ □ □□□ □□□.
 - D. vSphere □□□□ □□ 15ms□ □□ □□ □□□ □□□ □ □□□ □□□.
 - E. vSphere □□□□ 99.9%□ □□□ □□ □□(SLA)□ □□□ □ □□□ □□□.

Answer: B,D (LEAVE A REPLY)

<https://technicloud.com/category/vmware/>

NEW QUESTION: 10

□□□ □□ □□□□ □□□ □□ □□, □□□□ □□, □□□□ □□ □□□ □□□□□?

- A. 100 100.
- B. 100 100.
- C. 1000 100.
- D. 1000 1000.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

vSphere 1000 100 1000 1000 10000 1000, 1000, 10000 1000 1000 10000?

- A. 100 100 100
- B. 1000 100 100 100
- C. 100 100 100 100
- D. 10000 1000 100 100

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

1000 100 100 100 1000 100000 100 10000 10000 10000 100000? (1000 10000000.)

- A. ESXi 1000000 50 1000 100 1000 10000 70% 100 10000 100 1000000 1000.
- B. 10000000 100 1000 1000000 vSphere Fault Tolerance 100000 1000.
- C. ESXi 1000 1000000 100 100 1000 10000 1000.
- D. vSphere 1000 1000 100 1000 100000 1000.
- E. ESXi 1000000 100 50000 100 100 10000 1000000 1000.

Answer: A,C ([LEAVE A REPLY](#))

1000 1000000 100000 1000 100000 1000 100000 100, 100000 1000000 1000 1000 1000000 1000 1000000.

<https://enkonix.com/blog/function-requirements-vs-non-function/>

NEW QUESTION: 13

100 100000 100 1000 100 1000000?

- A. 10000 100 1000 100000 1000.
- B. 1000 1000000 20 100000 1000.
- C. 10000 100 1000 100000 10000 1000.
- D. 10000 1000000 100 1000 10000 1000.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

10000 100000 100 IP 100 1000000 100000 1000 1000 100000 100000 1000 100000 1000000000 1000 1000 100000.

IP 100000 1000000 1000 1000 100000 100 10000 1000000? (100000 100000 1000.)

- A. 100 100 100

- B. □□□ □□ □□□□(STP)
- C. 10GbE □□□□ □□ 2:1 □□□ □□□ □□ □□
- D. □□□ □□□
- E. □ □□ □□□ □□ □□□

Answer: ([SHOW ANSWER](#))

<https://www.arista.com/en/solutions/ip-storage-network-infrastructures>

NEW QUESTION: 15

□□ □□ □□ □□□ □□ □□□ □□□ vSphere □□□ □□□ □□□ □□ □□ □□□ □□□ □□.

- □□ Tier 1 □□□□□□□ □□ □□ □□ □□ □□(MTD)□ □□□ □□□□. 1□□.

□□ □□□ □□ □□ □□ □□ □□□ □□□□ □□□□?

- A. □□□
- B. □□
- C. □□□
- D. □□ □□□

Answer: D ([LEAVE A REPLY](#))

MTD - □□ □□ □□ □□ □□: RTO□ WRT□ □□□, □□□□□ □□□□ □□ □□□□□ □ □□□ □ □□□ □ □□□□□.

<https://vcdx133.com/2015/01/28/vcdx-availability-explained/>

NEW QUESTION: 16

□□□□ □□ □□ □□ □□ □□□ □□□□ □□ □□□ vSphere □□□□ □□□□ □□□□. □□□□ □□ □□□□ □□□□ □ □□ □□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□□ □ □□ □□ □□□□□□□ □□□□□□ □□□.
- B. □□ □□□ □□□□□ □□ □□□ □□□□ □□□.
- C. □□□ □□□ □□□ □□ □□□□ □□ Syslog □□□□ □□□□□ □□□.
- D. □□□ □□□□ □□□□□ □□□.
- E. □□ □□□ □□□□ □□ □□□ □□□□□□ □□ □□□□ □□□.

Answer: A,B ([LEAVE A REPLY](#))

NFR□ □□ □□□ □□□ □□□ □□□□□.

- A - □□□□□□ □□□ FR□ □ □ □□□ □□□□□□□ □□ NFR□ □□□.
- B - □□□ FR□□□, □□□ □□□ □□□□ □□□□ NFR□ □□□.

3V0-21.23 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 3V0-21.23 □□! DumpTop □ □□ **3V0-21.23** □□ □□□ □□□□□□□, DumpTop 3V0-21.23 □□ □□□ □□ □□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 3V0-21.23 □

□□ □□□□□. <https://www.dumptop.com/VMware/3V0-21.23-dump.html> (94 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ □□ □□□□□ □□□ □□□ □□ □□□□□ □□□□□.
- □□□ vSphere □□□□ □□□□ □□□□□ □□ □□ □□□□□□
□□□□ □□□□□ □□□□□ □□□.
□□□ □□□□ □□ □□ □□□ □□□ □□□□□ □□□?
A. □□□□□□ □□□□ □□□.
B. □□ □□□□ □□□□ □□□ □□□□ □□□.
C. □□□□□□ □□ □□ □□□ 15□ □□□ □□□□□ □□□.
D. □□□ □□ VLAN(PVLAN)□ □□ □□□□□ □□□.

Answer: D (LEAVE A REPLY)

ESXi □□□□ □□ □□□□□ □□□□□. □ □□□□□ □□□ □□ □□□ □□□□ □□ □□
□□□□ □ □□□ □□ □□□□ □□□□□. □□ □□ VMware vSphere vMotion □□□□ □□
□□□ □□ □□□□□ □□□□ □□□ □□□. □□□ □□□□ □□□□□. □□□□ □□□ □
□□ □□□□□ □□ □□ □□□□.

<https://docs.vmware.com/en/VMware-vSphere/7.0/vsphere-esxi-vcenter-server-70-security-guide.pdf>

NEW QUESTION: 18

□□□ □□□□ □□□□ □□□□?
A. □□□□ □□□□ □□ □□□□ □□ □ □□.
B. □□ □□ □ □□□ □□ □□.
C. □□□□ □□□ □□□□ □□□ □□ □ □□ □□□ □□.
D. □□□ □□□ □□□□ □□□□ □□ □□□□ □□.

Answer: (SHOW ANSWER)

NEW QUESTION: 19

AMPRSS □□□□□□ □□□□ "□□□□"□ □□□ □□□□□?
A. □□□□ □□□ □□□ □□ □□□ □□□ □□□□□□.
B. □□□ □□□□ □□□□ □□□□ □□□□□□ □□□.
C. □□ □□□ □□□□ □□□ □ □□ □□□□ □□.
D. □□□ □□ □□□ □□□ □ □□ □□□□ □□.

Answer: (SHOW ANSWER)

NEW QUESTION: 20

□□□ vSphere □□□□ □□□□ □□□□. □ □□□□ □□ □□□□ LOB(Line-of-Business) □
□□□□□□ □□□□ □□ □□□ □□□□□□.
□□□□ □□□ □□□□□ □□ □□□ □□□ □ □□□ □□□□ □□□?

- A. □□ □□□ □□ □□ □□ □□
- B. □□ □□□ □□
- C. □□ □□ □□ □□ □□□ □□ □□
- D. □□ □□□ □□ □□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□ □□□□ □□ □□ □□□ □□ □□ □□□□ □□□□□?

- A. □□□□ API□ □□ □□ □□ □□□ □□□□ □□□.
- B. □□ □□□ □□ □□□ □□□□□ □ □□□ □□□□□ □□□.
- C. □□□ □□□ □□□ □ 30□ □□□ □□ □□□ □□ □□□□ □□□.
- D. □□□□ □□ 500□□ □□ □□ □□□ □□□□□ □□□ □ □□□ □□□.

Answer: D ([LEAVE A REPLY](#))

□□ □□ = □□□ □□ □□

NEW QUESTION: 22

vSphere vSAN □□□□□ □□□□ □ □□□ □□ ESXi □□□ □□ □□□□□?

- A. 4
- B. 1
- C. 2
- D. 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

□□□□□ □□□ □□ □□□ □□□ vSphere □□□ □□□□ □□□□. □ □□□ US-East □
 US-West □□ □□□ □□□ □□□□□. □ □□□ □□□□ □□ □□□ □□ vSphere □□□ □
 □ □□□□. □□□□ □□ □□ vSphere □□□ Enhanced Linked Mode□ □□□□□. □□ □□
 □□□(CTO)□ □□□□ □□ VMware vRealize Automation Cloud□ □□□□□ □□□□□□. □
 □ □□ Open Virtualization Format(OVF)□□ □□□ □□ □□□ □□ □□□□ □□ □□ □□□
 □ □□□ □□□ □□ □□ □□□ □□ HTTPS □□□ □□ □□□□□□ □□□□□□.

- □□ □□ □□□ □□□ □□□ □□□□□ □□□□□ □□□□ □□□.
- □ □□□ □□□□ □□□□ □□□ □□□□□□ □□□ □ □□□ □□□.
- □□ □□□ □□□□ □□□□□□ □□□□□ □ □□□ □□□□□□ □□□□□□□ □□□.
- □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□ □□□□ □□□ □ □□□ □□□.
- □□ □□ □ □□□□□ □□□□ □□□.

□□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□?

- A. □□□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□ JSON □□ □□□□□□ □□□ □□□.
- vSphere □□□ □□ □□□ □□□ □□□□□□ □□□□.
- □□□□ □□□□□□□ □□□ □□□□□□ □□□□□□.

B. □□□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□ JSON □□ □□□□□□ □□□ □□□.

□ vSphere □□□ □□ □□□ □□□ □□□□□□ □□□□.
□□□ □ □□□□ □□□□□ □ □□□ □□□ □□□□□□ □□□□□.

C. □□ □□ □□□□ □ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□.
□ □□□□ □□□□ □□□□ OVF □□□□ □□□□□.

D. □ □□□ □□□ □□ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□.
□ □□□ □□□ □□ vSphere □□□ □□ □□□ □□□ □□□□□□ □□□□.
□□□□ □□□□ □□□□□□□□ □□□ □□□□□□ □□□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 24

□□□□□ □□□ □□□□ □□□ □□□□ □□□□. □□□ vSphere □□□□□□ □□ □□□□□ □ □□□□ □□ □□□ □□□-□□□□ □□ □□□□ □□□□ □□□ □□□□ □□□□□□□□. □□□□ □□ □□□ □□□□ □□□□?

- A. VMW_SATP_□□
- B. VMW_PSP_MRU
- C. VMW_SATP_□□□_AA
- D. VMW_PSP_□□□

Answer: (SHOW ANSWER)

VMW_PSP_MRU - □□

□□ □□

□□ □□□ □□□(VMware) □□□ VMW_PSP_MRU□ □□ □□□□□□. □□□ □□ □ □□□ □ □□ □□ □□□ □□□□□□. □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□ □. □ □□□ □□□□ □□□-□□□□ □□□□ □□□ □□ □□□□□□□.

<https://docs.vmware.com/en/VMware-vSphere/6.7/vsphere-esxi-vcenter-server-671-storage-guide.pdf>

NEW QUESTION: 25

□□□□ □□□ vCenter Server □□□□ □□□ □□ □□□ □□□□□ □□□□□.
□□□□ □□ □ □□□ □□□□ □□ □□□ □□□□□□?

- A. □□ □□ □□ □□□(DVS)□□ □□□□ □□ □□ □□□□□
- B. vCenter Server□ □□ □□□ □□ SSH □□ □□
- C. □□ □□ vCenter Server□ □□ vCenter □□ □□□□□ IPv4 □□
- D. □□, □□ □ □□ □□□ □□ □ vCenter Server □□□□□ □□ □□

Answer: B (LEAVE A REPLY)

□□ □□:

□□ □□ □□□ □□□ vCenter Server□ □□□□□□.

vCenter Server□□ □□ IP □□□ □□□ □□□.

>>> vCenter Server□□ SSH□ □□□□□□ □□□.

NEW QUESTION: 26

Which two actions can you perform to prevent a vSphere host from connecting to a vSAN datastore? (Choose two.)

- A. Disable the vSAN datastore.
- B. Disable the vSAN datastore's network interface.
- C. Disable the vSAN datastore's storage controller.
- D. Disable the vSAN datastore's storage controller's network interface.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which two actions can you perform to prevent a vSphere host from connecting to a vSAN datastore? (Choose two.)

- A. IP address of the vSAN datastore.
- B. vSAN datastore's network interface.
- C. vSAN datastore's storage controller.
- D. vSAN datastore's storage controller's network interface.

Answer: ([SHOW ANSWER](#))

Which two actions can you perform to prevent a vSphere host from connecting to a vSAN datastore? (Choose two.)

NEW QUESTION: 28

Which two actions can you perform to prevent a vSphere host from connecting to a vSAN datastore? (Choose two.)

- A. C and D
- B. A and B
- C. A and C
- D. A and D
- E. B and D

Answer: C,D ([LEAVE A REPLY](#))

Which two actions can you perform to prevent a vSphere host from connecting to a vSAN datastore? (Choose two.)

NEW QUESTION: 29

□□□ □ □□□□□ □□□□ □ □□□□ □□□ □□□□□ □ □□□ □□□□. □□
□□□ □□ □□□ □□□□ □□ □□□ □□□□□ N+1 □□□□ □□□ □ □□□ □□□. □□
□□ □□ □□ □□□□ □□ □□ □□□ □□□□ □□ □□ □ □□ □□□□ □□□□□.
□□□ □□□□ □□□ □□□ □□□□ □□ □□□□□ □□□ □□ □□□ □□ □□□□□?

- A. □□
- B. □□
- C. □
- D. □□

Answer: ([SHOW ANSWER](#))

□□□□□ N+1□ □□□ □ □□□ □□□.
□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□□ □□ □ □□ □□□□ □□□
□□.
□□□ N+1□ □□□□□ 3□□ □□□□ □□□□□.
□□□ □ □□ □□□□ □□□ □□□□ □□□□□ □ □□□ □□□□.
□, □□□□ 5□ □□□□□ □□□□.

NEW QUESTION: 30

□□□□ □□ □ □□ □□ □□□ □□□□ □□ □□ □□□□□ □□□□□□ □□□ □□□
vSphere □□□□□ □□□□□ □□□□□□□.
□ □□□ □□□ □□ □ □□□ □□□□□? (□ □□□ □□□□□.)
A. □ □□□□ □□□ □□ □□□□ □ □□ □□ □□□ □□□□.
B. □□ □□□□ □□ □□□ □□□□□ □□□□ □□□.
C. □□ □□□ □ □□□□□ □□□ □□□ □□□□.
D. □□ □□□ □□□□ □□□.
E. □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

□□□□ □□ VMware □□□□□ □□ □□□ □□(SDDC) □□ □□ □□□ □□□□ □□ □□
□□ □□□□.
□□ □□□□□ □□ □□□ □□□□□□□.
□□□□ 1
- 6□□ ESXi □□□
- □□□ □□□ □□ vSphere HA □□□□ □□ = 1
- Proactive HA□ □□□□□ □□□□ □□□ |
- □□ □□□□ vSphere DRS
- TPS(□□ □□□ □□)□ □□□□□□□□□.
□□□□ 2
- 8□□ ESXi □□□
- □□□ □□□ □□ vSphere HA □□□□ □□ = 1

D. □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

vSphere □□□ □□ □□□□ □□□ □□ □□□ □□□□ □□□ □□□□□?

- A. vSphere □□□ □□□ □□ □□□ □□□ □□□□□.
- B. □□□ □□□ □□□□ □□ □□□ □□□□□.
- C. □□□□ □□□ □□□□□□ □□ □□ □□ □□□ □□□□□.
- D. □□□□ □□□ □□ □ □□ □□□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

□□□ □□ □□ □□ □□ vMotion □□□□□□ □□□ □□□□□ □□ □□ □□□ □□□□
 □. □□ □□ □□□□ 8□□ 1GbE □□□□ □□□□ □□□□ □□□□.
 □□□ □□□ □□□□ □□□ □□ □□ □□ □□ □□□ □□□□ □ □□ □□□□ □□□□ □□□□
 □.

- □□ □□
- vMotion □□□
- iSCSI □□□
- □□ □□ □□□

□□□ □□□□□ □□□□ □□ □□□□ □□ □□ □□□ □□□ □□□□?

- A. Network I/O Control□ □□□□ vMotion □□□□ □□ □□□ □□□□□.
- B. □□ vMotion VMkernel□ □□□□ □□ NIC vMotion□ □□□□□.
- C. vMotion □□□□ □□ □□ TCP/IP □□□ □□□□□.
- D. vMotion□ □□ □□□□ □□□□ 4□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□ vMotion□ □□ 2 x 1 GbE □□□□ □□□□ □□ □□□ □□ □□□ □□□□□
 □□□□ □□ VMkernel □□□□□□ □□□□□□. VMkernel □□□□ □□□□ vMotion□ □□
 □□□□ □□□ □ □□□□ □□□□. □□□□ □□□□ □□□ □□□□ □□□□□□.

NEW QUESTION: 35

□□□□ □□□□ □□ □□□□ □□ □□ 5□□ □□□ □□□□□□□□ □□ □□□ □□ □□□
 □ □□□□ □□□□□.

□□□□ □□ □□ □□□ □□□ □□ □□ □□ □□□□ □□□ □□□□?

- A. □ □□ □□□□ □□□□□ □□□□ □ □□□□□□□ □□□□□□ □□ □□□ □□□□□
 □.
- B. 6□□ □□□□ □□□ □□□□□ □□□ □□□□ □□ □□□ □□□□□ □□□□□□ □□ □
 □□ □□□□□.
- C. 6□□ □□□□ □□□□□ □□□ □□□□ □□ □□□ □□□□□ □□□□□□ □□ □□□ □
 □ □□□□□□.

D. 4x 10GbE NICs connected to a switch that supports SR-IO. This configuration allows for direct access to the NICs, bypassing the vSphere switch, which can significantly improve performance for applications that require high network throughput.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

vSphere 6.5 is configured with a vSwitch that has a port group with a VMXNET3 network adapter. Which of the following is a valid configuration for the VMXNET3 network adapter?

- A. vSphere 6.5 does not support VMXNET3 network adapters.
- B. vSphere 6.5 supports VMXNET3 network adapters, but only in a vSwitch with a port group that has a VMXNET3 network adapter.
- C. VMXNET3 network adapters are supported in vSphere 6.5, but only in a vSwitch with a port group that has a VMXNET3 network adapter.
- D. vSphere 6.5 supports VMXNET3 network adapters, but only in a vSwitch with a port group that has a VMXNET3 network adapter.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

ESXi 6.5 is configured with a vSwitch that has a port group with a VMXNET3 network adapter. Which of the following is a valid configuration for the VMXNET3 network adapter?

ESXi 6.5 supports VMXNET3 network adapters.

- ESXi 6.5 supports 4x (2x10GbE or 2x1GbE) NICs per vSwitch.
- ESXi 6.5 supports ToR (Top-of-Rack) switches that support 10GbE.
- ESXi 6.5 supports switches that support 10GbE.

Which of the following is a valid configuration for the VMXNET3 network adapter? (Select two.)

- A. 2x NICs ESXi 6.5 supports 2x 25GbE NICs per vSwitch.
- B. CoS (Class of Service) DSCP (Differentiated Services Code Point) is supported for VMXNET3 network adapters.
- C. ESXi 6.5 supports VMXNET3 network adapters, but only in a vSwitch with a port group that has a VMXNET3 network adapter.
- D. ESXi 6.5 supports 2x 10GbE NICs per vSwitch.
- E. 1GbE ESXi 6.5 supports 1x 10GbE NIC per vSwitch.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 38

ESXi 6.5 is configured with a vSwitch that has a port group with a VMXNET3 network adapter. Which of the following is a valid configuration for the VMXNET3 network adapter? (Select two.)

- A. NVIDIA vGPU
- B. AMD MxGPU
- C. vSphere DirectPath I/O
- D. vSGA
- E. vSphere VMXNET3

Answer: A,E ([LEAVE A REPLY](#))

<https://blogs.vmware.com/apps/2018/07/using-gpus-with-virtual-machines-on-vsphere-part-1-overview.html>

NEW QUESTION: 39

VMware ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。以下哪项是配置直通模式所需的正确步骤？

- 在 ESXi 主机上启用直通模式。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。

ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。以下哪项是配置直通模式所需的正确步骤？

- A. ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。
- B. ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。
- C. ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。
- D. ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。

Answer: (SHOW ANSWER)

NEW QUESTION: 40

VMware ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。以下哪项是配置直通模式所需的正确步骤？

- 在 ESXi 主机上启用直通模式。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。

ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。以下哪项是配置直通模式所需的正确步骤？

- A. ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。
- B. ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。
- C. ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。
- D. ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。

Answer: (SHOW ANSWER)

ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。以下哪项是配置直通模式所需的正确步骤？

<https://securityboulevard.com/2020/12/...>

NEW QUESTION: 41

VMware ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。以下哪项是配置直通模式所需的正确步骤？

- 在 ESXi 主机上启用直通模式。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。

ESXi 6.5 虚拟机 (VM) 正在使用直通模式 (PT) 访问物理 GPU。以下哪项是配置直通模式所需的正确步骤？

- 在 ESXi 主机上启用直通模式。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。
- 在 ESXi 主机上启用直通模式并分配直通模式 VM 所需的内存。

- 99.8% CPU usage. What is the most likely cause of this? (Select two.)

- A. High number of VMs
- B. vSphere CPU reservation (CPU/RAM/...) (Incorrect)
- C. High number of VMs (CPU/RAM/...) (Incorrect)
- D. High number of VMs (CPU/RAM/...) (Incorrect)
- E. High number of VMs (CPU/RAM/...) (Incorrect)

Answer: (SHOW ANSWER)

NEW QUESTION: 42

VMware vSphere ESXi host configuration. Host has 96 vCPUs, 1.5TB RAM, and 100GB storage. What is the most likely cause of this? (Select two.)

- 1. Profile 1: 16 vCPUs, 256GB RAM
- 2. Profile 2: 32 vCPUs, 512GB RAM

Profile 2 is selected. What is the most likely cause of this? (Select two.)

- A. Profile 1 is selected
- B. Profile 2 is selected
- C. Profile 1 is selected
- D. Profile 2 is selected
- E. Profile 1 is selected

Answer: (SHOW ANSWER)

NEW QUESTION: 43

VMware vSphere ESXi host configuration. Host has 96 vCPUs, 1.5TB RAM, and 100GB storage. What is the most likely cause of this? (Select two.)

- A. Profile 1 is selected
- B. Profile 2 is selected
- C. Profile 1 is selected
- D. Profile 2 is selected
- E. Profile 1 is selected

Profile 2 is selected. What is the most likely cause of this? (Select two.)

- A. Profile 1 is selected (DVS)
- B. Profile 2 is selected (VGT)
- C. vSwitch VLAN (VST)
- D. Profile 2 is selected (PVLAN)

Answer: D (LEAVE A REPLY)

NEW QUESTION: 44

Which of the following are supported by vSphere virtual volumes?

- NFS storage
- SAN storage
- iSCSI storage
- Fibre Channel storage
- Local storage
- SATA storage
- USB storage

Which of the following are supported by vSphere virtual volumes?

- A.** NFS storage, SAN storage, iSCSI storage, Fibre Channel storage, Local storage, SATA storage, USB storage.
 - B.** vSAN storage, NFS storage, SAN storage, vSphere storage, Fibre Channel storage, Local storage, SATA storage, USB storage.
 - C.** NFS storage, iSCSI storage, SAN storage, Fibre Channel storage, Local storage, SATA storage, USB storage.
 - D.** NFS storage, SAN storage, iSCSI storage, Fibre Channel storage, Local storage, SATA storage, USB storage.
- vSphere Volumes(vVOL) are supported by which of the following storage protocols?
- NFS
 - SAN
 - iSCSI
 - Fibre Channel

Answer: D (LEAVE A REPLY)

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/virtualvolumes/vmware-vsphere-virtual-volumes-vvolvs-solution-overview.pdf>

NEW QUESTION: 45

Which of the following are supported by VMware vSAN?

- NFS storage
 - SAN storage
 - iSCSI storage
 - Fibre Channel storage
 - Local storage
 - SATA storage
 - USB storage
- Which of the following are supported by VMware vSAN?
- NFS storage, SAN storage, iSCSI storage, Fibre Channel storage, Local storage, SATA storage, USB storage.
 - vSAN storage, NFS storage, SAN storage, vSphere storage, Fibre Channel storage, Local storage, SATA storage, USB storage.
 - NFS storage, iSCSI storage, SAN storage, Fibre Channel storage, Local storage, SATA storage, USB storage.
 - NFS storage, SAN storage, iSCSI storage, Fibre Channel storage, Local storage, SATA storage, USB storage.

- 99.5% of the time, the RTO is 4 hours.
 - 99.5% of the time, the RPO is 24 hours.
 - The RTO is 4 hours.
 - The RPO is 24 hours.
- Which of the following is the most appropriate response to the question? (Select two.)
- A. The RTO is 4 hours.
 - B. The RPO is 24 hours.
 - C. The RTO is 4 hours and the RPO is 24 hours.
 - D. The RTO is 4 hours and the RPO is 24 hours.
 - E. The RTO is 4 hours and the RPO is 24 hours.

Answer: ([SHOW ANSWER](#))

B: The RTO is 4 hours and the RPO is 24 hours.
 "The RTO is 4 hours and the RPO is 24 hours." The RTO is 4 hours and the RPO is 24 hours.
 "The RTO is 4 hours and the RPO is 24 hours." The RTO is 4 hours and the RPO is 24 hours.
 "The RTO is 4 hours and the RPO is 24 hours." The RTO is 4 hours and the RPO is 24 hours.
 "The RTO is 4 hours and the RPO is 24 hours." The RTO is 4 hours and the RPO is 24 hours.

NEW QUESTION: 46

- Which of the following is the most appropriate response to the question?
- A. The RTO is 4 hours, and the RPO is 24 hours.
 - B. The RTO is 4 hours and the RPO is 24 hours.
 - C. The RTO is 4 hours and the RPO is 24 hours.
 - D. IP address is 10.10.10.10 and the RTO is 4 hours.

Answer: ([SHOW ANSWER](#))

3V0-21.23 PDF Dumps 3V0-21.23 DumpTop PDF Dumps 3V0-21.23 PDF!
 DumpTop PDF 3V0-21.23 PDF Dumps 3V0-21.23 PDF Dumps, DumpTop 3V0-21.23 PDF Dumps PDF
 Dumps 3V0-21.23 PDF Dumps. DumpTop PDF Dumps 3V0-21.23 PDF
 Dumps PDF. <https://www.dumpstopy.com/VMware/3V0-21.23-dump.html> (94 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 47

□□□□□ □□□ □□ □□□ □□□ vSphere □□□ □□□□ □□□□. □□□ US-East □ US-West □□ □□□ □□□ □□□□□. □ □□□ □□□□ □□ □□□ □□ vSphere □□□ □□ □ □□□□. □□□ □□ □□ vSphere □□□ Enhanced Linked Mode□ □□□□□.

□□ □□ □□□(CTO)□ □□□□ □□ VMware vRealize Automation Cloud□ □□□□□ □□□ □□□. □□ □□ Open Virtualization Format(OVF)□□ □□□ □□ □□□ □□ □□□□ □□ □ □□□□ □□□ □□□ □□ □□ □□□ □□ □□ □□□ □□□□□.

□□□□ □□ □□ □□□ □□□□ □□□ □□□□□ □□□□□ □□□□ □□□.

- □ □□□ □□□□ □□□□ □□□ □□□□□□ □□□ □ □□□ □□□.
- □□ □□□ □□□□ □□□□□□ □□□□□ □ □□□ □□□□□□ □□□□□□□ □□□.
- □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□ □□□□ □□□ □ □□□ □□□.
- □□ □□ □ □□□□□ □□□□ □□□.

□□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□?

- A.** □□□□□□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□□□ JSON □□ □□□□□ □ □□□□□□. □ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□. □□□ □ □□□□ □□□□□□□ □□□ □□□□□□ □□□□□.
- B.** □ □□□ □□□ □□ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□. □ □□□ □□ □ □□□ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□. □□□ □□□□□□ □□□ □ □□□□ □□□□□□□.
- C.** □□□□□□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□□□ JSON □□ □□□□□ □ □□□□□□. □ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□. □□□ □□□□□ □ □□□□ □□□□ □□□□ □□□□□□□.
- D.** □□ □□ □□□□ □ vSphere □□□ □□ □□ □□□ □□□□□□ □□□□. □ □□□□ □ □□□□□ □□□□□ OVF □□□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 48

□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □ □□□ □□□□ VMware □□□□□ □□ □□□ □□(SDDC) □□□□ □□□□ □□□ □□□□□.

□□□ □□□ □ □□ □□□□□ □□ □□□□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□.

- □□□□ □□□ 300□□ □□□□ □□ □□□ □□□ □□□ □□□ □□□ □□□ □ □□ □ □□□□ □□□.
- □□□□ □□□ □□□□□ □□□ □ □□ □□□ □□□ □□□□□ □□□.
- □□□ vSphere □□□□□ □□□ □□□□□□ □□□ □□□ □□□□.
- □ □□□ □□□ □□□□ □□□□□ □□□□ □□ □□ □□□ □□ □□ □□□ □□ □□ □ □□□ □□□□.
- □□□□ □□ □□□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□□□ □□□□ □□□ □□□ □□□□ □□□□.

- 99.5% availability. How many days per year is the system unavailable?

- RTO is 4 hours.

- RPO is 24 hours.

Which of the following is the most appropriate solution to meet these requirements? (Choose two.)

- A. Use a single server with RAID 10.
- B. Use a single server with N+1 redundancy.
- C. Use a single server with RAID 5.
- D. Use a single server with RAID 1.
- E. Use a single server with RAID 0.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 49

A storage administrator is configuring a storage array. The array has two tiers of storage. Tier 1 is a high-speed storage tier and Tier 2 is a low-speed storage tier. The administrator wants to ensure that the array is configured to use the most appropriate storage tier for each workload. Which of the following is the most appropriate configuration for the storage array?

- A. Configure the array to use Tier 1 for all workloads. Tier 1 is the most appropriate storage tier for all workloads.
- B. Configure the array to use Tier 2 for all workloads. Tier 2 is the most appropriate storage tier for all workloads.
- C. Configure the array to use Tier 1 for CPU-intensive workloads and Tier 2 for I/O-intensive workloads.
- D. Configure the array to use Tier 1 for I/O-intensive workloads and Tier 2 for CPU-intensive workloads.

Answer: B (LEAVE A REPLY)

The administrator is configuring a storage array. The array has two tiers of storage. Tier 1 is a high-speed storage tier and Tier 2 is a low-speed storage tier. The administrator wants to ensure that the array is configured to use the most appropriate storage tier for each workload. Which of the following is the most appropriate configuration for the storage array?

NEW QUESTION: 50

- A. Configure the array to use Tier 1 for all workloads. Tier 1 is the most appropriate storage tier for all workloads.
- B. Configure the array to use Tier 2 for all workloads. Tier 2 is the most appropriate storage tier for all workloads.

D. □□ SSO □□□□ □□ □□ □□□□□ □□ vCenter Server□ □□□□□.
□□□ □□ □□□□□ vCenter Server□ □□□□ □ □□□ □□□□ □□ SSO □□□□ □□□
□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

□□□ □□□□□□ □□ □□□ □□□ 6□□ □□□□ □□□□. □□ □□□□ □□□ □ □□
□□ □□□ 2□□ □□□□□ □□□ □ □□□□.
□□□ □□□□□ N+2 □□□□ □□□□□ □□□ □ □□ □□□□ □□ □□ □□□ □□□ □
□□□□?

- A. □
- B. □
- C. □□
- D. □□

Answer: A ([LEAVE A REPLY](#))

□□ □□ VM□ □□ □□□□ □□□□ □□ 2□□ □□□
2 □□□ N+2
2 □□□□ □□□□

NEW QUESTION: 56

□□□ □□ vSphere □□□ □□□ □□ □□□ □□ □□□□□. DevOps □□ □□□ □□ □□
□ □□ □□□ □□ □□ □□□ □□□ □□□□□□.
□□□ □□□□ □□/□□□□ □□(CI/CD) □□□□□□ □□□ □□□□□ □□□□ □□□ □
□□□ OV(Open Virtualization Format) □□□□ □□□□ □□□ □□□□□□ □□□□□, □□
□□□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□ □□□□□.
□□□ □□ □□ □□□ □□□□□□□.
- □□ □□□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□□.
- □□ □□□□ □□□□□ □□□□ □□□.
- □□ □□□□ 24□□ □□□ □□ □□□□ □□ □□□ □□□□□□□ □□□ □ □□□ □□
□.
- □□ □□□□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□.
- □□ □□□□ □□ □□□□ □□□ □ □□□ □□□.
- □□ □□□□ □□ □□ □□□□ □ □□□ □□ □□□ □□□ □□□ □ □□□ □□□.
□□□ □□ □□□ □□□□ □□□ □□□□□ □□□□ □□□□ □□ □□□□ □□ □ □□ □
□ □□□ □□□ □□□? (□ □□□ □□□□□.)

- A. □□□ □ □□□□□□ □□ □□ □□□ □□ □□ □□ □□ □□□□□.
- B. OVF □□□□ vSphere□ □□□□ □□ □□□ □□□□□□ OVF □□□□□ □□□□□.
- C. OVF □□□□ vSphere□ □□□□ □□ □□□ □□□□□□ VM □□□□□ □□□□□.
- D. □ vSphere □□□□ □□□ □□□ □□□□□□ □□□□□.
- E. □ □□ vSphere □□□ □□ □ □□□ □□□□□□ □ □□□ □□□□ □□□□□.

□□□□ □□□ □□ □□□□ □□□ □ □□ □□□ □□ □□□ □□□□ □□□?

- A. □□ □□□□ VADP(VMware vStorage APIs for Data Protection)□ □□□□ □□□.
- B. □□ □□□□ VMware vSphere Storage API - Data Protection□ □□□□ □□□.
- C. □□ □□□□ □□ □□ □□□□ □□□□ □□□.
- D. □□ □□□□ VMware Consolidated Backup(VCB) □□□□□□ □□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 61

□□□□□ □□□ □□ vSphere □□□ □□□□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□ □□□□□.

- □□ vSphere □□□□
- RAID □□□ □□ □ □□ □□□□ □□□.

□ □□□ □□□ □□□□ □□□ □□□ □□□□□ □□ □□□□ □□□ □ □ □□ □□ □□□ □□ □□□□? (□ □□□ □□□□□.)

- A. □□□□□ □□ □□ □□□ □□□□ □□□□□.
- B. □□ 3□□ □□□□ □□□ □□□□□.
- C. VMDK □□□□ □□□ □□□□□.
- D. □□□ DRS□ □□□□□.
- E. VM□ □□□□ DRS □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

3V0-21.23 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 3V0-21.23 □□!
DumpTop □ □□ **3V0-21.23** □□ □□□ □□□□□□, DumpTop 3V0-21.23 □□ □□□ □□ □□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 3V0-21.23 □ □□ □□□□□. <https://www.dumpstop.com/VMware/3V0-21.23-dump.html> (94 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 62

□□□□□ □□□ □□ vSphere □□□ □□□□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□ □□□□□.

- □□ vSphere □□□□
- RAID □□□ □□ □ □□ □□□□ □□□

□ □□□ □□□ □□□□ □□□ □□□ □□□□□ □□ □□□□ □□□ □ □ □□ □□ □□□ □□ □□□□? (□ □□□ □□□□□.)

- A. □□□ DRS□ □□□□□.
- B. VMDK □□□□ □□□ □□□□□.
- C. □□□□□ □□ □□ □□□ □□□□ □□□□□.
- D. □□ 3□□ □□□□ □□□ □□□□□.
- E. VM□ □□□□ DRS □□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

- □□ □, vSphere □□□ □□□□ □ □□ □□□ □□□ □□□□. □ □□□ □□ □□ □□ □□
- Layer 3 vMotion □□□□□ □□□□ □□□□.
- □□ □ vMotion □□□□□□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□□?
- A. □□□ □□ □□ □□ □□□ □□□□□□□□□ □□□ □□ □□□.
 - B. vMotion □□□□ □□ VMkernel □□□□□ □□□□□ □□□.
 - C. □□ □□□□□□ □□ vMotion□ □□ □□ TCP/IP □□□ □□□□ □□□.
 - D. □□□ □□ □□ □□□ vMotion □□□□□ □□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

- vSphere □□□□ □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□?
- A. □□□□□ □□ □□ □□(RTO) □□
 - B. □□□□ □□ □□ □□□ □ □□ □□
 - C. □□□□□ □□□□ □□ □□ □□
 - D. □□ □□□ □□ □ □□ □□□ □□□ □□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

<https://docs.vmware.com/en/VMware-Validated-Design/services/vmware-validated-design-sddc-scale-workload.pdf>

NEW QUESTION: 69

- □□ □□ □□ □□□ □□ □□□ □□□□ □ □□□□ □□ □□□ □□□□□?
- A. SLA □□ □□
 - B. □□ □□ □□
 - C. □□ □□ □□
 - D. □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

- □□□□□ □□ □□□ □□ VMware □□□□□ □□ □□□ □□(SDDC)□ □□□ □□□□ □□□ □□□□□. □ □□□□ □□□□□□□ □□□□ □□□□ □ □□□□□. □□ □□□ □□□□□□□ □□□ □□□□ □□□□□ □ □□ □□ □□□□□.
- □□□□ □□ □□ □□□□□ □□□□□□ □□ □□□ □□□□ □□□□□□.
- □□□□ □□□ □□□ □□□ □□□□.
- 2□ □□ × 16□ □□□ □□ 4□ ESXi □□□
 - □□□ □□□□ □□□ 512GB RAM
 - □□□ □□□ □□□□
- □□□□ □□□ □□□ □□□ □□□□.
- 2□ □□ × 8□ □□□ □□ 8□ ESXi □□□

NEW QUESTION: 72

vCenter □□□□(HA)□ □□ □□ □□□ □□□ □ □□□ □□□ □□ □□ □□□ □□□□ □ □□□?

- A. vCenter HA □□□□ □□ □ □□□□ □□□□□□□□.
- B. vSphere □□□□□ 3□ □□□ □□□ □□□□□.
- C. □□□ vCenter Server□ Tiny□ □□□.
- D. vCenter HA □□□□□ 50ms □□□ □□ □□□ □□□□□.

Answer: (SHOW ANSWER)

vcha□□ □□ □□□□□ □□□ □□ □□□□□ □□□□□.

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-8FD87389-8CC9-4298-8B08-A1526FB44524.html>

NEW QUESTION: 73

□□□□ □□ □□ □□□ □□□□ □□ □□□ vSphere □□□ □□□□ □□□□.

- □□□ 5,000□□ □□ □□□ □□□□ □□□.

- □□□□ 350□□ □□□□ □□□□ □□□ □□□□□.

□□□□ □□ □ □□ vCenter Server □□□□□□ □□ □□□ □□□□ □□□□ □□□?

- A. □□ □□
- B. □□
- C. □
- D. □□

Answer: (SHOW ANSWER)

NEW QUESTION: 74

□□ □□ □□□ □□□ □□□□□ □□□□ □□□□□□ □□□□ □□ □□ □□ □□□□ □ □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□. □□□□ □□ □□□□□ □ □□ □□□ □□□□ □□ □□□ □□□□□.

□□□□ □□ □□□ □□ □□□□□ □□□□□?

- A. □□□□□□□ □□□ □□ □□ □□□ □□□ □□□□ □□□□□.
- B. □□ □□□ □□ □□□ □□ □□□ 10□□□□□.
- C. □ □□□ □□ □□□ □□□□ □□ □□□ □□ □□(RTT)□□ 8ms□□□.
- D. □□ □□□□ □□ □□□ □□□□□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 75

□□□ vSphere □□□□ □□□□ □□□□. □ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□ □□ □□□ □□□□□□.

□□□□ □□□ □□□□□ □□ □□□ □□□ □ □□□ □□□□ □□□□ □□□□ □□□□?

- A. □□ □□□ □□ □□ □□ □□
- B. □□ □□□ □□
- C. □□ □□□ □□ □□ □□ □□

D. 100 100 100 100 1000 100 100

Answer: D (LEAVE A REPLY)

1000 1000 100000 100 1000 100 100000.

NEW QUESTION: 76

10000 1000 100000 60000 ESXi 10000 100 1000 10000 1000 10000 1000
1. 100000 1000 100 PXE 100 100, TFTP 100, DHCP 1000 100 Linux 1000 NFS 100
100 1000000.

10000 100 1000 1000000 100000 100 100 100 1000 100000 1000 10000 100
100.

ESXi 1000 1000 100 1000000 100 100 1000 100000 1000?

- A. 1000 100000 1000000 100000 Auto Deploy 1000 100000 1000000.
- B. 100 1000 100000 10000 10000000 1000 1000 1000 1000 1000000.
- C. 1000 100 100 1000 10000 1000 100 1000 100 1000 100 100 100 1000000 1000
100.
- D. 100 ESXi 100000 1000000 100000 100 100 1000 1000000 10000000.

Answer: A (LEAVE A REPLY)

Auto Deploy 100000 1000000 10000 100000 Auto Deploy 1000 100 1000 100 100 100
100000.

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.esxi.install.doc/GUID-8DAC6FEE-0441-4072-8195-9461095C2041.html>

3V0-21.23 100 1000 1000000 100 DumpTop 100 100000 1000 3V0-21.23 100!
 DumpTop 100 100 **3V0-21.23** 100 1000 10000000, DumpTop 3V0-21.23 100 10000 100
 10000000 1000 1000000000. 100000 10000 100000 100 DumpTop 3V0-21.23 100
 100 1000000. <https://www.dumptop.com/VMware/3V0-21.23-dump.html> (94 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 77

10000 1000 1000 100000 1000 100 1000 100000 100000.
 100 100 100 1000 100 10000 100 100 100(REQ) 100 100 100(CON) 1000000000.
 - REQ01 100000 100 100 1000 100000 100 1000000000 1000 1000 1000 100000
 100 1000000 1000.
 - REQ02 100000 10000 100000 100 10000 100000 10000.
 - REQ03 10000 100 10000 100 100 10000 100000 10000.
 - REQ04 100 100 10000 100 10000000000 100 10000 100000 1000 10000000.
 - CON01 10000 100 100 1000000 10000 10000000 100000000.
 - CON02 10000 10000000 100 10000 10000 50 100000.
 100 10000 100 10000 100 4000 10000 10000 100 10000000 10000000 10000 1000000.

- C. SSO is installed on the vCenter Server. The vCenter Server is installed on the SSO server.
- D. SSO is installed on the vCenter Server. The vCenter Server is installed on the SSO server.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 80

vSphere is used to manage ESXi hosts. Which of the following is a requirement for the Sarbanes-Oxley Act of 2002(SOX) compliance?

- vRealize Operations is installed on the ESXi host.
- vRealize Operations is installed on the vCenter Server.
- vRealize Operations is installed on the ESXi host and the vCenter Server.
- vRealize Operations is installed on the ESXi host and the vCenter Server.
- vRealize Operations is installed on the ESXi host.
- vRealize Operations is installed on the vCenter Server.

Which of the following is a requirement for PCI(Payment Card Industry) compliance?

Which of the following is a requirement for PCI(Payment Card Industry) compliance?

- A. vSphere is installed on the ESXi host and the vCenter Server.
- B. vSphere is installed on the ESXi host and the vCenter Server.
- C. vSphere is installed on the ESXi host and the vCenter Server.
- D. vSphere is installed on the ESXi host and the vCenter Server.

Answer: D (LEAVE A REPLY)

NFR - vRealize Operations Compliance Pack is installed on the ESXi host.

NEW QUESTION: 81

ESXi is used to manage ESXi hosts. Which of the following is a requirement for vMotion migration?

- A. 2, 2
- B. 1, 0
- C. 0, 1

D. 1, 1

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 82

□□□□ vSphere □□□□ □□ □□□ □□□ □□□□□□ □□ □□□ □□□□ □□□.

- □□□□ □□□ □□□□ □□□ □□ □□ □□ □□□

- □□□□□ □□□□ □□□□ □□□□□ □□ □□ □□□□□(CMDB) □□□ □□ □□ □ □□

- □ □□□□□□□ □□□ □□□ □□□ □□□ □□ □□□□ □□ □□□

- □□□ □□ □□□□□□□ □□ □□□□ □□ □□ □□□ □□ □□

- □□ □□□ □□□ □□□□ □□□ □□ □□□

□□□ □□□ □□□□ □□□□ □□ □□ □ □□□□ □□□ □□□□ □□□? (□ □□□ □□ □□□.)

- A. □□□ □ □□□□ □□
- B. □□ □□ □□ □□ □□□□□□(CMDB)
- C. □□□ □□□□ □□
- D. □□□□□□ □□□□ □□ □□ □□
- E. □□□□□□ □□ □□ □□ □□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 83

□□□□ □□ □□□□ □□□□ □□□ vSphere □□□ □□□□ □□□□.

- 600 vCPU

- 5,760GB RAM

□□ □□□ □□□□ □□□ □□□□.

- 60□ vCPU

- 1,152GB RAM

□□□□ □□ □□ □□□ □□□□ □□□.

- □□□ 25%□□ □□□ □ □□ □□□ □□□□.

- □ □□□□ 36□□ vCPU□ □□□ □ □□ 512GB RAM□ □□□□.

- □□□□□ 20%□□□.

□□□ □□ □□□ □□□□ □ □□□ □□ □□□ □□ □□□□□?

- A. 3□
- B. □□
- C. □
- D. □

Answer: C ([LEAVE A REPLY](#))

"□□□ □□□ 20%□"□ □□ □□□ □□□.

CPU: $(60+60*0,25+60*0,2)/36 = \sim 2,4$ (3□□ □□□)

RAM: $(1152+1152*0,25+1152*0,2)/512 = \sim 3,26$ (4□ □□□)

NEW QUESTION: 84

□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□ □□ □□□□?

- A. □□ □□ □□
- B. □□□□ □□ □□
- C. □□ □□ □□
- D. □□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

□□□□ □□ □□□ □□ □□□ □□□□ □□□□. □□□ □□ □□ vCenter Server Appliance □ □□ □□□□ □□ 8□□ ESXi □□□ □□□□□ □□□□□. □□ □□□□□ □□ □□ □□ □□ □□□□ □□ □□ 10GbE □□ □□□□□ □□□□. □□ □□□□□ □□ □□ □□□□□ □□□ □ □□□□. □□□□ □□ □□ □□□ vCenter Server□ □□ □□□□□ □□ □□□□ □.

- □□□□ □□□□□ □□ □□□□ □□ □□ □□□ □□□ □□□?
- A. □□□□□ vSphere HA□ □□□□ □□□ □□ □□ □□□□ □□□□□ □□□□ □□ □□ □□ □□□□□ □□□□□.
 - B. vCenter Server □□□□□ □□□□□.
 - C. vCenter Server Appliance□ vSphere Fault Tolerance□ □□□□□.
 - D. □□□□□ □□ □□□ □□□□ vSphere DRS□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

□□ □□ □□□ □□□ □□□□□ □□□□ □□□□□□ □□□□, □□ □□ □□ □□□□ □ □□□ □□□ □□□□ □□ □□□ □□□ □□□□□.

□□□□ □□ □□□□□□ □□ □□□ □□□□ □□ □□□ □□□□□.

□□□□ □□ □□□ □□ □□□□□ □□□□□?

- A. □□□□□□□□ □□□ □□ □□ □□□ □□□ □□□□□ □□□□□.
- B. □□ □□□ □□ □□□ □□ □□□ 10□□□□□.
- C. □ □□□ □□ □□□ □□□□ □□ □□□ □□ □□(RTT)□□ 8ms□□□□.
- D. □□ □□□□ □□ □□□ □□□□□□□□.

Answer: C ([LEAVE A REPLY](#))

□□□□ □□□ □□□□□ □□□□ □□□□ □□ □□□□□□□. □□□□ vSAN□ □□□□□□ □□ □□□□ □□□□□ □□□□ □□□□□ □□□□ □□□ □□□□□ □□□□□.

□□ □□□ □□□□, 8ms RTT□ □□□□□ □□ □□□ □□ □□□□ □□□□□.

□□□□ □□□□ □ □□□□□ □□ □□:

□□□ □□□ □ □□□ □□□ □□□□□ □□□ □□□, □ □□ □□□ □□□□ □□ □□ □
□□□ □□□□ □□□ □□ □□□ □□□□. □□ □□ □□□ □□□□□ □□□ □□ □□ □□
□□ RTT(□□ □□)□ 5msec(<
2.5msec □□□).

<https://core.vmware.com/resource/vsan-stretched-cluster-guide#sec7310-sub3>

NEW QUESTION: 87

vSphere □□□□(HA) □□□□□ □□□ □ □□ □□□□ □□ □□ □□□ HA □□□ □□□□
□□□□ □□ □□□□ □□□□ □□ □□□ □□□□□?

- A. □□ □□□(FT)
- B. □□ □□ □□ □□□□(LACP)
- C. □□□□ □□ □□(NIC □)
- D. □□ □□□□ □□□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 88

vSphere □□□□ □□□ □□□ □□□□ □□□□□ □□□ □□□□□?

- A. □□□□□ □□□ □□ □□□ □□ □□□□□.
- B. vSphere □□□□ □□ □□ □□□ □□□□□.
- C. □□□ □□□ □□□□ □□ □□□ □□□□□.
- D. □□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□□□ □□ □□□ □□ □□□ □□□ □□ □□□□(REQ)□ □□□□(CON)□ □□□□□.
- REQ01: □□□ CPU □□□□ □□□ □□□□ □□ □□□□□□ □□ □□(VM) □□□□ □□□
□ □□□ □□ □□□□.
- CON01: □□□ □□□ □□ □□ □□□□□ □□□□.
- CON02: □□ □□ □□□ □□ □□□□□□ □□□□□ □□□.
□□□□ □□ □□ □□□ □□□□ □□ □□ □ □□ □□□ □□□ □□□ □□□ □□□? (□ □□ □
□□□□.)

- A. □□□□ VM □□□ □□ vRealize Orchestrator □□□□□ □□□□ □□□.
- B. □□□□ vSphere VM□ □□□□ DRS □□□ □□□□□ □□□.
- C. □□□□ VM-□□□ □□□ □□□ □□□□ □□□.
- D. □□□□ □□ □□□□ vSphere DRS□ □□□□ □□□.
- E. □□□□ VM-VM □□□□ □□□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

vSphere □□□ □□ □□□ □□□ □□□□□□ □ □□□□ □□□□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□ □□ □□ □□
- C. □□ □□ □□
- D. □□□□ □□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 91

□□ □ □□ □□□□ vSphere □□ □ □□□□ □□□ □□ □ □□ □□ □□ □□□ □□□□ □□□□ □? (□ □□□ □□□□□.)

- A. □□□□ □□□ □□□
- B. □□ □□□□□ □□□□ □□
- C. □□□ □□ CPU □□ □
- D. □□ □□□□□ □□ □□□

Answer: ([SHOW ANSWER](#))

3V0-21.23 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 3V0-21.23 □□! DumpTop □ □□ **3V0-21.23** □□ □□□ □□□□□□, DumpTop 3V0-21.23 □□ □□□ □□ □□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 3V0-21.23 □ □□ □□□□□. <https://www.dumptop.com/VMware/3V0-21.23-dump.html> (94 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 92

□□ □□□□□ □□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□□ □ □□ □□ □ □□□□□.

□□□ □□ □ □□ □□ □□□ □ □□□ □□□□□□? (□ □□ □□□□□.)

- A. □□ □□□ □□ □□□ □□□ □□□□.
- B. □□□□ 12ms □□ □□(RTT) □□□ □□□□ □□ □□□ □□□□ □□□.
- C. □□□□□ □□□ □□ □□ □□ □□ □□□□ □□□.
- D. □□□□ □□□ □ □□□ □□□ □□□□ □□□.
- E. □□ □□□□□ □□ □□ □□□ □□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

□□□□ □□ □□□□ ESXi□ □□□ □□□ □□□□ □□□ □□□□ □□□□. ESXi □□□□ □□ □ □□ □□□ □□□□□ □□ □□ □□□ □□□□.

□□□ □□ □□□ □□□□ □□ □□□□ ESXi □□□□ □□□ □ □□ □□ □□□ □□□□ □□□?

- A. □□ □□ □□ □□□ □□ □□
- B. SAN □□□ □□□ □□ □□

- C. □□□□ □□□□□ □□□ □□
- D. □□ □□□ □□ □□□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 94

- □□□□ □□ □□ □□□ □□ □□ □□□□ □□□□□?
- A. □□□□ □□ 500□□ □□ □□ □□□ □□□□□ □□□ □ □□□ □□□.
 - B. □□□□ API□ □□ □□ □□ □□□ □□□□ □□□.
 - C. □□ □□□ □□ □□□ □□□□□ □ □ □□□ □□□□□ □□□.
 - D. □□□ □□□ □□□ □ 30□ □□□ □□ □□□ □□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

3V0-21.23 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 3V0-21.23 □□!
DumpTop □ □□ **3V0-21.23** □□ □□□ □□□□□□, DumpTop 3V0-21.23 □□ □□□ □□
□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 3V0-21.23 □
□□ □□□□□. <https://www.dumptop.com/VMware/3V0-21.23-dump.html> (94 Q&As Dumps,
30%OFF Special Discount: **KrDump**)