

VMware.5V0-21.21.v2022-08-12.q29

□□□□:	5V0-21.21
□□□□:	VMware HCI Master Specialist
□□□:	VMware
□□ □□ □□□:	29
□□:	v2022-08-12
# □□ □:	609
# □□ □□□:	290
https://www.krdump.com/VMware.5V0-21.21.v2022-08-12.q29.html	

NEW QUESTION: 1

□□ FTT-2/RAID-6□□ 6□ □□□ □□□ vSAN □□□□□ □□□□ □□□□ "□□ □ □□ □□□□□□" □□□ □□□□ □□ □ □□□ □□ □□ □□□□□ □□□ □□□.

□ □□□ □□ □□□ □□□ □□□?

- A. □□□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□ □□□ □□□ □□□ □□□□.
- B. □□ □□□ □ □□ □□□ □□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□ □□ □□ □□□ □□ □□□□ □□□□□.
- C. □□□□ □□ □□ □□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □ □□□ □.
- D. □□□□ □□ □□□ □□□□ □□ □□□□□ □□□□ □□□□□ □□□□ □□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□ □□□□ □□ vSAN □□□□□ vSAN 7.0 U1□□ □□□□□□□ □□ □□□□□ □ □□□□□.

□□ □□□□ □□□□□ □□ □□□ □□ □□ □□□ □□□□□.

* VMware vCenter Server□ □□ VMware vSphere 6.7 U3□□ □□ 7.0 U1□□ □□□□ □□□□□□.

* vSAN □□□□□ □□□ □□□ □□□□ □□□□ □□□□□□ □□ □□□□ □□□ □□□□□□.

* □ vSAN □□□ □□□□□ vSAN 7□ vSAN □□□ □□□(VCG)□ □□□□ □□□□.

* vSAN □□□□□ □□□ □□□ □□□□.

- vSAN □□: 6.6.1

- vSAN □□ □: 10

- 100: 1000
- 10 10 10 10: 1000
- vSAN 10 100: 60%
- * 1 vSAN 1000 1000 1000 1000.
- VMware vSphere ESXi 10: 6.5 1000 3
- CPU: 1000 2, 10 20
- 1: 768GB 1.
- 100: 10 SSD 2 1 10 SSD 6
- 1000: 4 x 10GbE

10000 vSAN 10 10 1 10 1000 1000 10 10 1 10 10 1000 1
 1000 1000? (300 100000.)

- A. VMware vSphere Lifecycle Manager(vLCM) 1 1000 1000 10000 10000
 1 1000 1000.
- B. 10000 1 1000 10000 1000 10, 100000 10 10 10 1000
 1000 1000.
- C. 10000 1 1000 10000 10 1000 100000 10 10 10 1000
 1000 1000.
- D. vSAN 100 vSphere ESXi 6.7 U3 100 10000000 1000.
- E. vSAN 100 vSphere ESXi 7.0 U1 1 10000000 1000.
- F. VMware vSphere Lifecycle Manager(vLCM) 1 100 10000 1000 10000
 10000 10000 1000 1000.

Answer: (SHOW ANSWER)

NEW QUESTION: 3

vSAN 10 1000000 1000 1 1000 10000 10 10 1000 10 10 vSAN 1
 10 10 10 10000 1000?

- A. SFTT = 0
- B. SFTT = 1
- C. PFTT = 1
- D. PFTT = 0

Answer: D (LEAVE A REPLY)

PFTT "1000 10" 1 1 1000 10 10 100 1000 1 10000. SFTT 1000
 1000 1 1 1000 0 3 10000 1000 1 10000. <https://www.yellow-bricks.com/2018/03/19/vsan-stretched-cluster-pftt-and-sftt-what-happens-full-site-fails-and-multiple-hosts-fail/>

NEW QUESTION: 4

10000 600 vSAN 100000 100000 1000 10000 10 1000 30 10 10
 10 10000 10000.

Which vSAN configuration is correct for a 4-node vSAN cluster with a RAID-5 configuration?

- A. 2 nodes, RAID-5, FT=1 (erasure coding)
- B. 2 nodes, RAID-5, FT=1
- C. 2 nodes, RAID-5, FT=1 (erasure coding)
- D. 3 nodes, RAID-5, FT=2

Answer: (SHOW ANSWER)

NEW QUESTION: 5

Which vSAN Direct configuration is correct for a 4-node vSAN cluster with a RAID-5 configuration?

- A. RAID-5
- B. vVOL
- C. RAID-5
- D. RAID-5

Answer: C (LEAVE A REPLY)

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-40E5FD5C-E9A0-4D6D-8429-0DD5FE5F0E9F.html>

<https://4sysops.com/archives/how-to-configure-vmware-vsane-direct-on-vsphere-7-u1/>

NEW QUESTION: 6

Which NFS configuration is correct for a 4-node VMware Horizon View vSAN cluster?

Horizon View vSAN RAID-5 Horizon RAID-5?

- A. RAID-5
- B. RAID-5
- C. RAID-5
- D. RAID-5

Answer: D (LEAVE A REPLY)

NEW QUESTION: 7

Which vSAN configuration is correct for a 4-node vSAN cluster with a RAID-5 configuration?

Which vSAN configuration is correct for a 4-node vSAN cluster with a RAID-5 configuration?

- A. vSAN RAID-5
- B. vSAN RAID-5
- C. vSAN RAID-5
- D. vSAN RAID-5

Answer: C (LEAVE A REPLY)

VMware vSAN 7.0 Update 1 (V7U1) introduces several new features and improvements. One of the key features is the introduction of the vSAN Health Check, which provides a comprehensive overview of the vSAN environment's health and performance. This check includes various categories such as configuration, performance, and capacity, and it provides detailed insights into any issues that may be present. Additionally, vSAN 7U1 introduces the vSAN Witness, which is a new component that acts as a witness for the vSAN environment, ensuring high availability and data integrity. The Witness is a small, lightweight component that can be deployed on a separate host or as a virtual machine. It monitors the vSAN environment and provides a quorum for the vSAN cluster. Other features include the vSAN Capacity Management tool, which provides a visual representation of the vSAN environment's capacity and performance, and the vSAN Performance tool, which provides a detailed view of the vSAN environment's performance metrics. The vSAN 7U1 also introduces the vSAN Witness, which is a new component that acts as a witness for the vSAN environment, ensuring high availability and data integrity. The Witness is a small, lightweight component that can be deployed on a separate host or as a virtual machine. It monitors the vSAN environment and provides a quorum for the vSAN cluster. Other features include the vSAN Capacity Management tool, which provides a visual representation of the vSAN environment's capacity and performance, and the vSAN Performance tool, which provides a detailed view of the vSAN environment's performance metrics.

NEW QUESTION: 8

Which vSAN feature provides a comprehensive overview of the vSAN environment's health and performance?

- * vSAN Health Check
- * vSAN Witness

What is the purpose of the vSAN Witness?

- A. To act as a witness for the vSAN environment, ensuring high availability and data integrity.
 - B. To provide a quorum for the vSAN cluster.
 - C. To monitor the vSAN environment and provide a quorum for the vSAN cluster.
 - D. IOInsight provides a visual representation of the vSAN environment's capacity and performance.
- 2 vSAN ROBO nodes are required for vSAN.

Answer: B (LEAVE A REPLY)

For more information, visit the following link: <https://blogs.vmware.com/virtualblocks/2020/09/24/effective-capacity-management-with-vsan-7-update-1/>

NEW QUESTION: 9

Which vSAN Direct feature provides a visual representation of the vSAN environment's capacity and performance?

- A. vSAN Health Check
- B. vSAN Witness
- C. vSAN Capacity Management
- D. vVOL

Answer: C (LEAVE A REPLY)

NEW QUESTION: 10

Which Microsoft SQL Server feature is supported by vSAN and vSphere?

- * MSSQL

* □□ □□□ □□ □□□ □□□
 * □□ vSAN □□□□□ □□□□□ □□□□□.
 □□□□ □□□ □□□□ □□□□?

- A. vSAN □□ □□□
- B. vSAN iSCSI □□ □□□
- C. □□□ vSAN □□□□
- D. vSAN □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

□□□ □□ □□ □□□□□ □□ vSAN 7 □□ □□□□□ □□□□□□□. vSAN □□□□□
 □□ □□ 250□□ □□ □□□□□ □□ □□ □□□ □ □□ □□□□ □□□ □□ 6□□
 □□□ □□ 500□□ □□ □□□□□ □□□□ □□□.
 □□□ □□□ □□□□ □□ □□ 8□□(4-4-1) □□□□□ □□ 16□□(8-8-1)□ □□□□
 □□□.

□□ □□□□ □□□ □□□□ □□ □□□□□□ □□ □□ □□□ □□□□ □□ □□□
 □ □□ □ □□ □□ □□□ □□□□ □□□? (3□□ □□□□□.)

- A. □ vSAN □□ □□□ vCenter Server□ □□□□□.
- B. □□ □□□□ □□□ □□□ vSAN □□ □□□□□□□ □□□□□.
- C. □ vSAN □□□ □□□□□ vSAN □□ □□□□□ □□□□□.
- D. □□ □□□□ □□□ □□□ vSAN □□ □□□ □□□□□.
- E. vSAN □□ □□□□□ vSAN 7.0 U1□ □□□□□□□□□.
- F. □ vSAN □□□ □□ □□ □□□ □□□□□.

Answer: **A,B,C** ([LEAVE A REPLY](#))

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vsan-planning.doc/GUID-05C1737A-5FBA-4AEE-BDB8-3BF5DE569E0A.html>

NEW QUESTION: 12

□□□□ □□ 100TB□ □□□□□ □□□□ □□□ vCenter Server□□ □□□□ □ □□
 vSAN □□□□□ □□□□□. □ □□ □□□□□ □□□□ □□□ 75%□□ □□□□ □ □
 □ □□□□□ □□□□ □□□ 50%□□ □□□□□.

□□□ □□ □□□ □□□ □□□□:

- * 300TB□ iSCSI □□□. □□□ 76%□ □□□□
- * □□□ 10%□ □□□□ 200TB□ NAS □□□
- * □□□ 80%□ □□□□ 300TB□ □□□ □□(FC) □□□ □□□□ □ □□ □□□□□
 25TB□ □□□□□ □□□□□ □□□ □□□□□. □□ □□□□ □ □□□□□ □□□ □
 □□ □□□ vSAN □□□□□ □□ □□ □□□ □□□□ □□□ □□□ □□ □□□.

□ □□ □□□ □□□ □□□□ □□□ □□□□□?

- A. □ □□ □□□□□ □□□ □□□□ □□□□ HCl □□□ □□□□□.
- B. □□ NAS □□□□□□□ □□ □□□ □□□ □□□□□.

* vSAN 1000000 00 000 0000000.

* 00 000 00 0000 000000 00 00 0 000 000000.

* 000 0 00 000 00000 000000.

0000 000 00 000 00 000 00000 000?

A. 0000 200 000 00, 00 100 00 00 000 00000 400 00 00 0 00 00000 0000.

B. 0000 000 00 10, 00 00 000 000 100 00 00 000 0000 40 0 0000.

C. 0000 200 000 00, 00 100 00 00 000 00000 600 00 00 0 0 00000 0000.

D. 0000 200 000 00, 00 100 00 00 000 00000 600 00 00 0 00 00000 0000.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 15

0000 All-Flash vSAN 0000 00 000 vSAN00 Flash Caching Devices 0 00 0 0000.

000 000 00 000 00 000 000000?

A. 00

B. IOPS

C. 00 000

D. 00 000

Answer: D (LEAVE A REPLY)

NEW QUESTION: 16

"vsan-prod" 00000 00000 vSAN 00 00000 000000 0000 0000 0 VM0 00 00 000 00 000 00000 0000000.

0 000 00000 00 00000 00 000 0000 000?

A. vSAN 00000 00 000000

B. vSAN 00 00000 00 00 000 00000 vSAN 000000 00

C. vSAN 000000 00 000 00000 vSAN 00 00 000 0000 00000 00 00 00 00 00

D. RVC 00 00: vsan.resync_dashboard ~/computers/vsan-prod

Answer: (SHOW ANSWER)

5V0-21.21 00 000 000000 00 DumpTop 00 00000 0000 5V0-21.21 0 0! DumpTop 0 00 5V0-21.21 00 000 0000000, DumpTop 5V0-21.21 00 000 0000000000 000 000000000. 00000 0000 00000 00 DumpTop 5V0-21.21 0000 000000.

Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ vSAN □□□□ □□ □□□□□ □□□□□□ □□□ □□ □□ □□ □□ □□ □□ □□□□.

* vSAN □□□□□□ □□ □□□ □□□□□□.

* □□ □□□ □□ □□□□ □□□□□ □□ □□ □ □□□ □□□□□.

* □□□ □ □□ □□□ □□□□ □□□□□.

□□□□ □□□ □□ □□□ □□ □□□ □□□□ □□□?

A. □□□□ 2□□ □□□ □□, □□ 1□□ □□ □□ □□□ □□□□ 6□□ □□ □□ □□ □□□□ □□□□.

B. □□□□ □□□ □□ 1□, □□ □□ □□□ □□□ 1□□ □□ □□ □□□ □□□ 4□ □□□□.

C. □□□□ 2□□ □□□ □□, □□ 1□□ □□ □□ □□□ □□□□ 6□□ □□ □□ □□ □□□□ □□□□.

D. □□□□ 2□□ □□□ □□, □□ 1□□ □□ □□ □□□ □□□□ 4□□ □□ □□ □□ □□□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□ □□□ □□□ □□ 8□□ vSAN □□ □□□□(4+4+1)□□ PFTT=1(□□□ □ □□ □) □ SFTT=1/FTM □□□(□□ □□)□ □□□ □□□ □□□□.

□□□□ □□□□□ □□□ □□□ □□□ □□□□□. □□□ □□□□□□□□.

* vSAN □□ □□□□ □□□□ □□□□□.

* □ □□□□□ □ □□ □□□ □□□ □□ □□□□□ □□□□□□.

□□ □□ □□□ □□□□ □□ □□□ vmdk□ □□□□ □ □□ □□□□□.

□□□ □□□□□ □□□□ □□ □□□ □□□□ □□□?

A. □□ vSAN □□ □□□□ □□ □□□ □□

B. □□ □□□□□ □□□ □□□ □□ □□□□ □□□□□.

C. vSAN □□ □□□ □□

D. □□ □□□□□ □□□ □□□ □□□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

□□□ vSAN □□□□□□ □□ □□□□ □□ □□□ □ □□ □□□ □□□ □□□□□?

A. □□□ 100%□ □□ □□□□ vSAN □□□□□ □□□□□.

B. □□□ 50%□ □□ □□□□ vSAN □□□□□ □□□□□.

C. □□□ 100%□ □□ □□□□ vSAN □□□□□ □□□□□.

D. □□□ 50%□ □□ □□□□ vSAN □□□□□ □□□□□.

Answer: C (LEAVE A REPLY)

□□ □□ □□ □□ □□□□ □□□□ □□ □□□ □□ □□□□□ □□ □□□□□.
100% □□□ □□ □□□ □□□□□. □, □□ □□□ □□ □□□□□ □□□□ □□□□
□ □□□□. □ □□ □□ □□□ □ □□□□ □□□ □□□□ □□ □□□ □□ □□□ □
□ □□□ □□□ □□□ □ □□□ □□□ □□□□□ □□□ □□□□.

NEW QUESTION: 20

□□□□ vSAN □□□□□ □□□□ □□□□.
□□ □□□□ □□□□ □□□ □□□ □□□ □□□□□?

- A. □ □ □□
- B. RAID 0
- C. □□□ □□□ □□ □□□
- D. □□□□□□ 50% □□□ □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 21

□□□ □□□□ □□□ □□ □□□ □□□□□□.
* □□ □□□ □□□ □□ □ □□□ □□ □□.
* □□ IT □□□ □□.
□□□□ □□□ □□□□ □□□?

- A. □□ □□□ □□□□□□.
3□□ vSAN □□□ □□□ □□ □□□□.
- B. IOInsight □□□□ □□□□□□.
- C. 2□□ vSAN ROBO □□□ □□□ □□ □□□□.
- D. □□ □□ □□ □□□□□□.
4□□ vSAN □□□ □□□ □□ □□□□.
6□□ vSAN □□□ □□□ □□ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 22

□□□□ □□ 100TB□ □□□□□□ □□□□ □□□ vCenter Server□□ □□□□ □ □□
vSAN □□□□□□ □□□□□. □ □□ □□□□□□ □□□□ □□□ 75%□□ □□□□ □ □
□ □□□□□ □□□□ □□□ 50%□□ □□□□□□.
□□□ □□ □□□ □□□ □□□□□:
* 300TB□ iSCSI □□□□. □□□ 76%□ □□□□□
* □□□ 10%□ □□□□□ 200TB□ NAS □□□
* □□□ 80%□ □□□□□ 300TB□ □□□ □□(FC) □□□ □□□□□ □ □□ □□□□□
25TB□ □□□□□ □□□□□ □□□ □□□□□. □□ □□□□ □ □□□□□ □□□ □
□□ □□□ vSAN □□□□□ □□ □□ □□□ □□□□□ □□□ □□□ □□ □□□.

□ □□ □□□ □□□ □□□□ □□□ □□□□□?

- A. □ □□ □□□□□ □□□ □□□□ □□□□ HCl □□□ □□□□□.
- B. □ □□ □□□□□ □□□ □□□□ □□□□ HCl □□□ □□□□□.
- C. □□ FC □□□□□□ □□ □□ □□□ □□□□□.
- D. □□ NAS □□□□□□ □□ □□□ □□□ □□□□□.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 23

vSAN □□ □□□□□ □□□□ □□□ □□ □□ □□ □□□ □□□□□□.

- * Erasure Coding □□ vSAN □□□□ □□□ □□□□□.
- * □□ □□ □ □□□ □□□□□□.
- * □□□□□ □□ □□□ □□ □□□□□□.
- * 2□□ □□□ □□□ □□ □□ □□□□ □□ □□□ □□□□□.

□□ vSAN □□□□ □□□ □□□ □□ □□□ □□□□□?

- A. 5□ □□ □□□□ vSAN □□□□
- B. 6□ □□ □□□□ vSAN □□□□
- C. 6□ □□ □□□□□ vSAN □□□□
- D. 5□ □□ □□□□□ vSAN □□□□

Answer: **B** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 24

4□□ vSAN □□□□□ □□ □□ □□□□ □□□□ □□□□□. □□□ □□ □□ □□ □□□ □□□□□□. □□ □□□ □□□□ □□ □ □□ □□□ □□□ □□□□□.

vSAN □□□□□ □□□ □□□ □□□□□?

- A. □□□ □□□□□.
- B. VM□ □□ □□□ □□□ □□□.
- C. VM□ □ □□ □□□□ □ □□□□.
- D. □□□□ □□□ □□□□.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 25

"vsan-prod" □□□□□ □□□□□ vSAN □□ □□□□ □□□□□ □□□ □□□ □ VM□ □□ □□ □□□ □□ □□□ □□□□□ □□□□□□ □□□□□□.

□ □□□ □□□□ □□ □□□□ □□ □□□ □□□ □□□?

- A. vSAN □□□□□ □□ □□□□□□
- B. vSAN □□ □□□□ □□ □□ □□□ □□□□ vSAN □□□□□□ □□
- C. RVC □□ □□: vsan.resync_dashboard ~/computers/vsan-prod
- D. vSAN □□□□□ □□ □□□ □□□□ vSAN □□ □□ □□□ □□□ □□□□ □□ □□ □□ □□ □□

Answer: **D** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 26

Which vSAN configuration option is used to prevent VMs from being placed on a host that is not a member of the vSAN cluster?

- A. vSAN Health Check
- B. vSAN Health Check - VMs on non-member hosts
- C. vSAN Health Check - VMs on non-member hosts - VMs on non-member hosts
- D. vSAN Health Check - VMs on non-member hosts - VMs on non-member hosts

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which vSAN configuration option is used to prevent NFS v4.1 clients from using Kerberos authentication?

- A. krb5
- B. krb4
- C. krb5i
- D. krb5p

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which vSAN configuration option is used to prevent vSAN from using 100% of the host's memory?

- A. vSAN Memory Reservation - 100%
- B. vSAN Memory Reservation - 50%
- C. vSAN Memory Reservation - 100%
- D. vSAN Memory Reservation - 50%

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Which vSAN configuration option is used to prevent vSAN from using 100% of the host's IOPS?

Which vSAN configuration option is used to prevent vSAN from using 100% of the host's IOPS? (2 options)

- A. vSAN IOPS Reservation - 100%
- B. vSAN IOPS Reservation - 50%
- C. vSAN IOPS Reservation - 100%
- D. vSAN IOPS Reservation - 50%
- E. vSAN IOPS Reservation - 100%

Answer: A,D ([LEAVE A REPLY](#))

5V0-21.21 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 5V0-21.21 □
□! DumpTop □ □□ **5V0-21.21** □□ □□□ □□□□□□, DumpTop 5V0-21.21 □□
□□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□
DumpTop 5V0-21.21 □□□ □□□□□.

<https://www.dumptop.com/VMware/5V0-21.21-dump.html> (68 Q&As Dumps, **30%OFF**

Special Discount: KrDump)