

# VMware.5V0-41.21.v2023-10-13.q48

□□□□:	5V0-41.21
□□□□:	VMware NSX-T Data Center 3.1 Security
□□□:	VMware
□□ □□ □□□:	48
□□:	v2023-10-13
# □□ □:	907
# □□ □□□:	480
<a href="https://www.krdump.com/VMware.5V0-41.21.v2023-10-13.q48.html">https://www.krdump.com/VMware.5V0-41.21.v2023-10-13.q48.html</a>	

## NEW QUESTION: 1

□□□□ □□□ □□□ □□□ □ □□ IDS/IPS □□□ □□ □□□ □□□□□?

- A. SPAN □□ □□□ □□□ □□□□□□.
- B. ALERT □ DROP □□□ □□ □□□□□ □□□ □□□□□□.
- C. ALERT □□□ □□ □□□□□ □□□ □□□□□□.
- D. TERM □□□ □□□ □□□.


Answer: ([SHOW ANSWER](#))

ALERT □ DROP □□□ □□ □□□□□ □□□ □□□□ □□ □□□ □□□ □ □□□ □□□ □ □□□ □□□□□ □□□ □□□ VMware NSX-T Data Center □□ □□□

(<https://pubs.vmware.com/NSX-T-Data-Center/index.html#com.vmware.nsx.admin.doc/GUID-D9A6B1E7-FFCD-47A7-8E0C-FDD3DE6AC2B6.html>)□□ IDS/IPS □□□ □□□ □□ □□□ □ □□ □□□□□□.

## NEW QUESTION: 2

□□□□ □□□□□□.



□□□□ Edge Gateway□□ □ □□□ □□ □□□□ □□□□□ □□□ □□□ □□□□□□.

□□□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□ □□□□□?

- A. □□□ □□□ □□ □□□ □□□□ □□□.
- B. □□□ □□□ □□□□ □□□.
- C. □□□ □□□ □□□□□ □□□.
- D. □□□□□□□ □□□ □□□□ □□□□□ □□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 3**

□□□□ □□ □□□ □□□□ "□□" □□□ □□□□□□□□. □□□□ □ □□□ □□□ □□□ □□ □□□ □□□□ □ □ □□□□. □□□ □□□ □□□□□□?

- A. □□□ □□ □□□ □□□□□ □□□□□□ □□□□□□.
- B. □□ □□□ □□ □□□ □□□□ □□□□□□.
- C. NSX Manager □ □□□ □□□ □□□□□ □□□□ □□□.
- D. □□□ □□□ □□ □□□ □□□□□ □□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 4**

□□ IDS/IPS □ □□□□ □□□□ □ □□□ □□ □ □□ □□□ □□□□□□? (3□□ □□□□ □.)

- A. □□ □□□ □□□ □□□
- B. □□ □□ □□ □ □□ □□ □□.
- C. □□ □□□ □□□ □□ □□.
- D. □□□ □□□ CV(Common Vulnerability Scoring System) □□□□□.
- E. □□ □□□ □□ □□□□□.

Answer: A,B,E ([LEAVE A REPLY](#))

**NEW QUESTION: 5**

□□□ □□□□ □□□□ □□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□. □□□□ □□□ □□□ □ □□ □□ IDS/IPS □□□ □□□ □□□□□□?

- A. CVSS
- B. □□ ID
- C. CVE
- D. □□ □□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

□□□ CTO □ □□ NSX-T Data Center □□ □□□ □□□ □□ □□ □□□ □□□□□ □□□ □□ □□□□□□. □ □□□ □□□□ □□ □□□ □□□□ □□□?

- A. □□ □□□ □□ □□□ □□□□ □□□ □□□□ □ □□□□.
- B. □□ □□□ □□ □□□ □□□□□ □□□ □□□□□ □ □□□□.
- C. □□ □□ □□ □□□ □□□ □□□ □□ □ □□□□.
- D. □□ □□ □□ □□□ vSphere □□ □□□□□□□□ □□ □ □□□□.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 7**

Which command sequence will configure ESXi syslog logging to a remote syslog server?

A)

```
esxcli network firewall ruleset set -r syslog -e true
esxcli system syslog config set --loghost=udp://<log server IP>:<port>
esxcli system syslog reload
```

B)

```
esxcli network firewall ruleset set -r syslog -e true
esxcli network syslog config set --loghost=udp://<log server IP>:<port>
esxcli network syslog reload
```

C)

```
esxcli security firewall ruleset set -r syslog -e true
esxcli system syslog config set --loghost=udp://<log server IP>:<port>
esxcli system syslog reload
```

D)

```
esxcli system firewall ruleset set -r syslog -e true
esxcli system syslog config set --loghost=udp://<log server IP>:<port>
esxcli system syslog reload
```

- A.  B
- B.  D
- C.  C
- D.  A

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 8**

Which command sequence will configure NSX syslog logging to a remote syslog server?

- A. `nsxcli network firewall ruleset set -r syslog -e true`, `nsxcli system syslog config set --loghost=udp://<log server IP>:<port>`
- B. `nsxcli network syslog config set --loghost=udp://<log server IP>:<port>`, `nsxcli network syslog reload`
- C. `nsxcli security firewall ruleset set -r syslog -e true`, `nsxcli system syslog config set --loghost=udp://<log server IP>:<port>`
- D. `nsxcli system firewall ruleset set -r syslog -e true`, `nsxcli system syslog config set --loghost=udp://<log server IP>:<port>`

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 9**

Which log file contains ESXi update logs?

- A. `/var/log/hostd.log`
- B. `/var/log/esxupdate.log`
- C. `/var/log/vmkernel.log`
- D. `/var/log/dfwptlogs.log`

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 10**

NSX Intelligence can be used to monitor and report on the health of NSX components. Which of the following is a valid use case for NSX Intelligence?

- A. Monitor the health of NSX components.
- B. Monitor the health of ESXi hosts.
- C. Monitor the health of vSphere hosts.
- D. Monitor the health of physical network devices.

Answer: ([SHOW ANSWER](#))

NSX Intelligence can be used to monitor and report on the health of NSX components. Which of the following is a valid use case for NSX Intelligence?

Answer:

VMware NSX Intelligence <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/com.vmware.nsxt.intelligence.doc/GUID-F2F1D7E8-F6B2-4870-9E38-7C8D3D3F9B1E.html> VMware NSX Intelligence <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/com.vmware.nsxt.intelligence.config.doc/GUID-7F44F3D3-3A3C-4EBE-A5D5-F1E3E3F59A8B.html>

**NEW QUESTION: 11**

NSX-T Endpoint Protection can be used to protect endpoints. Which of the following is a valid use case for NSX-T Endpoint Protection?

- A. Monitor the health of NSX components.
- B. Monitor the health of ESXi hosts.
- C. Monitor the health of vSphere hosts.
- D. Monitor the health of physical network devices.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 12**

ESXi can be configured to send syslog messages to a remote host. Which of the following is a valid command to configure ESXi to send syslog messages to a remote host? (3 correct answers)

- A. `esxcli syslog server <IP> -r syslog -e true`
- B. `esxcli syslog server <IP> --firewall`
- C. `esxcli; system syslog -sx <IP>`
- D. `esxcli system syslog server <IP> "loghost-udp://<IP>:<PORT>"`
- E. `esxcli system syslog server <IP>`





NSX Intelligence. Partner Service VM NSX Manager vCenter ?

- A.
B.
C.
D. 1

Answer: (SHOW ANSWER)

NEW QUESTION: 18

Guest Introspection Partner Service VM NSX Manager vCenter ?

- A. ESXi (EAM)
B.
C. (VUM)
D.

Answer: D (LEAVE A REPLY)

Component Manager Guest Introspection Partner Service VM

VMware NSX-T Data Center (https://pubs.vmware.com/NSX-T-Data-Center/index.html#com.vmware.nsxt.admin.doc/GUID-ACB4CE1E-4F6E-4B4F-96BF-9FA9DFFF9229.html)

NEW QUESTION: 19

vIDM(VMware Identity Manager) NSX-T Data Center ?

- A. vIDM
B.
C.
D. vIDM
E. vIDM

Answer: D,E (LEAVE A REPLY)

NSX-T Data Center vIDM(VMware Identity Manager) vIDM NSX-T Data Center vIDM

https://docs.vmware.com/en/VMware-NSX-T/3.0/vmware-nsx-t-30-administration-guide/GUID-1B4EA3C9-8F43-4C4F-A86A-BFB0DB6D1A6C.html [2]

<https://docs.vmware.com/en/VMware-Identity-Manager/3.3/com.vmware.identity.install.doc/GUID-D56A0C0A-52F>

**NEW QUESTION: 20**

IDS/IPS □□□ □□ □□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A. IDS □□□□ □□□ □□ □ □□□□ □□□□ □ □□□□ □□□□ □□□□□.
- B. IDS □□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□.
- C. □□□□ NSX UI□□ □□ IDS □□ □□□ □□□ □ □□□□.
- D. □□□□ NSX UI□□ □□□ IDS □□ □□□ □□□□ □ □□□□.
- E. IDS □□□ □□□, □□, □□□ □ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 21**

NSX-T Endpoint Protection□ □□ □□ □□ □ □□□ □□□□□?

- A. □□ □□□□□ □□□□ □□ □□□ □□
- B. □□□□ □□ □□□□□□
- C. □□ □□□
- D. □□ □□□

Answer: B ([LEAVE A REPLY](#))

NSX-T Endpoint Protection□ VMware ESXi □□□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□ □□□□□. VMware vShield Endpoint API□ □□□□ □□□□ □□ □□□□□ □□□□ □□□ □□ □□□ □□□□□. □ □□□□ McAfee □ Symantec□ □□ □□ □□□□ □□ □□□□ □□□□ □□□ □ □□ □□□ □□ □□□ □□□ □□□□□.

NSX-T Endpoint Protection□ □□ □□□ □□□ NSX-T Data Center □□□

(<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsx-t-3.0>)□ □□□□□□□. -□□ □□/GUID-25C22F02-4B30-47D4-8F0C-3BC9F9C3AFD3.html

**NEW QUESTION: 22**

NSX-T Data Center □□ □□□ □□ □□ □□ □□□ □□□□ □□ □ □□ □□□□ □□□ □□□□ □□□?

- A. NAT
- B. DNS
- C. □
- D. NTP

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 23**

□□ □□□□ NSX □□□ □□□□□ □□□ □□□□ □□□□.

□□□ Up□□ □□□□□ □□ □ □□□□□ □□□□ □□□? (□ □□□ □□□□□.)

- A. VM□□ □□ □□□ vNIC□ □□□ □□□.
- B. VM□□ □□ □□□□□ □□ □□□ □□□ □□□.







C. □□□□ □□ □□

D. URL □□ □□

Answer: (SHOW ANSWER)

□□ □ □□□□ □□□□□ □□ □□□□ NSX-T□□ URL □□ □□□ □□□□□□ □□□.  
URL □□ □□□ □ □□□□ □□ □□□□ □□□□ □ □□□□ □□□ □□ □□ □□□ □□  
□□ □□ □ □□□ □□ □□□□ □□□□□ □□□ □ □□□□.

URL □□ □□ □ □□ □□□ □□ □□□ □□□ NSX-T Data Center □□□[1]

(<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0>)□ □□□□□□□. /nsx-t-3.0-url-profile/GUID-F8BA3F3F-4A27-4B4F-8D2A-A013F68E1619.html

<https://docs.vmware.com/en/VMware-vSphere/7.0/rn/vsphere-vcenter-server-703-release-notes.html>

1. VMware vCenter Server 7.0 □□□□ 3 □□□□ □□

<https://docs.vmware.com/en/VMware-vSphere/7.0/rn/vsphere-vcenter-server-703-release-notes.html>

**5V0-41.21** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 5V0-41.21 □□!  
DumpTop □ □□ **5V0-41.21** □□ □□□ □□□□□□□, DumpTop 5V0-41.21 □□ □□□ □  
□□□□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop 5V0-41.21  
□□□ □□□□□. <https://www.dumptop.com/VMware/5V0-41.21-dump.html> (72 Q&As  
Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 32**

Linux □□ VM□ □□□□□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□□?

A. NSX□ □□□□□□ □□□□

B. vCenter□ □□□□□□ □□□□

C. Guest Introspection Thin Agent

D. □□□ □□□ □□□□

Answer: (SHOW ANSWER)

NSX□ □□□□ □□□□□□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□ □ □□□  
□□ Guest Introspection□□□ □□□ □□□□□□. Guest Introspection□ □□ □□ □ □□□  
Guest Introspection Thin Agent□□ Linux □□ VM□ □□□□ □□ □□ □□□ □□□□ □□  
□□□□ □□□. Thin Agent□ □□ □□□□ □□□ □□ □□ □□□ □□□□ NSX Manager□  
□□□□ □□ □□□□ □□□□ □□ □□□□□□□□.

Guest Introspection Thin Agent□ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□ □  
□ □□□ □□□ □□□□ □□□□ □□ □□□□ □□□ □ □□□□.

□□:

VMware NSX Guest Introspection □□□ [https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/com.vmware.nsx.guest\\_introspection.doc/GUID-A86FBAF1-](https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/com.vmware.nsx.guest_introspection.doc/GUID-A86FBAF1-A8D9-4E12-8F3D-04B3D89B8F7E.html)

[A8D9-4E12-8F3D-04B3D89B8F7E](https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/com.vmware.nsx.guest_introspection.doc/GUID-A86FBAF1-A8D9-4E12-8F3D-04B3D89B8F7E.html) .html VMware NSX Guest Introspection Thin Agent □□□

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/com.vmware.nsx.guest\_introspection.doc/GUID-A86FBAF1-A8D9-4E12-8F3D-04B3D89B8F7E.html

**NEW QUESTION: 33**

Which NSX-T Data Center component is used to collect data from VMs?  
A. NSX-T Data Center  
B. NSX-T Data Center  
C. NSX-T Data Center  
D. NSX-T Data Center

- A. NSX-T Data Center
- B. NSX-T Data Center
- C. NSX-T Data Center
- D. NSX-T Data Center

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 34**

Which NSX-T Data Center component is used to collect data from VMs?  
A. NSX-T Data Center  
B. NSX-T Data Center  
C. NSX-T Data Center  
D. NSX-T Data Center

- A. vCenter
- B. Guest Introspection Thin Agent
- C. NSX-T Data Center
- D. NSX-T Data Center

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 35**

Which NSX-T Data Center component is used to collect data from VMs?  
A. NSX-T Data Center  
B. NSX-T Data Center  
C. NSX-T Data Center  
D. NSX-T Data Center

- A. NSX-T Data Center
- B. NSX-T Data Center
- C. NSX-T Data Center
- D. NSX-T Data Center

Answer: C ([LEAVE A REPLY](#))

Which NSX-T Data Center component is used to collect data from VMs?  
A. NSX-T Data Center  
B. NSX-T Data Center  
C. NSX-T Data Center  
D. NSX-T Data Center

NSX-T Data Center

Which NSX-T Data Center component is used to collect data from VMs?  
A. NSX-T Data Center  
B. NSX-T Data Center  
C. NSX-T Data Center  
D. NSX-T Data Center

- A. NSX-T Data Center
- B. NSX-T Data Center
- C. NSX-T Data Center
- D. NSX-T Data Center

Which NSX-T Data Center component is used to collect data from VMs?  
A. NSX-T Data Center  
B. NSX-T Data Center  
C. NSX-T Data Center  
D. NSX-T Data Center

Which NSX-T Data Center component is used to collect data from VMs?  
A. NSX-T Data Center  
B. NSX-T Data Center  
C. NSX-T Data Center  
D. NSX-T Data Center





- C. vIDM □□ □□
- D. vIDM□ □□□ □□
- E. vIDM □□ □□

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 42**

URL □□□ □□□□ □□ NSX-T□□ TCP □ UDP□ □□ □□□□ □□□□ □□ URL □□□ □□□□ □□ □□□□ □□□□□? (□ □□□ □□□□□.)

- A. DHCPv6
- B. DNS
- C. DNS-UDP
- D. DNS-TSIG
- E. DHCP

**Answer: B,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 43**

□□ □□□ □□□□□ □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□?

- A. NSX-CCP
- B. nsx-□□□
- C. nsx-mpa
- D. nsx-appl-proxy

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 44**

ID □□□□ □□□□□ □□ □□□ OS □□□□□ □□□□□? (□ □□□ □□□□□.)

- A. NSX □□□□ □□
- B. vmxnet3
- C. NSX □□ □□
- D. □□□ □□□□□□

<□>: e1000e

**Answer: A,D ([LEAVE A REPLY](#))**

ID □□□□ □□□□ □ □□□ □ □□ □□□ OS □□□□□ NSX Network Introspection □ Guest Introspection□□□. NSX Network Introspection□ □□□□ □□□ □□□□ □□□ □□ □□ □□ Guest Introspection□ □□ □□□ □□□□ □□□ □□□□□. □□□ □□ □□□□ □ vmxnet3, NSX File Introspection □ e1000e□ ID □□□□ □□□□ □ □□□□ □□□□.

**NEW QUESTION: 45**

□□ □□□□ □□□ □□ □□□□ □□ □□□□ □□□ □□ □□□ □□□ □□□□?

- A. □□□□ IP □□ □, □□□□ NAT, □□□□ DHCP
- B. □□□□ □□ □□□, □□□□ DNS, □□□□ □□□ □□
- C. □□□□ DHCP, □□□□ NAT, □□□□ □□□□



NSX□□ □□□ □□ □□□ □□□□□ □□ □□□□ □□□□ □ □□ □□□ □□□□□?

- A. □□□ □□□□
- B. □□□-PKTLOG
- C. □□□ □□ □□
- D. □□□ □□
- E. □□□ □□□

**Answer: C,D (LEAVE A REPLY)**

□□□□ FIREWALL RULE TAG □ FIREWALL CONNECTION □□□ □□□□ NSX□□ □□ □ □□□□ □ □□□□. FIREWALL RULE TAG □□□ □□□□ □□□□ □ □□□ □□□ □ □□ □□□□ □□□ □□□□ □ □□, FIREWALL CONNECTION □□□ □□□□ □□□□ □ □□□□(□: □□□ □□ □□□)□ □□□□ □□□ □□□□ □ □□□□.

NSX□□ □□□ □□ □□□ □□□□□ □□□ □□ □□□ □□□ NSX-T Data Center □□□ (https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsx-)□ □□□□□□. t-3.0-□□ □/GUID-B6B835F2-B6F2-4468-8F8E-6F7B9B9D6E91.html

**5V0-41.21** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 5V0-41.21 □□! DumpTop □ □□ **5V0-41.21** □□ □□□ □□□□□□, DumpTop 5V0-41.21 □□ □□□ □ □□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 5V0-41.21 □□□ □□□□□. <https://www.dumptop.com/VMware/5V0-41.21-dump.html> (72 Q&As Dumps, **30%OFF Special Discount: KrDump**)