

# VMware.6V0-22.25.v2026-06-16.q98

□□□□:	6V0-22.25
□□□□:	VMware Avi Load Balancer 30.x Administrator
□□□:	VMware
□□ □□ □□□:	98
□□:	v2026-06-16
# □□ □:	122
# □□ □□□:	980
<a href="https://www.krdump.com/VMware.6V0-22.25.v2026-06-16.q98.html">https://www.krdump.com/VMware.6V0-22.25.v2026-06-16.q98.html</a>	

## NEW QUESTION: 1

□□□□ "□□ □□□" □□□ □□□ vCenter □□□□□□ Avi □□□ □□□□ □□□ □. □□ □□□□ □□ 4□ □□□ □□□□□ □□□□ □□□□. □□□ □□□ □□□ □ Avi □□□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□ □□□?

- A. vSphere □□ □□□□ □□□□ □□□□ □□□□ □□ ESXi □□□□ □□□□□□ □.
- B. vCenter□□ □□□ □□ □□□□ □□□□ □□□□, □ VM□ □□□□, □□□ □□, □□□ □□□ □□□□□.
- C. vSphere □□□□□ □ Service Engine VM□ □□□□ □□□□□ □□□□□.
- D. □□□□□ □□□ □□□, □□□□ ControlScript□ □□□□ □□□ □□□ □□□ □ □□□□.

Answer: B ([LEAVE A REPLY](#))

## NEW QUESTION: 2

N+M Elastic HA□□ "M"□ □□ □□□ □□ □□ □□□□□ □□□□□?

- A. □□ □□□□ □□ □□
- B. □□ □□□ □□ □
- C. □□ □□□ □□ □
- D. □□□ □□□ □□ □□ □□□ □

Answer: ([SHOW ANSWER](#))

Avi Elastic HA N+M □□□□ N □□ □□ □□□□ □□□ □□ □□ □□□ □□□□, M □ □□□□ □□ □□□□ □□ □□□ □□□□□. Broadcom□ Avi □□□□ □□□ N +M Elastic HA□□ M□ Avi □□ □□□ □□□□□ □□□ □□ □□□ □□□□ □□ □ □□□ □□□ □□□□. □□□ □□ □□□ □□□ □□ □□, □□□ □□ □ □ □ □□□□ □□ □□ □□□□□. □□ □□ □ □□ □□□ □□ □(□□□ □ □ □ □□□ □□□ □□)□□ □□□□, □□□ □□□ □□ □□ □□□ □□□ □□□□□. □□□ N+M Elastic HA□□ "M"□ □□ □□□ □□□ □□ □□□□□.



Which of the following is a valid IPv6 address? [A] 2001:0db8:0000:0000:0000:0000:0000:0000 [B] 2001:0db8:0000:0000:0000:0000:0000:0001 [C] 2001:0db8:0000:0000:0000:0000:0000:0000:0000 [D] 2001:0db8:0000:0000:0000:0000:0000:0000:0000:0000

Which of the following is a valid IPv6 address?

# [A] 2001:0db8:0000:0000:0000:0000:0000:0000

- [B] 95% of all IPv6 addresses use TLS 1.2.

- [C] 5% of all IPv6 addresses use TLS 1.0.

[D] RSA is used for IPv6.

A. ECDSA

B. SHA-1

C. 4096-bit RSA

D. RSA

Answer: D (LEAVE A REPLY)

### NEW QUESTION: 8

Which of the following is a valid IPv6 address? [A] 2001:0db8:0000:0000:0000:0000:0000:0000 [B] 2001:0db8:0000:0000:0000:0000:0000:0001 [C] 2001:0db8:0000:0000:0000:0000:0000:0000:0000 [D] 2001:0db8:0000:0000:0000:0000:0000:0000:0000:0000

([E] 2001:0db8:0000:0000:0000:0000:0000:0000:0000:0000:0000)

A. IPv6 addresses are always 128 bits long.

B. IPv6 addresses are always 128 characters long.

C. IPv6 addresses are always 128 hexadecimal characters long.

D. IPv6 addresses are always 128 decimal characters long.

E. IPv6 addresses are always 128 alphanumeric characters long.

F. IPv6 addresses are always 128 hexadecimal characters long.

Answer: (SHOW ANSWER)

### NEW QUESTION: 9

Which of the following is a valid IPv6 address?

A. 2001:0db8:0000:0000:0000:0000:0000:0000

B. 2001:0db8:0000:0000

C. VRF

D. 2001:0db8

Answer: (SHOW ANSWER)

### NEW QUESTION: 10

Which of the following is a valid IPv6 address? [A] 2001:0db8:0000:0000:0000:0000:0000:0000 [B] 2001:0db8:0000:0000:0000:0000:0000:0001 [C] 2001:0db8:0000:0000:0000:0000:0000:0000:0000 [D] 2001:0db8:0000:0000:0000:0000:0000:0000:0000:0000

□□□ □□□ □□□ □□□ □□□□ □□ □□□ □□ □□ □□□□□ □□□. □□ □ □, □□ □□□ □□□ 20□ □□ □□ □□ □□□ □□ 20□ □□ □□□ □□□ □□□ □□ □□□. □□□ □□□ □□□ □ □□ □□□ □□ □□□ □□□□(HA) □□□ □□ □□□?

- A. □□/□□
- B. □□/□□
- C. □□ □□□□
- D. N+M

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 11**

DevOps □□□□□ Avi □□□ □□□□ □□□□ □□ WAF □□□□ □□ □□ □□ □ □□□ □□□ □□□□□ □□□□ □□□□. □ □□□□□ WAF □□□ □□□ □□ □□□ □□ □□□ □□ □□ □□□ WAF□□ □□□□□ □□□ □□□ □□ □□ □ □□□□ □□□. □ □ □□□□ □□ □□ □□□ □□□ □□□□?

- A. □□□ □□□ □□ □□□ □□□□□, □□ □□□ □□□ □□□□ □□□□□.
- B. □□□ □□□ "□□ □□"□ □□□□, □□ □□□ "□□□□ □□"□ □□□□□.
- C. □□□ □□□ □□ □□□ □□ "VIP" □□□ □□□□□.
- D. □□□ □□□ □□ □□ □□□□ □□□□□ "□□ IP" □□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 12**

□□□□ SEG-PROD□ □□□□ □□□ □□ □□ □□ □□ □□□□□□. □□□ □□ □□□□□□□ □□□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□ □□.

- A. □□ □□□□ "DEV" □□□□□□ □□□□ □□□□.
- B. □□ □□□ □□ □ □□□ □□ □□ □□□□ □□□□□ □□□□□.
- C. □□ □□□□ "DEV" □□□□ □□□□□□.
- D. vCenter □□ □□□□ □□□ □□□ □□□□ □□□ □□□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 13**

□□□-L4□□□□□ □□□□□ L4 □□ □□□□ □□□-HTTP □□□□□ □□□□□ L7 □ □□□□ □□□□□ □, □□ □□□□ □□□ □□□□□? (□□□□ □□ □□□ □□□ □□□.)

- A. L4 □□□ □□□ □□□ □□ CPU □□□□□ □ □□□□□.
- B. L4 □□□ □□□□□ □□ □□□ □□□□□.
- C. L4 □□ □□□□□ HTTP □□□ □□ □□ □□□ □□□ □□□□ □□□.
- D. L4 □□ □□□□□ □□□ □□□ □□□□□ □ □□ □□ □□□ □□□ □ □□□□.





D. Avi Controller 可以 通过 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。

Answer: D ([LEAVE A REPLY](#))

### NEW QUESTION: 19

在 配置 策略 时， 如何 配置 IP(VIP) 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制？

- A. 配置 IP 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制， 配置 策略 来 实现 对 IP 策略 进行 不同的 访问 控制。
- B. 配置 VIP 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制， 配置 策略 来 实现 对 策略 进行 不同的 访问 控制。
- C. 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制， 配置 策略 来 实现 对 策略 进行 不同的 访问 控制。
- D. 配置 VIP 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制， 配置 策略 来 实现 对 策略 进行 不同的 访问 控制。

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 20

在 配置 策略 时， 如何 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。 配置 策略 A 和 策略 B。

配置 策略 B 和 策略 A 的 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。 vs-app-A 和 vs-app-B 的 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。 vs-app-A 和 vs-app-B 的 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制？

- A. 配置 策略， 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。
- B. 配置 策略， 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。
- C. 配置 策略， 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。
- D. 配置 策略， 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 21

在 配置 策略 时， 如何 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。 配置 策略 A 和 策略 B。

配置 策略 B 和 策略 A 的 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。 http://shop.example.com 和 https://shop.example.com 的 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制？

- A. 配置 策略-HTTP
- B. 配置 策略-UDP
- C. 配置 策略-L4-SSL
- D. 配置 策略-TCP-策略

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 22

在 配置 策略 时， 如何 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。 配置 策略 A 和 策略 B。 <binary data, 5 bytes> 的 配置 策略 来 实现 对 不同 的 应用 进行 不同的 访问 控制。



- A. 00000 00 'M'(00) 000 000 0000000000.
- B. 00000 0 00000 00000 000 000 000 000000.
- C. 000000 00 0000 SE0 00 00 0000 0000 00 000000 00000000 00.
- D. 000000 00 0000 0000 00 0 0000 00 000000.
- E. 000000 00 0000 SE 0 00000 00 00 00 00 SE0 00 00000 00 000000000.

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 25**

00 0000000000 Avi WAF 00000 00000 00000. 00 00 00 00 WAF0 XSS(0000 0000 00000) 0000 0000000 00000 0000 0000 0000 00 0 00 00000 0000 000000 0000. 00000 0 00 0000 000000 00 00 00 0 00000 0000? (000000 00 0000 00000000.)

- A. WAF 0000 0000 WAF\_MODE\_ENFORCEMENT0 000000.
- B. 00 00000 WAF 0000 000000 XSS 00 0000 00 000000 0000 00000 00.
- C. System-CRS-XSS 00 0000 000000 WAF 0000 000000.
- D. 00 IP(VIP)0 00 XSS 00 0000 000000 000000.
- E. 00 0000 00 0000 1000000 00000000.
- F. 00 0000 000000 000000 00 0000 00 '00 00 00' 0000 00000000.

Answer: B,C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 26**

0000 000000 000000 000000 00 00 00 0000 0000000?

- A. TLS 0000
- B. 000000 IP 0000
- C. 0 00 0000
- D. HTTP 00 0000

Answer: D ([LEAVE A REPLY](#))

Avi0 00 00 00 00 0000 000000, 00 0000 0000 00 000000 0000 0 0 00 000000 0000 0000. 000000 IP 00 0000 00000000 0000 0000 0 00 0000 000000 00 00 000000 000000, 0 000000 0000 00 000000 0 000000. TLS 00 00 00 00 TLS 00 0000 0000 0000 00000000. 0 00 00 0 00 00000000 000000 00 0000000000 00 0 00 00 00 0000 00 0 000000. 0000 HTTP 00 00 0000 Avi0 0000 0000 000000 00 00 0000 00 0000 0 0000 0000 000000. 00 00 00000000 00 000000 00 00 0000 0000 0 000000. 0000 0000 00 000000 0000 0000 00 0 00 00 000000 0000 0000 000000.

0000 0000 00 000000 000000 00 0000 0000 HTTP 00 00000000.

**NEW QUESTION: 27**

Which of the following is a benefit of using a REST API?

- A. It is easy to integrate with other systems.
- B. API is a standard protocol.
- C. It is easy to use and understand.
- D. It is a standard protocol.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 28**

vSphere is a hypervisor. Which of the following is a benefit of using a hypervisor?

- A. It allows multiple operating systems to run on a single physical server.
- B. It allows multiple operating systems to run on a single physical server, each with its own virtual hardware.
- C. 50Gbps is a standard network speed.
- D. It allows multiple operating systems to run on a single physical server, each with its own virtual hardware.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 29**

Which of the following is a benefit of using a REST API?

- A. enable\_realtime\_metrics True
- B. WAF
- C. HTTP
- D. L4
- E.
- F.

**Answer: A,D (LEAVE A REPLY)**

**NEW QUESTION: 30**

DevOps is a methodology for software development. Which of the following is a benefit of using DevOps?

- □□ 'version'□ 'beta'□ □□□ 'pool-green'□□ □□□□□.
  - □□□ □□□ 'pool-blue'(□□ □)□ □□□□.
- A. "□□" □□□ □□□ WAF □□.
  - B. "□□ □□" □□□ □□□ DNS □□.
  - C. "□□□ □□" □□□ □□□ HTTP □□ □□.
  - D. "□□□ □" □□□ □□□ □□□□ □□ □□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

□□ □□□ □□□ □□ □□□ □□ □□□□ □□□□ □□□ □□□□□?

- A. NAT □□□□□
- B. GSLB
- C. VRRP
- D. DNS □□□

Answer: B ([LEAVE A REPLY](#))

**6V0-22.25** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 6V0-22.25 □  
 □! DumpTop □ □□ **6V0-22.25** □□ □□□ □□□□□□, DumpTop 6V0-22.25 □□  
 □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□  
 DumpTop 6V0-22.25 □□□ □□□□□.

<https://www.dumptop.com/VMware/6V0-22.25-dump.html> (208 Q&As Dumps, **30%OFF**)

Special Discount: **KrDump**)

**NEW QUESTION: 32**

□□□ □□ □□□ "□□" □□ □□□ □□□□ □□□□. □□□ □□□ □□□ □ □ □  
 □ □□□ □□ □□ □□□□ □□□ □□, Avi □□□□□ □□ □□ □□□ □□□ □□  
 □?

- A. □□ CPU □ □□□ □□□□ □□ □□ □□□ □□□ □ VS□ □□□□□.
- B. □□ □□ □□ □□ □□ □□□□ □□□□□ □□ □□□ □□□ □ □□ □□□□ □□□□.
- C. □□□ □□ □□□□ □□ □□ □□□ □ □□ □□□ □□□ □□□□□.
- D. □ VS□ □□□□ □□□ □□□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 33**

□ □□□□ vCenter□ □□□□ □□ □□□ □□□ Avi Vantage□ □□□□ □□□□. □  
 □ □□□□□□ □□□ □□□ □□ □ □□(Venter□ □□□□ □□ □□ ESXi □□□□  
 □ □□)□ □□□□ □□□□. □ □ □□□□ Avi Controller □□ □□□ □□□ □□□ □  
 □□□ □□□□ □□□ □□□□□? (□□□□ □□ □□□ □□□□□□.)

- A. ESXi VMs are created "on the fly" and are not pre-emptively created.
- B. Avi Vantage vCenter ESXi hosts are not pre-emptively created, but are created on demand.
- C. ESXi VMs are created on Avi Vantage hosts on demand.
- D. OVA files are pre-emptively created vCenter ESXi hosts on demand.
- E. VMs are pre-emptively created ESXi hosts on demand.
- F. vCenter VMs are pre-emptively created "on the fly" and are not pre-emptively created.

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 34**

HTTP URI pool-us-east, /api/v1/us-east/... pool-us-east, /api/v1/us-east/... pool-us-east, /api/v2/us-east/... pool-us-east, /api/v1/us-west/... pool-us-west. URI pool-us-east, pool-us-east?

- A. pool-us-east
- B. pool-us-east
- C. pool-us-east
- D. pool-us-east

Answer: A [\(LEAVE A REPLY\)](#)

**NEW QUESTION: 35**

RTT: 5025ms  
 RTT: 20ms  
 RTT: 5ms  
 RTT: 5000ms  
 RTT: 0ms  
 5000ms?

- A. RTT: 5000ms
- B. RTT: 5000ms
- C. RTT: 5000ms
- D. RTT: 5000ms

Answer: A [\(LEAVE A REPLY\)](#)

**NEW QUESTION: 36**

□□□□ □□ □□□□ □□□□□□ □□□, □□ □□□□ □□ □□□ 100□□ 60□□ □□□□□□.

□□□□ □□ □□ □□ □□□ □□□ □□ □□ □□ □□□□ □□□□□ □ □□□□□. □□□ □□ □□□ □□ □□□ □□□□□?

- □□ □□: 60
- □□ □□: 100□
- □□ □□: 100
- □□□ □□: 0
- □□ □□: 100□

- A. □□ □□ □□ □□□ □□ □ □□□ □□ □□□□ □□□□ □□ □□□ □□□ □□ □□□□□.
- B. □□ □□□□□□□ □□□□□ HTTP 500 □□□ □□□□ □□□□□□□.
- C. □□ □□□□□□ □□ □□□ 50ms□□ 500ms□ □□□□□□□.
- D. □□ □□□□□ □□ □□ □□□ □□□ □□ □□□ 90% □□□□□□□.

Answer: D (LEAVE A REPLY)

**NEW QUESTION: 37**

vSphere □□□□ □□□□□ □□□ □□ □□ □□□ HTTP □□□ □□ □□□□ □□ □□ □□□ □□ □□ □□ □□□□□ □□□□□□□□ □□□□□□□□ □□□□□.

□□□□ Avi□□□□ □ □□□ □□□□ □□□□. □□ □□ □□ □□□ □□□ □ □□□ □□? (□□□□ □□ □□□ □□□□□□.)

- A. DataScript□ □□□□ □□ ID□ □□□□ □□ □□□ □□□□□□.
- B. SSL/TLS □□□□ □□□□ □□□ □□□□□□.
- C. □□□ □□ □□ □□□□ □□□□□□.
- D. □□□□□□□ □□□□□ X-Forwarded-For □□□ □□□□□□□□.
- E. VS\_UUID□ □□ □□□ □□ □□□ □□□□ "□□ □□" □□□ □□□ HTTP □□ □ □□ □□□□□□.
- F. □□ □□□□□ "□□□□□□ □□ □□□□"□ □□□□□□□□□.

Answer: A,E (LEAVE A REPLY)

**NEW QUESTION: 38**

□□ □□□□ HTTP □□ □□, □□□□ □□ □□, DataScript □□ □ HTTP □□ □□□ □□□□ □□□□□. □□□ □□□□ □□ □□□ □□□□□□?

- A. □□□□ □□ # HTTP □□ # HTTP □□ # DataScript □□
- B. HTTP □□ # □□□□ □□ # HTTP □□ # DataScript □□
- C. □□□□ □□ # HTTP □□ # HTTP □□ # DataScript □□
- D. DataScript □□ # □□□□ □□ # HTTP □□ # HTTP □□

Answer: A (LEAVE A REPLY)

**NEW QUESTION: 39**



□□ IP: 192.168.10.20  
□□ □□: 3500ms  
□ □□ □□: 3450ms  
□□ RTT: 10ms  
□ □□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□ □□□?

- A. IP □□□ 192.168.10.20□ □□□ □□□□□□ □□□□□.
- B. Avi □□□ □□□ CPU □ □□□ □□□.
- C. Avi □□□ □□□ □□□ □□ □□ □□□□ □□□□□.
- D. □□□□□□□ Avi □□□ □□ □□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 42**

vCenter □□□□□ '□□ □□□' □□□ □□□ □ Avi □□□□□□ □□□ □□□ □□□  
□□ □□□□□□ □□ □□□□□□ □□□□□□. □□□□ □□ □□ vSphere □□ □□□  
□□□□□□. □ □□ □□□□□□ □□ □□ □□ □□□ □□□□□□?

# vCenter □□□□ □□  
□□ □□□□:  
- □□ □□: pg-avi-management

...  
□□□ □□□□□:  
...

- A. DHCP□ □□□□ □□□ □□□□□□ □□□.
- B. Avi □□□□□ VM□□ □□□□ □□ □□□ □□ □□□□□□ □□□.
- C. Avi □□□□□□ □□ IP □□□ □□ □□□ □□□ □□□.
- D. □□ VLAN□ □□□□□ □□□ □□ □□□□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 43**

SNAT□ □□□ □ □□ □□□□□□□□ □□ □□ □□□□ □□□ □□□□ □□□?

- A. □□□ □□□-□□□□□
- B. □□ □□□-□□□□
- C. □□□ □□-□□□
- D. SNAT□ HA □□□ □□ □□□□□□□ □□□□ □□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

SNAT□ □□□ □ □□ □□□□□□□□ □□ □□□□□□ IP □□□ □□□□ □□□. Avi  
□□ □□□□□□ □□□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□ □□  
□□□ IP □□ □□□ □□□□ □□ □□□□□□□□. VMware Avi□ □□□□□□ IP □□ □□  
□□ □□□□□□ □□□□ □□ □□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□  
□ □□□□□ □□□□□. □ □□□□ □□ □□□□ □□ □□□ □□□ □□□-□□□□□ □□□  
□□□□□ □□□□. □□□□ □□□□ □□□□ □□ □□□□ □□□ □□□ □□□ □□□

□ □□□□□ □□ □□ □□□ □□ □□□□□. □□□ □□□□□□ □□□ □□□□□□  
□□ □□□ □□□□ □□ □□ □□□ □□□ □□ SNAT□ □□□□ □□□ □□□□.  
□□□ □□□□□□□□ SNAT□ □□□ □ □□ □□□□□□ IP □□□ □□□□ □□ □□  
□□□ HA □□□ □□□ □□□□□□□□□□□□.

**NEW QUESTION: 44**

vSphere □□□□ □□□ □□ □□□ □□□□ □□□ □□□ Avi Controller□ □□□□  
□□□□. □□ □□ □□ □□ □□□□ □□□□□ □□□ □□□□□. OVA□ □□□□  
IP □□□ □□□ □, □□□□ □ UI□ □□□ □ □□□□. UI □□□ □□□□ □□□ □  
□□ □□□□□□□□ Avi Controller□ □□ IP □□ □□□ □□□□ □□□□□ □□ □□  
□□□ □□□□ □□□?

- A. 22 (SSH)
- B. 8443 (HTTPS □□)
- C. 80 (HTTP)
- D. 443 (HTTPS)

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 45**

□□□ WAF □□□ □□ □□□□ □□□ □, □□□□□ □□ □□□□□□□□ □□□□  
□ □ □ "403 Forbidden" □□□ □□□□□ □□□□ □□□□. □ □□□ □□□ □ □ □  
□ □□□ □□□□□?

- A. WAF □□□ □□ □□□□□.
- B. WAF □□ □□□ □□□□□□□□□□.
- C. WAF □□□ □□ □□□ □□□□.
- D. WAF □□□ □□ □□□ □□□□□□□□.

**Answer: C (LEAVE A REPLY)**

Avi WAF □□□ □□□ □□□ □□□ □ □□□□. □□ □□□ □□□ □□□□ □□□□  
□□ WAF □□ □□ □□□ □□□□ □□□□□, □□ □□ □□ WAF □□□ □□□□  
□ □□□□□.

□□ □□□ WAF □□ □□□ □□□□□ □□□ □□□ □□□□ □□□ □□□□□ □  
□□□□.

Broadcom□ WAF □□ □□ □□□□□ □□(Detection)□ □□(Enforcement)□ □ □□  
□□□□ WAF □□ □□□ □□□□ □□□, Avi□ HTTP □□ □□ □□□□□ WAF□ □  
□ □□□□ □□□ □ 403 □□ □□(Request Forbidden) □□□ □□□ □ □□□ □□□  
□ □□□□. □□ □□□ □□□□□□□ WAF □□□ □□□ □, □□□ □□□□□ □□□  
□.

□□ □□□ □□ □□□ □□□□ □ □□□ □□□, □ □□□ □□ □□□ □□□□□ □  
□□□. □□□ □ WAF □□□ □□□ □ □□□□ 403 Forbidden □□□ □□□□ □□□  
□□□ □□ □□ □□□ □□ □□□ □□□□ □□□□.







Avi 0000 00 000000 0000 00 00000 00 0000 00000 0000 0 0  
0 000 000 00000 00 00 0000 00000 00000. 00000 00 0000 0  
0 0 00000 0000000 0000 00 000000 0000 00000 00000000.

000000: 20250 100 240 140 100

000: VS\_SCALE\_OUT\_FAILED

00: 000 00 00 'seg-'0 00 0000 0000 0000 00000.

'prod-web'. SE 00 00 0 00000 00000 0000000.

00 000: vs-webapp-prod

0 00 00000 00000, 00 00000 0000 00 0000 0000 0000000? (0 0  
00 00000000.)

A. 'seg-prod-web' 000 00 00 00 0000 0000 00 max\_vs\_per\_se 00 0000  
0000000.

B. vCenter 00000 0000 0 Service Engine VM0 00000 0 0000 0000(CPU/000  
0)0 0000000.

C. 00 00000 max\_scaleout\_per\_vs 0000 000000000.

D. 00 00000 0000 WAF 00000 00 000000 0000 000000 000000.

E. 0000 00 0000 ha\_mode0 '0000/00000'0 0000000000.

Answer: A,B ([LEAVE A REPLY](#))

#### NEW QUESTION: 54

00 00000 0000 0000000?

A. SSL 0000 00

B. 0000 0000

C. DNS 0000 00

D. 0000 00 0000 00

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 55

DevOps 000000 "Let's Encrypt"0 00 ACME 00 00 0000 000000 00 0000  
00 000000 000000 00 0000 0000 000000 000000. Avi0 00 0000 00 0  
0, 0000 0000 00 0 000000 0000 0000 0000 0000000 00 00 0000 00  
00000?

A. "0000 00" 0000 00 000000 ControlScript

B. 00 000000 00 0000

C. 0000 00 0000

D. SSL/TLS 0000

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 56





Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 61**

□□ SSL □□□ □□□ □□ □□□ □□□ □□□□□?

- A. PFS□ □□ EC
- B. PFS□ □□□ EC
- C. PFS □□ RSA
- D. PFS□ □□□ RSA

Answer: B ([LEAVE A REPLY](#))

VMware Avi Load Balancer □□□□□□ RSA 2K □□ EC□□ □□ □□□ □ □□ □□ □□□ PFS□ □□□ EC □□□□ □□□□□. EC□ PFS□ □□□□ □□□ □□□ □□ □ □□□□□. □□□ □□□ □□ □□□ □□ □□□□ □□□□ □□□ □□□ PFS□ □□□ EC□□□.

**6V0-22.25** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 6V0-22.25 □ □! DumpTop □ □□ **6V0-22.25** □□ □□□ □□□□□□, DumpTop 6V0-22.25 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 6V0-22.25 □□□ □□□□□.

<https://www.dumptop.com/VMware/6V0-22.25-dump.html> (208 Q&As Dumps, **30%OFF**)

Special Discount: **KrDump**)

**NEW QUESTION: 62**

vSphere □□□□ vCenter □□□□□□ □□□□ Avi Controller OVA□ □□□□ □□□ □.

'OVF □□□ □□' □□□□□ □□□□ □□ □□□ □□□ □□□□□ □□□□ □□□ □.

Avi □□□□ □□ □□□□□ □□□ □□□ □□ □□□□□□ □□ □□□ □□□□□□ □□ □□□ □□□□ □□ □□□□□?

# vCenter OVF □□ □□□ □□ □□□ □□□ □□□□□□.

- □□ □□□□□
- □□□ □□ □□□ □□□
- □□□ □□□ □□□ □□□□

- A. □□□ □□□□ □□ □□□ □□□□.
- B. □□ □□
- C. □□□ □□ □□□ □□□
- D. □□□ □□ □□□□ □□□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 63**

Which of the following is a WAF rule that can be used to block a request from a user agent that is not a browser? (Select two.)

- A. WAF rule that blocks requests from user agents that are not browsers.
- B. WAF rule that blocks requests from user agents that are not browsers.
- C. WAF rule that blocks requests from user agents that are not browsers.
- D. WAF rule that blocks requests from user agents that are not browsers.
- E. WAF rule that blocks requests from user agents that are not browsers.

**Answer: D,E (LEAVE A REPLY)**

**NEW QUESTION: 64**

vSphere is configured to use SSL/TLS for all HTTP traffic. Which of the following is a requirement for a client to access the vSphere Web Client? (Select two.)

- A. SSL/TLS support
- B. WAF support
- C. HTTP-HTTPS support
- D. TCP/UDP support

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 65**

Which of the following is a requirement for a client to access the vSphere Web Client? (Select two.)

- A. TCP/UDP support
- B. WAF support
- C. L4 support
- D. TCP/UDP support

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 66**

Which of the following is a requirement for a client to access the vSphere Web Client? (Select two.)

# `enable_realtime_metrics`: True

`enable_realtime_metrics`: True

- A. `enable_realtime_metrics` is set to true.
- B. `enable_realtime_metrics` is set to false.
- C. `enable_realtime_metrics` is set to true.
- D. `enable_realtime_metrics` is set to false.

Answer: B ([LEAVE A REPLY](#))

### NEW QUESTION: 67

DevOps team is planning to migrate an application from on-premise to AWS. The application is currently running on a single EC2 instance. The team wants to ensure high availability and fault tolerance. Which of the following configurations is the most appropriate for this scenario?

- A. Launch a single EC2 instance in a single Availability Zone.
- B. Launch a single EC2 instance in multiple Availability Zones.
- C. Launch multiple EC2 instances in a single Availability Zone.
- D. Launch multiple EC2 instances in multiple Availability Zones.

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 68

A network administrator is configuring a DNS server. The administrator wants to ensure that the DNS server can resolve the IP address of a domain name (e.g., shop.example.com) and vice versa. Which of the following configurations is the most appropriate for this scenario?

- A. Configure a forward zone for the domain and a reverse zone for the IP address.
- B. Configure a forward zone for the domain and a reverse zone for the IP address.
- C. Configure a forward zone for the domain and a reverse zone for the IP address.
- D. Configure a forward zone for the domain and a reverse zone for the IP address.

Answer: (SHOW ANSWER)

### NEW QUESTION: 69

A network administrator is configuring a DNS server. The administrator wants to ensure that the DNS server can resolve the IP address of a domain name (e.g., shop.example.com) and vice versa. Which of the following configurations is the most appropriate for this scenario?

□□ □□□ □□□□□ □□(□□□□ □□□□ □□□□ □□)□□ □□□ □□□□ □□□ □. □□□ □□ □□□ □□□ □□□□□ □□ □□□□ □□ □□□ □□□□□? (□□□□ □□ □□□ □□□□□□.)

- A. □□□ □□□ □□□□. □□ □□□ □□□ □□□□□□ □□□□ □□ □□□ □□ □□□□□□□□.
- B. □ □□□ □□□□ □□□□□□ □□ □□ □□□ □□ □□□. □□ □□□ □□□ □ □□ □□□□ □□□□ □□□□□.
- C. □□ □□□□□ □□ □□□ □□□□ □□□□ □□□ □□□ □□□□□ □□□ □□ □□□□ □□□□□.
- D. □□ □□□□□□ □□ □□ □□□ □□□□□ □□□ □□ □□□□ □□□□□ □□ □□□.
- E. □□□ □□□ □□ □□□ □□□ □□ □□□ □□□ □ □□□ □□□□□□ HTTP 503 □□□ □□□□.
- F. □□□□□ □□□□□ □□□ □□□ □□□ □□□ □□ □□□□ □□□□□.

**Answer: B,C (LEAVE A REPLY)**

**NEW QUESTION: 70**

DevOps □□□□□ Avi REST API□ □□□□ SSL/TLS □□□ □□□ □□□□□ □□□ □.

□□ □□□(cert-old)□ □□□□ Avi □□□□□ □ □□□(cert-new)□ □□□□□□□□. □□ cert-old □□□□ 50□□ □□ □□□□ □□□□ □□□□. □ 50□□ □□ □□□ □ □□ □□ □□□□ □ □□□□ □□□□ □□ □□□□ □□□ □□□□□?

- A. 50□□ □□ □□□□ □□ □□□□ □ □□□□ □□□ □□□□ □□□□□ □□□□ □□□□□.
- B. cert-old□ □□□□ □□ □□ □□□□ □□□□ cert-new□ □□□□□□□.
- C. cert-old □□□ □□ □□ API □□□ □□□□ □□ □□□ □□□□ □□ □□□ cert-new□ □□□□□ □□□□□.
- D. 50□□ □□ □□□□ □□ □□□□ □□□□ SSL/TLS □□□□ cert-old□□ cert-new □ □□□□□.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 71**

Avi □□□□ □ □□ □□ □□ □□ □□□□ □□□□ □□□□. □□□ □□□□ 80□ □ □□□ □□ □□ □□□ □□□□ □□□ □□□ □ □□□□□□□□ □□ □□□ □□ □ □□□□ □□□□□□□ □□□□ □□□□ □□ □□□ □□□□ □□□□. □□ □□ □□□ □□□ □□ □□□□□?

- A. HTTP
- B. TCP
- C. □
- D. UDP

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 72**

□□□□ □□□□ □□ □□ □□ □□ □□□ □□□ □□ □□□ 3□ □□ □□□ □□  
Slack □□□ □□ □□□ □□□ □□ □□□□ □□□□ □□□□. □ □□□□□ □□□  
□□ □ □□□ Avi □□ □□□ □□□□□?

(□ □□ □□□□□.)

- A. □□ □□□
- B. □□ □□□
- C. □□ □□
- D. □□ □□
- E. □□□ □□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 73**

□□□ □□□□ □□ □□ □ □□□□ □□□□ □ □□□ □ □□ □□ □□□ □□ □□  
□ □□□□□?

- A. □□□ □□ □□ □□□
- B. HTTP □□ □□
- C. HTTP □□ □□
- D. □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

Avi □□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□ □□ □□  
□ □□□ □□□ □ □□□□. VMware Avi □□□□□□ □□ □□□ □□□ □□□□ □  
□ □□, HTTP □□, HTTP □□ □ HTTP □□□ □□ □□ □□□ □□□ □□□□□ □  
□□□□. □□ □□□ □□□ □ □□ □□□□ □□□□□, □□ □□□ □□□□ HTTP  
□□□□ □□□□ □□, □ □□□ □□□ □□ □□□□ □□ □□□□□ □□□. HTTP □  
□ □□□ □□ □□□ □□□□□ □□□□, □ □□ □□ □□ □□ □□□ □□ □□□ □  
□□ □ □□□□. □□□ □□ □□ □□□□ Avi□□ □□□ □□ □□□ □□□□, HTTP  
□□ □□□ □□ □□□ □□□□, □□□□ □□ □□□ □ □□ □□□□/□□ □□□□  
□□□□□. □□□ □□□ □□ □□□ HTTP □□ □□□□□.

**NEW QUESTION: 74**

□□□□ www.example.com, api.example.com, shop.example.com□ □□ □□ □□□□  
□□□ □□□ □ □□ □□ SSL/TLS □□□□ □□□□ □□□. □ □□□□□□□ □□  
□ □□□□ □□ □□ □□, □□□ □□□ □□□□□ □□ □□□ □□□□ □□□□ □  
□□?

- A. □□□□□ □□□
- B. □□ □□ □□□
- C. □□ □□(EC) □□□

D. CA

Answer: A (LEAVE A REPLY)

NEW QUESTION: 75

UDP (DNS) ... ?

- A.
B.
C.
D.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 76

Avi Vantage ... ?

- A. GSLB
B. N+M
C. BGP
D.

Answer: (SHOW ANSWER)

6V0-22.25 DumpTop ...

https://www.dumptop.com/VMware/6V0-22.25-dump.html (208 Q&As Dumps, 30%OFF

Special Discount: KrDump)

NEW QUESTION: 77

vSphere Avi WAF ... ?

- A.
B.
C.
D. CPU

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 78**

Which of the following is a valid IP address?

- A. 192.168.0.0
- B. N+M
- C. 0.0.0
- D. 192.168.0.1

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 79**

Which of the following is a valid IP address for a host in a network that uses a WAF to protect against SSL/TLS attacks?

- A. SMTP server IP address, DNS server IP address, SMTP server IP address.
- B. L4 load balancer IP address, SMTP server IP address, L7 SSL/TLS proxy IP address.
- C. L7 SSL/TLS proxy IP address, IP address, L4 load balancer IP address, SMTP server IP address.
- D. L4 load balancer IP address, SMTP server IP address, L7 SSL/TLS proxy IP address, DNS server IP address, SMTP server IP address.

Answer: ([SHOW ANSWER](#))

Avi is a load balancer that can be configured to protect against SSL/TLS attacks. Which of the following is a valid IP address for a host in a network that uses a WAF to protect against SSL/TLS attacks?

SMTP server IP address, L4 load balancer IP address, SMTP server IP address.

Broadcom is a load balancer that can be configured to protect against SSL/TLS attacks. Which of the following is a valid IP address for a host in a network that uses a WAF to protect against SSL/TLS attacks?

**NEW QUESTION: 80**

DevOps is a load balancer that can be configured to protect against SSL/TLS attacks. Which of the following is a valid IP address for a host in a network that uses a WAF to protect against SSL/TLS attacks?





**NEW QUESTION: 87**

vSphere 3x Avi Controller VMs are running on ESXi hosts. The hosts are configured with a shared storage. The Avi Controller VMs are running on the same ESXi host. The Avi Controller VMs are running on the same ESXi host. The Avi Controller VMs are running on the same ESXi host.

What is the maximum number of Avi Controller VMs that can be running on the same ESXi host? (Choose two.)

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 88**

A company is planning to implement a new application. The application will be running on a vSphere environment. The application will be running on a vSphere environment. The application will be running on a vSphere environment. The application will be running on a vSphere environment.

- A. WAF
- B. Firewall
- C. Proxy
- D. Load Balancer

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 89**

A vSphere administrator is configuring a vCenter Server. The administrator is configuring a vCenter Server. The administrator is configuring a vCenter Server. The administrator is configuring a vCenter Server.

- A. The vCenter Server is running on a Windows operating system.
- B. The vCenter Server is running on a Linux operating system.
- C. The vCenter Server is running on a Mac operating system.
- D. vCenter is running on a vSphere environment.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 90**

A vSphere administrator is configuring a vCenter Server. The administrator is configuring a vCenter Server. The administrator is configuring a vCenter Server. The administrator is configuring a vCenter Server. The administrator is configuring a vCenter Server.

- A. □□ □□□ □□□ □□ □□□ '□□'□□ □□□ □□ □□□ □□□ □□ □□□ □□ □□□.
- B. □□□ □□□□ □□ □□□□ □□ vCenter □□□□□ '□□□□□□□ □□' □□□ □□□□ □□□ □□□□□□.
- C. □□ □□ □□□□□ □□□□ □□□□□□ □□□□ WAF □□□ □□□□□.
- D. □ □□ □□ □□□□ □□ '□□ □□□ □□ □'□ 1□□ □ □□□ □□□□□□.
- E. □□ □□□ □□ □□□ Avi □□ □□□ □□□□ □□□□ GSLB □□□□ □□□□ □.
- F. □ □□□ □□ □□□ N+M □□□ □□□□ □□ □□□□ ha\_mode□ Active/Active□ □□□□□.

Answer: (SHOW ANSWER)

**NEW QUESTION: 91**

□□□ □□ □□□ □□□ □□ □ □□□□□ □□□□□ □□□ □□□□□?

- A. □□ □□□□ □□ □□ □□□ □□ □□□ □□□□□□.
- B. □□□ □□□ □□□□ □□□□ □□□, □□□ □□ □□□□□ □□□□.
- C. □□ 30□ □, 7□ □, 1□ □□ □□□□□ □□□□ □□□□□.
- D. □□□ □□□□ □□□ 30□ □, 7□ □, 1□ □□ □□□□□.

Answer: C (LEAVE A REPLY)

Avi □□ □□□□□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□. VMware Avi □□□□ □□□ □□□ □□□ □□□□□ □□ □□ □□□□ □□ □□□□ □□□ □ □□□□. □□ □□, □□ 30□ □□□ □□ □□□□ 20□□ □□ □□□□ □□□□ □□ □□□ □□□□□.

80. □□□ □□□□□□□ □□□□ □□□□□ □□ □□□ □□ □□□□ □□□□, 30□, 7□, 1□ □□ □□ □□□□ □□□□ □□□ □□□□ □□□□□. □, □□□ □□□ □ □□ □□ □□ □ □□□ □□□ □□ □□□□□. □□□ □□□□ □□ □□□ □□□□ □□□□□ □□□□□ □□□□□ □□ □□□□, □□ □□□ □□ □□ □□□ □□ □ □□□ □□□□ □□□ □□□□□.

**6V0-22.25** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 6V0-22.25 □ □! DumpTop □ □□ **6V0-22.25** □□ □□□ □□□□□□, DumpTop 6V0-22.25 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ □□□□ □□□□ □□□□□.

<https://www.dumptop.com/VMware/6V0-22.25-dump.html> (208 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

**NEW QUESTION: 92**

Avi □□□□ □□□□ □□□□□ □□□□□□ □ □□ □□□ □□□ □□□□□□ □□ □ □□□□□. □□□□ □□ □□□ □□ □□□ □□□□ □□□□. □□ 'SEG-PROD-

CRITICAL'□□□ □□ □□□ □□ □□□ □□□□□□ □□ □□□ □□□ □ □□□□.  
□ □□□ □□□ □□□□ □□ □□ □□□□ □□ □□□□. □ □□ □□□ □□ □□□  
□□ □□ □□□ □□□□□ □□□ □□□□□?

- A. □□ □□ □□□□ □□□□ □□ SEGO □□□□□□□□□□, □□ □□ SEGO □□□□  
□□□□ □□, □□ □□ □□□ □□□□□□□□□□.
- B. □□ □□□□□□ □□□□ □□ □ SEGO □□ □□ □□ □□ □□□□ □□□□□□  
□□□.
- C. □□□□ □□ □□ □□ □□□□□□ □□□□□.
- D. □□□□□ □□ □□□ □ □□□ □□□ □□□□ □□□ □□ □□ □□□□□□ □  
□□□□□.

Answer: (SHOW ANSWER)

**NEW QUESTION: 93**

□□□□ □□ □□□□ □□□ □□ □□□□□□ □□□□□□ □□□ □□□□ □□□  
□. □□ □□□□□□□ JSESSIONID□□ □□□ □□□□ □□ □□□ □□□□□□. □□  
□□ □□□ □□□ □□□ □ □ □□ □□ □□□ □□□□□□. □□ □□ □□□□ □ □  
□□ □□□□ □ □□ □□□ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□□ □□.
- B. □□ □□ □□.
- C. □□ □□ □□.
- D. □□ □□ □□.
- E. □□ IP □□.

Answer: C,D (LEAVE A REPLY)

**NEW QUESTION: 94**

□□□□□□ □□□ □□□□□ HTTP 503 "□□□□□ □□□ □ □□□□" □□□□ □□□  
□□ □□□□□□. Avi □□□□□ □□ □□□ □□□ □□□ □□ □□□ □□ □□□ □□  
□□□□.

- □□ □□: 70
- □□ □□: 95□
- □□ □□: 25
- □□ □□ □□: 90
- □□ □□: 100□
- □: app-pool-prod
- □□ `10.10.1.5`: □□ □
- □□ `10.10.1.6`: □□□ (□□ □□□: tcp-hm □□)
- □□ `10.10.1.7`: □□□ (□□ □□□: tcp-hm □□)

□□□□ □□ □□□ □□□□ □□□□ □□□ □□□ □□ □□□ □□□ □□□□□? (□  
□)  
2.)

- A. WAF □□□ □□ □□□□□□ □□□ □□□ □□□□ □□□□.
- B. □□□□□□ □□ □□□ □□ □□ □□□ □□□□ □□□□.
- C. □□□ □□ □□(10.10.1.5)□ □□□□□ □ □□ □□□ □□□□□ □ □□□□ □□ □□□□□□.
- D. □□ □□ □□□ □□ 3□ □ 2□□ □□ □□□ □□□□ □□□ □□□ □□□□□.
- E. □□□□□□ □□□ □□ □□ □□□□ □□ □□□ □□□□.

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 95**

□□ □□□□□□ □□ Avi □□□□□ □□□□□ □□□□ □□□ □ □□□□?

- A. REST API
- B. SSH
- C. CLI
- D. SNMP

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 96**

□□□□ □ Avi □□□□□ □□ □□ □□□□ □□□□ □□□□. □□ "□□ □□□□□ □□"□ □□□□□ □□□□ □□□□□. □ □□□ □□ □□□ □□□□□?

```
# Avi □□□□ □□ □□ □□□
□□□ □□
```

...

- □□
- DNS □□: 10.10.10.53
- NTP □□: time.mycorp.local
- □□ □□□□ □□: [\*\*\*\*\*]
- □□□ □□: [\*\*\*\*\*]

- A. □□□□□□ □□□ □□□□□ □□ □□□□ □ □□□ □□□.
- B. Avi □□□□ □□ □□□ □□□□□□.
- C. □□□□ CLI□ SSH □□□ □□□□□ □□□.
- D. □□ □□ □□□ □□□ □□ □□□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 97**

□□ □□ □□□ □□□□ Avi□ VMware vSphere □□□ □□ □□□ □ □□□□?

- A. □□ □□ □□
- B. VMware □□□□ □□
- C. □□□□ □□□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 98**

□□□ □□ □□□ N+M HA □□(N=5, M=1)□ □□□□ □□□□. □□□□ □□ □□□  
□□ □ □□□ □□ "□□ □□□□"□ □□□□□. □□□□ □□□ □□□□□?

- A. □□□ □□ SE□ □□□□ □□ □□□□ □□ □□□ □□□□□.
- B. □□□ SE□ □□□□ □□ □□ □□□□ □□□□ □□ □□□□□.
- C. □□□ SE□ □□ □□ □□□□ □□ □□('M') SE□ □□□□□□□□□ □□ SE□ □□  
□□□ □□□.
- D. □□□ SE□ □□□□□ □□ □□ □□□□ □□□□ □□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

**6V0-22.25** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 6V0-22.25 □  
□! DumpTop □ □□ **6V0-22.25** □□ □□□ □□□□□□, DumpTop 6V0-22.25 □□  
□□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□  
DumpTop 6V0-22.25 □□□ □□□□□.

<https://www.dumptop.com/VMware/6V0-22.25-dump.html> (208 Q&As Dumps, **30%OFF**

**Special Discount: KrDump)**