

Veeam.VMCE_v12.v2026-10-30.q133

□□□□:	VMCE_v12
□□□□:	Veeam Certified Engineer v12
□□□:	Veeam
□□ □□ □□□:	133
□□:	v2026-10-30
# □□ □:	111
# □□ □□□:	1330
https://www.krdump.com/Veeam.VMCE_v12.v2026-10-30.q133.html	

NEW QUESTION: 1

- □□ □□□ □□ □□□ □□□ □□□□□□.
- A. □□ □□ □□□ □□□□□□□□ □□□□ □□□ □□□ VBK □□□ □□□□□.
- B. □□ □□ □□□ □□□□ □□ □□□ VBK □□□ VIB □□□ □□□□ □ VBK □□□ □□□□□.
- C. □□ □□ □□□ □□□□ □□ □□□ VIB □□□ VBK □□□ □□□□ □ VBK □□□ □□□□□.
- D. □□ □□ □□□ □□□□□□□ □□□□ □□ VBK □□□ □□□□□□ □ VRB □□□ □□□□□.

Answer: A (LEAVE A REPLY)

□□: https://helpcenter.veeam.com/docs/backup/hyperv/synthetic_full_backup.html?ver=100

NEW QUESTION: 2

- Veeam Agent for Windows□ □□□□ □□□ Windows □□ □□□ □□ VMware ESXi□ □□□□□□□□ □□□. □□□□ C: (60GB), D: (1TB), E: (4TB)□ □□ □□□ □□□□. □ □□ □□ VMware ESXi □□□□ □□□□□□□□ □□ □□ □□□ □□□□□?
- A. □ VM□ □□□□ VM □□□□ □□□□ □□□ □□□□□.
- B. □ □□□ □□ □□ □□□ □□□ □□□□□.
- C. □□ □□□□ □□□□, □ VM□ □□□ □□ □□□□ □□□□□.
- D. VM□ □□ □□□□□.

Answer: D (LEAVE A REPLY)

□□□□ □□□□ □□□ □□□ Windows □□ □□□ □□ VMware ESXi □□□□ □□□□□□□ □ □□ □□□□ □□□ D: □□□□ VM □□□ □□□□ □□□□. Veeam□ □□□ □ VM □□□ □□□□ ESXi □□□□□ □□ □□ VM□ □□□ □□□□ □□□ □ □□□□. □ □□□□□ VM□ □□□□ □□□□ □□□□□ □□□ □□□ □□ □□ □□ □□ □ VM□ □□ □□□□ □□□□□. □ □□□ □□ □□□ □□ □□□ □□□□□ □□□ □□ □□□ □□□ □□□ □□□ □□□ □□□ □□ □□□□□. VM□ □ □□□ Veeam□ □□□□□□□ VM□ □□□□ □□□□□ □□□□□□□□ □□□ □□□□ □□ □□□ □□□□□□. □ □□□ □□□ □□□ □□□ □□□□ □□□□□□□□ □ □□□□ □□ □□□□□ □□□□□□□.

NEW QUESTION: 3

- Veeam □□□□□ □□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□□□.)
- A. FreeBSD
- B. □□

C. IBM iSeries

D. iOS

E. ☐☐☐ ☐☐

Answer: B,E (LEAVE A REPLY)

Veeam □□□□□ □□□ □□□ □□□□ □□□ □□ □□ □□□□ □□□□□ □□□□□□□□.

[illegible]

NEW QUESTION: 4

Windows

A. □□□ □□ □□ □□□□ "□□ □□ □ □□ □□□□ □□" □□□ □□□□ □□ □□□□□□ □□□□□□.

B. □□□□ VM □□□□ VM Windows □□ □□□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□□.

C. Windows □□ □□□□□ □□□□ Veeam Backup & Replication □□□□ □□□□□ □□□□□ □□□□□.

D. □□□ □□□ □□ □□□□ □□□□□□ □□ □□□ □□□□□ VM□ □□ □□ □□□□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5

□ □□ 24□□ RPO(□□ □□ □□)□ □□□□ □□ □□ □ □□□ □□□□ □□□□. □ □□ □□ □□□□□□□ 4□□ □□ □□□□ □□□ □□ □ □□, □□□ □□□ 1□□ □ □□ □□□ □□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

A. ☐☐☐☐ ☐☐ Linux ☐☐ ☐☐

B. AWS ☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐ **SOBR**

C. □□ □□ VM □□□ □□□ □□ □□ □□

D. ☐☐ ☐☐ ☐☐ ☐☐☐

Answer: C ([LEAVE A REPLY](#))

[illegible]

VMware VMFS 3 disks are supported by Veeam Backup & Replication 7.0. VMware VMFS 3 disks are supported by Veeam Backup & Replication 7.0. VMware VMFS 3 disks are supported by Veeam Backup & Replication 7.0.

□ □□□ □□□□□□□ 4□□□ RTO(□□ □□ □□) □□ □□ □□□ □□□ □□□□, □□□ □□□ 1□□□ RPO(□□ □□ □□)□ □□□□ □□□ □□□□, □□□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□□□.

NEW QUESTION: 6

□□□□ □□ □□ □□ □□□□ □□ □□□□ □□□□□ □□□□ SureBackup □□□ □□□□ □□□. □ □□□ □□□ □□□ □□□□□ □□ □□□□ □□□□ □□□, □□□ □ □□□□ □□□ □□□□□ □□□.

□□□□ □□ □□□ □□□□ □□□?

A. ☐☐ ☐☐ ☐ ☐☐☐ ☐☐ ☐☐

B. ☐☐ ☐☐ ☐☐☐ ☐☐☐

C. YARA ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐

D. 所有虚拟机

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

以下哪项是 VMware VM 的默认存储格式？

A. RESTful API 用于管理 VM 的默认格式。

B. Enterprise Manager 用于管理 VM 的默认格式。

C. vSphere 用于管理 VM 的默认格式。

D. 所有虚拟机都使用 CSV 格式。

Answer: C ([LEAVE A REPLY](#))

以下哪项是 VMware VM 的默认存储格式？vSphere 用于管理 VM 的默认格式。VMware vSphere 使用 VMDK 格式存储 VM 的磁盘映像。

Veeam Backup & Replication 用于管理 VM 的默认格式。Veeam Backup & Replication 使用 VMDK 格式存储 VM 的磁盘映像。Veeam Backup & Replication 使用 VMDK 格式存储 VM 的磁盘映像。

NEW QUESTION: 8

Veeam ONE 用于管理以下哪项？(选择所有适用的选项。)

A. 所有虚拟机

B. Hyper-V 虚拟机

C. Veeam Backup & Replication 代理

D. Microsoft Azure 虚拟机

E. Veeam Backup & Replication Agents

Answer: B,C ([LEAVE A REPLY](#))

以下哪项是 Hyper-V 虚拟机？

Veeam ONE 用于管理 Hyper-V 虚拟机，以及所有其他虚拟机。

Veeam Backup & Replication 代理

Veeam ONE 用于管理 Veeam Backup & Replication 代理，以及所有其他虚拟机。

NEW QUESTION: 9

以下哪项是 NAS 存储的默认格式？

NAS 存储的默认格式是 NFS。

A. 所有虚拟机

B. VBR 用于管理 VM 的默认格式。

C. NAS 用于管理 IP 地址的默认格式。

D. 所有虚拟机都使用 NAS 格式。

Answer: D ([LEAVE A REPLY](#))

NAS 存储的默认格式是 NFS。Veeam Backup & Replication(VBR) 用于管理 NAS 存储的默认格式。Veeam Backup & Replication 代理用于管理 NAS 存储的默认格式。

* Veeam Backup & Replication 代理: NAS 存储

* Veeam 100 100 100: 100000 100 100 10000

NEW QUESTION: 10

1000 10000 100 100 1000 1000 1000 1000000 1000000.
100 10000 1000 100 100 100 1000 1000000 ? (100 1000 1000000.)

- A. 1000 100
- B. 100 1000(100 1000)
- C. 1000 100 100 1000
- D. 100 100 100

Answer: (SHOW ANSWER)

100 1000(100 1000) - 100 10000 1000 Linux 1000 10000 Veeam SSH(100 100 1000000 100) 1000 10000 100 1000 1000000 1000 1000000 1000 100.
100 100 1000000 - Veeam ESXi 10000 100 Linux 100 100000000 10000, 100 100000000 VM 10000 10000 100, 1000000 100 1000 100 VM 1000 1000000.

NEW QUESTION: 11

100 1000 100 100 100 1000000 1000 1000000 10000 100 1000000 1000 1000. 1000 100 100 1000 1000000?

- A. 1000 100 1000 1000000.
- B. 100 100 100 100
- C. 100 100 1000 100
- D. 1000 100 100

Answer: B (LEAVE A REPLY)

100

https://helpcenter.veeam.com/docs/backup/vsphere/creating_failover_plan_order.html?ver=120

NEW QUESTION: 12

100 1000 10000 100 100000000 150 1000 1000 100 1000 10000 10000.
100 1000 10000 100 1000?
A. 100 100 100 1000000. 100 1000 10000 100 1000 10000 1000000.
B. 100 100 100 100(RPO)1000. 100 100 1000 1000000 100 1000 1000000.
C. 100 100 100 100(RPO)1000. 100 100 1000 100 10000 1000000.
D. 100 100 100 100(RTO)1000. 100 100 100000000 1000 1000 1000000 10000 1000000.

Answer: C (LEAVE A REPLY)

150 1000 100 1000 1000 1000000 10000 100 1000 100 100 100(RPO), 100 1000 100 1000 100 1000 1000000.

NEW QUESTION: 13

100 1000 100 100 10000 100 Veeam 100000 100000 100000. 100 100 10000 100 100000 100 100 10000 100 10000 100 1000000. 100 100000 20Mbps 1000. 100000 100 10000 1000 100000.
100 1000 100 100 1000 1000000?
A. 100 VBR 1000 RAM 1000000
B. 100 100000 100000 100000000

C. □□ □□ □□□□□ V12□ □□□□□

D. □□ □□□□ WAN □□□ □□

Answer: ([SHOW ANSWER](#))

[illegible]

NEW QUESTION: 14

□□ □□ □□ □□□ □□ □□□ □□ □□ □ □□□□□ □□□. □□ □□□ □□□ □ □□□□?

A. ☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐.

B. □□□□□□ □□□ □□ □□ □□□ □□□□□.

C. □□ □/□□ □ □□□□□ □□□□□□.

D. □□□□ □□□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

Veeam Backup & Replication □ □□ □□ □□□□ □□ □□ □□ □□ □□(VM) □ □□□□ □□□ □□□ □ □□□□. □□ VM□ □□ □□□ □□□□ □□ VM□ □□□
□□ □□ □□ □□□□□ □□□ □ □□□□. □□ □□ □□□ VM □ □□□ □□ □□ □ □□□□□ □□ □□ □□□ □□□ □ □□□□.

NEW QUESTION: 15

Veeam Explorer□□ Oracle □□□□□□□ □□□ □ □□ □□□ □□□□□?

A. ☐☐ ☐ ☐☐ ☐☐ ☐☐☐ ☐☐

B. ☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐

C. Veeam RMAN □□□□□ □□□□□ □□□ □□□□□ □□□□□□□□ □□□□□.

D. .BAK □□□ □□□□

Answer: ([SHOW ANSWER](#))

11

Veeam Backup Explorers □□□¹ □□□ Veeam Explorer for Oracle□ □□□ Veeam Backup & Replication □□ Veeam Plug-in for Oracle RMAN□□ □□□ □□□□ Oracle □□ □□□□ □ Data Guard□ □□□□ □□□ □ □□□□.

NEW QUESTION: 16

VMware ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐ Veeam☐ ☐☐☐☐☐☐

A. ☐☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐

B. ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐

C. ☐☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐

D. ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐

Answer: B (LEAVE A REPLY)

□□: https://helpcenter.veeam.com/docs/backup/vsphere/surebackup_advanced_vlab.html?ver=100

VMCE_v12                        

NEW QUESTION: 17

□□ □□□ □□□ □□□□ □□ □□□□ □□□ □□ □□□□□□.
□□□ □□ □□□ □□□□ (□□□ □□□□ □□□)



Edit Scale-out Backup Repository



Capacity Tier

Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name

Performance Tier

Placement Policy

Capacity Tier

Archive Tier

Summary

☒ **Extend scale-out backup repository capacity with object storage:**

Amazon S3

Add...

Define time windows when uploading to capacity tier is allowed

Window...

☒ **Copy backups to object storage as soon as they are created**
 Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

☒ **Move backups to object storage as they age out of the operational restore window**
 Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than days (your operational restore window)

Override...

□□□ □□ □□ □□□□□□. (□□□ □□□□ □□□□□□□□.) VMware □□ □□ □□ □□ □□□ 31□□□, □□ GFS □□ □□□ 14□ □□ □□□□□□. □□□ 1□ 20□□□□□. 1□ 1□□ □□□ □□ □□ □ □□□ □□□□ □□□□. □□ □□□□ □□□ □□□□□?

Veeam 백업 AWS S3에 저장된 데이터를 Scale-Out Backup Repository(SOBR)로 마이그레이션. 이 작업은 "데이터를 12시간 동안 잠금" 상태로 설정. 이 작업은 90일 동안 Glacier로 저장된 상태로 유지.

이 작업은 어떻게 수행될 수 있을까?

- A. S3에서 데이터를 다운로드
- B. Glacier에 데이터를 업로드 후 AWS S3에 데이터를 마이그레이션.
- C. S3에서 데이터를 다운로드 후 Glacier에 데이터를 업로드.
- D. SOBR에 데이터를 업로드 후 Glacier에 데이터를 마이그레이션.

Answer: B (LEAVE A REPLY)

Veeam Backup & Replication은 AWS S3 Glacier에 데이터를 저장할 수 있는 SOBR(Scale-Out Backup Repository)을 AWS S3에 Capacity Tier에 데이터를 저장. 이 작업은 90일 동안 Glacier에 데이터를 저장. S3에 데이터를 저장할 수 있는 (90일 동안)은 Glacier에 데이터를 저장할 수 있는 상태로 유지. 이 작업은 데이터를 S3에 저장할 수 있는 상태로 유지. 이 작업은 Glacier에 데이터를 저장할 수 있는 상태로 유지. 이 작업은:

* Veeam은: 데이터를 저장할 수 있는

* Veeam은: AWS S3에 데이터를 저장할 수 있는

NEW QUESTION: 25

이 작업은 7일 동안 Hyper-V VM에 데이터를 저장할 수 있는 상태로 유지, 14일 동안 데이터를 저장할 수 있는 상태로 유지. 이 작업은 VM에 데이터를 저장할 수 있는 상태로 유지. 이 작업은 6일 동안 데이터를 저장할 수 있는 상태로 유지, VM에 2일 동안 데이터를 저장할 수 있는 상태로 유지. 이 작업은 6일 동안 데이터를 저장할 수 있는 상태로 유지. 이 작업은:

- A. 데이터를 (90일) 동안 데이터를 저장할 수 있는 상태로 유지.
- B. 데이터를 (90일) 동안 데이터를 저장할 수 있는 상태로 유지, 62일 동안 데이터를 저장할 수 있는 상태로 유지.
- C. 데이터를 (90일) 동안 데이터를 저장할 수 있는 상태로 유지, 62일 동안 데이터를 저장할 수 있는 상태로 유지, 6일 동안 GFS 데이터를 저장할 수 있는 상태로 유지.
- D. 데이터를 (90일) 동안 데이터를 저장할 수 있는 상태로 유지, 180일 동안 데이터를 저장할 수 있는 상태로 유지.

Answer: B (LEAVE A REPLY)

이 작업은

Veeam Backup & Replication은 데이터를 저장할 수 있는 상태로 유지 (GFS)로 데이터를 저장할 수 있는 상태로 유지. GFS는 grandfather-father-son으로, 데이터, 데이터, 데이터를 저장할 수 있는 상태로 유지¹²로 데이터를 저장할 수 있는 상태로 유지.

이 작업은 2일 동안 데이터를 저장할 수 있는 상태로 유지, 6일 동안 데이터를 저장할 수 있는 상태로 유지. 이 작업은 62일 동안 데이터를 저장할 수 있는 상태로 유지, 26일 동안 GFS 데이터를 저장할 수 있는 상태로 유지. 이 작업은:

이 작업은 데이터를 저장할 수 있는 상태로 유지 (90일 B)로 데이터를 저장할 수 있는 상태로 유지.

NEW QUESTION: 26

이 작업은 GDPR(General Data Protection Regulation)을 준수하기 위해 Veeam은 데이터를 저장할 수 있는 상태로 유지할 수 있는 상태로 유지?

- A. 데이터를 저장할 수 있는 상태로 유지
- B. 데이터를 저장할 수 있는 상태로 유지
- C. 데이터를 저장할 수 있는 상태로 유지
- D. WAN을 저장할 수 있는 상태로 유지

Answer: C (LEAVE A REPLY)

Veeam은 GDPR을 준수하기 위해 데이터를 저장할 수 있는 상태로 유지할 수 있는 상태로 유지. Veeam Backup & Replication은 데이터를 저장할 수 있는 상태로 유지, 이 작업은 GDPR을 준수하기 위해 데이터를 저장할 수 있는 상태로 유지. 이 작업은 데이터를 저장할 수 있는 상태로 유지. 이 작업은:

GDPR(일반 개인정보 보호법)은 개인정보 보호법 제45조 제1항에 따라 개인정보를 처리하는 자에게 부과되는 법적 의무사항입니다. 또한, GDPR은 WAN 연결을 통해 Veeam Backup & Replication을 사용하여 GDPR을 준수하는 데 도움이 됩니다.

NEW QUESTION: 27

다음은 VMware에서 VM을 복구하는 데 사용되는 Instant VM Recovery에 대한 설명입니다.

다음 중 Instant VM Recovery를 사용하여 VM을 복구하는 데 사용되는 기술은 무엇입니까? (다중 선택)

- A. VMware vSphere
- B. VMware vSAN
- C. VMware vSphere
- D. VMware vSAN
- E. VMware vSphere
- F. VMware AHV

Answer: C,E,F (LEAVE A REPLY)

Instant VM Recovery는 VM을 복구하는 데 사용되는 기술입니다. VMware vSphere, Nutanix AHV 및 Microsoft Azure에서 VM을 복구하는 데 사용됩니다.

NEW QUESTION: 28

Veeam은 Microsoft SQL VM을 복구하는 데 사용되는 Instant VM Recovery를 사용하여 VM을 복구하는 데 사용됩니다. Instant VM Recovery를 사용하여 VM을 복구하는 데 사용되는 기술은 무엇입니까?

Veeam은 Instant VM Recovery를 사용하여 VM을 복구하는 데 사용되는 기술은 무엇입니까?

- A. VMware vSphere
- B. VMware vSAN
- C. SQL VM을 복구하는 데 사용되는 Instant VM Recovery
- D. VMware vSphere

Answer: (SHOW ANSWER)

Veeam Backup & Replication은 Instant VM Recovery를 사용하여 VM을 복구하는 데 사용됩니다. Instant VM Recovery를 사용하여 VM을 복구하는 데 사용되는 기술은 무엇입니까? 30초 이내에 VM을 복구하는 데 사용되는 기술은 무엇입니까?

NEW QUESTION: 29

다음은 SAN을 사용하여 VMware VM을 복구하는 데 사용되는 Instant VM Recovery에 대한 설명입니다.

- A. VMware vSphere
- B. VMware vSAN
- C. VMware vSphere
- D. VMware vSAN

Answer: (SHOW ANSWER)

Instant VM Recovery는 VM을 복구하는 데 사용되는 기술입니다. SAN을 사용하여 VM을 복구하는 데 사용되는 Instant VM Recovery를 사용하여 VM을 복구하는 데 사용되는 기술은 무엇입니까? VMware vStorage API for Data Protection(VADP)은 Instant VM Recovery를 사용하여 VM을 복구하는 데 사용되는 기술입니다.

NEW QUESTION: 30

Veeam Agent for Microsoft Windows □ Windows □□ □□□ □□ □□□ □□□ □□□□□□□. □□ □□□ Veeam □□□□□□ □□□□□ □□□□ □□□□. □□ □□□ □□□
□□□ □ □□ □□□ □□□ □□□□□?

- A.** ☐☐☐☐☐
- B.** ☐☐ ☐☐☐
- C.** Veeam Backup & Replication ☐☐☐
- D.** ☐☐☐

Answer: A ([LEAVE A REPLY](#))

https://helpcenter.veeam.com/docs/agentforwindows/userguide/recovery_media.html?ver=60 □□□ □□□ □□□□ □□ □□□□ □□□ □□□□□.

USB ☐☐☐☐☐ SD ☐☐☐ ☐☐ ☐☐☐ ☐☐

CD/DVD/BD

ISO □□□□ □□ □□ □□ □□□ □□□□□ □□□

NEW QUESTION: 31

Veeam Backup & Replication □□ □□□□ VMware □□□ □□□□ □ □□ □□□ □□□□ □ □□□ □□□ □□□ □□ □□□ □□□□□□. □□□□□ □□□□□ □□□ □□□ □
□ □□□□□ □□ □□□ □□□□ □□□ □□□□□?

- A.** □ □ □ □ □ □ □ □
B. □ □ □ □ □
C. VM □ □ □ □
D. □ □ VM □ □

Answer: A (LEAVE A REPLY)

VMware vSphere 6.0 Update 2 虚拟机快照功能 (Instant Disk Recovery) 介绍。该功能允许用户在虚拟机发生故障时，快速恢复到最近的快照状态。Veeam Backup & Replication 支持该功能，并提供了详细的配置和恢复步骤。

VMCE_v12    VMCE_v12 ! DumpTop  **VMCE_v12**   , DumpTop VMCE_v12   .  . https://www.dumptop.com/Veeam/VMCE_v12-dump.html (212 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

Veeam Backup and Replication ☐☐☐ ☐☐☐☐☐ ☐ ☐☐☐ ☐ ☐☐ API ☐ ☐☐☐☐?

- A.** Veeam One ☐☐☐ ☐☐ REST API
- B.** Veeam Backup and Replication Server ☐ ☐☐ REST API
- C.** Veeam Backup and Replication ☐☐☐☐☐☐☐ ☐☐ SQL ☐☐
- D.** Veeam Enterprise Manager ☐☐☐ ☐☐ PowerShell cmdlet

Answer: ([SHOW ANSWER](#))

Veeam Backup and Replication Server REST API Veeam Backup and Replication API. API Veeam Backup & Replication
 ()

NEW QUESTION: 37

Which Veeam Agent for Windows backup method is used by default?

- A. Proxy
- B. Local backup engine
- C. Remote backup engine
- D. Local backup engine

Answer: C (LEAVE A REPLY)

https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup_chain.html?ver=40

NEW QUESTION: 38


Which VM backup method is used by default?

- A. Proxy
- B. Local backup engine
- C. Remote backup engine
- D. Local backup engine

Answer: B (LEAVE A REPLY)

NEW QUESTION: 39

Which A backup method is used by default? (Backup engine). Which backup method is used by default? (Backup engine). Which backup method is used by default? (Backup engine). Which backup method is used by default? (Backup engine).



- A. "□□ □□ □□"□ □□□□□.
- B. "□□□ □□ □□"□ □□□□□.
- C. vCenter□ □□ VM□ □□□□ □□□□.
- D. vCenter□□ "□□ □□□□"□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□ □□□□□ □□□ □□ □□ □□□ A□ □□ VM□□ □□□ B□ □□□□□ □□□□ □□□ □ □□□ □□ □□□□□□□□. □□ □□□ □□□□ □□□□ □□□ □ □□□ □□□□, □□□ □□□□□ □□ □□ □□□□ □□□□□□ □□□□ □□□ □□□□□□□□. □□□ □□□ □□ □□□ □□□ □□□□□ □□□ B□ VM□ □□ □□□ □□□□□ □□□. (□□ □□:)

* Veeam Backup & Replication □□□ □□□: □□□□ □ □□□

* Veeam □□ □□ □□: □□□ □□ □□ □□

NEW QUESTION: 40

□□ □□□□ □□□ □□□□ □□□□□ □□ □□□□ □□□ □□ □□□□□□□□.

**Capacity Tier**

Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name

Performance Tier

Placement Policy

Capacity Tier

Archive Tier

Summary

☒ Extend scale-out backup repository capacity with object storage:

Amazon S3

Add...

Define time windows when uploading to capacity tier is allowed

Window...

☐ Copy backups to object storage as soon as they are created

Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

☒ Move backups to object storage as they age out of the operational restore window

Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than 21 days (your operational restore window)

Override...

**Archive Tier**

Specify object storage to archive your backup files to. This reduces your long-term retention costs, while increases restore time

Name

Performance Tier

Placement Policy

Capacity Tier

Archive Tier

Summary

☐ Archive GFS full backups to object storage:

Amazon Glacier

Add...

Archive GFS backups older than 60 days

Storage...

□□□ 3□ 20□□□□. 1□ 1□ □□ □□□ □□ □□ □ □□□ □□□□ □□□. □□□□ □□□ □□□□?

A. □□ □□

B. □□□□ □ □□ □□□□□ □□ □□□□ □□□□.

C. □□ □□

D. □□□□ □□

Answer: (SHOW ANSWER)

□□□□ □□□ □□□ □□ 21□□□ □□□ □□□ □□ □□□□ □□□□□.

VMware □□ □□ □□ □□□ 31□□ □□□□ □□, □□ GFS □□ □□□ 14□ □□ □□□□□ 1□ 1□ □□□ □□□ 21□□□ □□□□□□ GFS □□ □□□ 14□ □□□□□.

□□□ 3□ 20□ □□□□ □□□□ □ □□ □□□□ □□ □□ □□□ □□ □□ □□□ □□□□. □□ □□ □□□ □□□ □□ □□ □□□□ □□□ □□ □□□□□ □□□□ □□□ □□ □□□□□.

□□ □□: Veeam Backup & Replication □□□, □□□□□ □□ □□□ □□ □□□

NEW QUESTION: 41

VMware vSphere Windows □□ □□□ □□ □□□ □□ □□□ □□□ □□□□□□ □□□□□□□□.

□□ Veeam □□ □□ □ □□ □□□□ □□ □□□□ □□□□ □ □□□ □ □□ □□ □□□□□?

A. □□□ □□ □□ □□□

B. □□□ □□□□□□ □□

C. □□ □□□

D. □□ □□□

Answer: A (LEAVE A REPLY)

□□□ □□ □□ □□□□ □□ □□ VM □□□ □□□ □□ □□□ □□□□ □ □□□□, □□ □□ □□ □□□, □□□□□□ □□ □□ □ □□□ OS □□ □□□ □□ □□□ □□□ □ □□□□.

NEW QUESTION: 42

□□ □□□□ Veeam Backup & Replication □□□ □□ □□□□□□□ □ □□□ □□□□□ □□□□□□. □□ □□ □□ □□□ □□□□ □□□?

A. □□

B. □□□ □□ □□

C. □□ □□ □□

D. □□□□□□

Answer: D (LEAVE A REPLY)

"□□□□□□" □□□ □□□□□ Veeam Backup & Replication □□□ □□(□□ □ □□□□□□ □□)□ □ □□ □□□□ □□□ □ □□□□□. □ □□□ □□□□ □□ □□, □□ □ □□ □□ □□□□ □ □□□ □□□□ □□□□ □□ □ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□ □ □□□□.

NEW QUESTION: 43

□□ □□ □ Veeam Data Mover Service □□□ □□ □□□□ □□□□ □□ □□□□□? □ □□□ □□□□□□.

A. □□□ □□ □□□ □□□ □□ □□□□ □□□□ □□□ □□ □□ □ □□□□ □□ □ □□□□□□□□.

B. □□□□ □□□ □□□ □□ □□□ □□□ □ □□□ □□□.

C. VM □□□ □□□□□

D. □□□ □□, □□ □□ □ □□□ □□□ □□□□□.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 44

□□□□□ VMware vSphere□ □□□□ □□ □□□ □□□ □□□□ □□□□ □□□. □□ □□□ □□□ □□□ □□□□□□. □□ □□□□□ □□□□□ □□□ □□ □□□ □□□.

- □□ □□□ □□ □□□ □□ □□□□ □□ □□□ □□ DirectSAN Access □□ □□□ □□□ □□□ □□□ 1□

- NBDSSL □□□□□ □ □□ □□□ □□□□ □□□□□□□□.

□□ □□

□□ □□□ □□□ □□ □□ □□ □□ VM □□□□ □□□□ □□□ □□□□□?

A. □□ □□□□ □□□□□□ □□□ □□□□ □□□ □□□ □□□□□.

B. NBDSSL □□ □□□ □□□□ □□□□ □□□□□ □□□ □□□□□.

C. DirectSAN Access □□ □□□ □□□□ □□□□ □□□□□ □□□ □□□□□.

D. □□ □□ □ VM □□□□ □□ □□□□□ □□□ □□ □□□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

VM □□□□ □□ □□□□ □□□ □□ □□□□ □□□ □□□□□ □□□, NBDSSL(Network Block Device SSL) □□ □□□ □□□□ □□□□ □□□□□ □□□ □□□□ □□□.

□ □□□ □□□□□ □□ □□□□ □□□□ □□□□□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□□. DirectSAN Access□ □□□ □□□□, □□ □□ □□□□ □□□□□ □□□□□.

NEW QUESTION: 45

Microsoft Hyper-V□□ □□□□ Linux VM□ □□ □□□ □□□ □□□□ □□□ □ □□ □□□□ □□ □□□□ □□□□ Veeam □□ □□□ □□□□□?

A. □□ □□□

B. □□□ □□ □□ □□□

C. □□ □ □□ □□

D. □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Veeam□ □□ □□ □□□ □□ □□□□ □□□ □□□□□?

A. □□ □ □□□ □□ □□□ □□/□□

B. □□ □ □□□□ □□□ □□ □□

C. □□ □□ □□□□ □□ 256□□ AES □□□

D. □□□□ □□

Answer: D ([LEAVE A REPLY](#))

Veeam□ Secure Restore □□□ □□ □□ □ □□□□ □□ □□□ □□□□□ □□□□□□, □□ □□□ □□□□ □□□□□ □□□ □□□□ □ □□□ □□□. □□□□ D: □□□□□□

□ □□□□□. Secure Restore□ □□□□□□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□, □□□□ □□ □□ □□ □□ □□□□□.

□□□□ □□□ □□□□ □□□ □□□□□□ □□□, □□ □□□ □□□ □□ □ □□□□□ □□□□ □□ □□□□□. Veeam□ □□□ □□□□ □□ □□ □□□ □□ IT □□

□ □□□□ □□□ □□□□ □□□ □□ □ □□ □□□ □□ □□ □□□ □□□□□ □□□□□.

VMCE_v12 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ VMCE_v12 □□! DumpTop □ □□ **VMCE_v12** □□ □□□ □□□□□□, DumpTop VMCE_v12 □□ □□ □ □□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop VMCE_v12 □□□ □□□□□. https://www.dumptop.com/Veeam/VMCE_v12-dump.html (212

Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 47

[illegible]

- A. □, □□□ □□□ □□ □□□ □□□ □□□□ □□□ □□ □□□□□.
- B. □, □□□ □ □□□□ □□□ □□ □□□□ □□□□ □□□.
- C. □□□, □□ □□□ □□□□ □□□ □□□□□ □ □□ □□□ □□□□ □□□.
- D. □, □□□□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□□□ □□□ □□ □□□□ □□□ □□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

□□□ □□□□ □□□□ □ □□□□ □□□ □□□□□?

- A.** VMware □□□□ vMotion
- B.** □□□□ □□□□ □□□□□□
- C.** □□ □□□
- D.** □□ □□□□□□
- E.** □□□□ □□□□ □□□□ □□□□ □□□□□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 49

☐ SQL ☐ RPO()

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

- MS SQL VM□□□ □□□ □□□ □□□□□□.

[illegible]

- □□□ 24□□□□ □□□□□ □□□□□.

[illegible]

- A.** 30 days of backup retention.
- B.** VM backup to SQL backup.
- C.** Veeam Explorer for SQL backup.
- D.** 30 days of backup retention.

Answer: A (LEAVE A REPLY)

00 00 00 00 000 0000 0000 000000 0000 00000 00 SQL 00000000 0000, Veeam 000 00 00000 0000 00000 0000 000000 A: 0000
 0 00 0000 30000 00000 0000. SQL VM 00 00000000 00 0000 0000000 00 00 0000 2400000 000000 00000 SQL 00000000 00 00000
 000000.

□□□□ □□ □□□□ □□ □□ □□(RPO)□ □□□□ □□ □□□□ □□□ □ □□ □□□ □□□□□ □□□□ □□ □□□ □ □□ □□□□ □□□□.

30000 0000 000 000000 00 000 00000 00 000 00000 00 SQL 0000000 00 000 0 00 000 0 00000 SQL Management Studio(SSMS) 00 0000000 000(DBA) 000 Veeam 00000 00 00 00000 000 0 00000. 000 000 00 00000 00000 000000 000 000 000000 000 000 000 00 000 000000 000 000000.

NEW QUESTION: 50

0 000 2400 RPO(00 00 00)0 00000 00 00 0 000 00000 00000. 0 00 00 000000000 400 00 00000 0000 00 0 00, 000 000 100 0 00 000 000.
000 00 000 00 0 00000?
A. 00000 00 Linux 00 000
B. AWS 00 000000 00000 00 SOBR
C. 00 00 VM 000 000 00 00 00
D. 00 00 00 000

Answer: (SHOW ANSWER)

0 00 00 000000000 00 000 RTO(00 00 00) 4000 RPO(00 00 00) 1000 00000 00 00 000 00 000 00 000 00 00 VM 000 00 00 00000 000, 00 C0 000 000000. 00 00 000 00 000 00 0000000 000 000 0 000 00000, VM 000 00 VM 00 00 0 00 VM00 00000 00000000 000000 00000000. Veeam0 00 000 000000 VM0 000 00000 000000 00000 00 00 0 00000 00000 0 00000. 000 0 00 00 000000000 400 RTO 00 000 000 00000 000 000 100 RPO0 00000 000 00 000 00 000000000 00 000 000 00 00 000 000 0 00000.

NEW QUESTION: 51

0 000000 Veeam Backup & Replication V12.10 00000 00000. 000 00 00000 000 00 00000 00000 00 000 Microsoft Windows 000000. 000000 0 0 000 00 00 00000 000 00000 00 00 000000. 000 00 00000 00 00 000 00000 00 000 00 0 00000 000.
00 00 000 00000 00 00000 00 00000 000 000000 00 000 00000 000?
A. 0 Microsoft Windows 000 000 00000 00 00000, 00 000000 000 00, 00 00000 00 00 000 000000.
B. 00 Microsoft Windows 000 00 00000, 00000 00000 Amazon Simple Storage Service 000 00 00000 00000 000 00 00000 000000.
C. 00 Microsoft Windows 000 00 00000, 00000 00000 SMB 3.0 000 00 00000 00000 000 00 00000 000000.
D. 00 Microsoft Windows 000 00 00000, 00000 00000 Dell EMC Data Domain Boost 00 000000 00 00000 00000 000 00 00000 000000.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 52

000000 30 0 00 VM0 00000 00 00000 000 00 000 Veeam Backup & Replication0 00000000. 000 00 000 000 00000 0 00 RPO(00 00 0 0)0 00000 000 00000.
000000 00 000 00000 000 00 000 00000000.
00: 00 0% > 000 68% > 0000 0% > 00 0%.
00 00 000 00000 000 00 000?
A. 00 00 000 00000 00 00000 00 000 00000000.
B. VM0 000 00000 00 00000 00000 000000 000000. C: 00 000000 Windows/Linux 000 00 00000 000000.
C. Veeam Backup & Replication 000 00 0 00000 000 VM0 000 000 00000 000000.
Answer: C (LEAVE A REPLY)

000 000 68%00 00 00 00(00, 00000, 00)0 0%0 00 00000 00 000 000000 000000.

00 00 0000 00000 00 000 0000 00 Windows 00 Linux 0000 00 00000 00000 00 0000 0000 0000. 00 00 00 0000 000000 00 00 0
 0 0000 00000 RPO(00 00 00)0 0000 0 00000.

□ □ □ □ :

Veeam Backup & Replication □□□ □□□: □□ □□□

Veeam :

NEW QUESTION: 53

□□ □□ □□(RTO)□□ □□□ □□□ □□□□□?

A. □□ □□ □□□ □□ □□ □□□ □□□□ □□

B. □□□□ □□□ □□□ □□ □□□□□□ □□□□ □□□□□ □□□□□ □

C. □□□□ □□ □□□ □□ □□□ □□□(□□ □□)

D. □□□ □□ □□ □□□ □□ □ □□□□□□□ □□□ □ □□ □□ □□

Answer: D (LEAVE A REPLY)

□□ □□ □□(RTO)□ □□ □□ □□□□□□ □□ □ □□□□ □□□ □□□ □□ □□□□□□□□ □□□□ □□□ □ □□ □□ □□ □□□ □□□□□.

NEW QUESTION: 54

□□□□ □□□□ □□□□ □□□□ □□ □□□□□□ □□□□(Direct Storage Access)□ □□□□□ □□□□ □□□□ □□□□□□□□ □□□□□□□□. □□□□ □□□□□□□□. □□□□ □□□□□□□□?

A. ☐☐ ☐☐ ☐☐☐☐ IDE ☐☐ SATA☐☐☐.

B. □□□ □□□□ □□□□ □□□ □□□□ □□□ □□□ □□□□□ □□ □□ □□□□□.

C. □□□□□ □□ □ □□ □□ □□ □□□□ □□□□ □□□□ □□□□.

D. SAN □ □ □ □ □ □ □ □ □ □ □ □ □ □ .

E. VM ☐☐☐ ☐☐☐ ☐☐☐ **Wols**☐ ☐☐☐☐.

Answer: ([SHOW ANSWER](#))

□□: https://helpcenter.veeam.com/docs/backup/vsphere/direct_san_access.html?ver=100

NEW QUESTION: 55

□□ □ Veeam Agent for Windows □□ □□ □□□ □□□ □ □□ □□ □□□ □□□□□?

A. ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐

B. _____

C. □□□□ □□ □□ □/□□ □□ □□ □□□ □□□□□ □□□ □□□ □□ □□

D. □□□□ □□ □□ □□□ □□□□□ □□□ □□□ □□ □□

Answer: D (LEAVE A REPLY)

https://helpcenter.veeam.com/docs/backup/hyperv/forward_incremental_backup.html?ver

NEW QUESTION: 56

[illegible]

A. ☐☐☐ ☐☐ ☐☐

B. ☐☐ ☐☐ ☐☐

C. □□□ □□ □□

D. 100 GB 100 GB

Answer: A ([LEAVE A REPLY](#))

Link: https://helpcenter.veeam.com/docs/backup/vsphere/forward_incremental_backup.html?ver=100

NEW QUESTION: 57

Which Veeam Backup Agent can be used to backup a Windows Server 2012 R2? (Select all that apply)

A. Microsoft Windows Veeam Agent

B. Mac Veeam Agent

C. Oracle Solaris Veeam Agent

D. Linux Veeam Agent

E. IBM AIX Veeam Agent

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which Veeam backup method is used to backup a Windows Server 2012 R2? (Select all that apply)

A. Full backup method

B. Incremental backup method

C. Differential backup method

D. Synthetic full backup method

Answer: D ([LEAVE A REPLY](#))

Link:

https://helpcenter.veeam.com/docs/backup/vsphere/select_backup_network.html?ver=100

NEW QUESTION: 59

Which Veeam backup method is used to backup a Windows Server 2012 R2? (Select all that apply)

- Full backup method

- Incremental backup method

- Differential backup method

- Synthetic full backup method

Which Veeam backup method is used to backup a Windows Server 2012 R2? (Select all that apply)

- Full backup method

- Incremental backup method

- Differential backup method

- Synthetic full backup method

Answer: A, B, C, D ([SHOW ANSWER](#))

A. Full backup method

B. CSV backup method

C. Full backup method

D. Synthetic full backup method

VMware Workstation 15.5.5 (64-bit)

□□ □□□ □□ □□ □□□ □□□□ □□ VM □□□ □□□ □ □□□□?

A. □□□ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□.

B. □□ □□□ □□ □□□ □□□ □□ VMware □□□□ □□□□□□□□ □ □□□□ □□□□.

C. □□ □□ □□□□ □□□□□ □□□□□ □□□ □ □□ □□□ □□□□ □□□□.

D. ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 63

Veeam □□□ □□□ □□□ □□ □□□□□. □□ □□□ □□□ □ □□□□.

☐ ☐ ☐ ☐ ☐ VMware ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ . ☐ ☐ ☐ ☐ ☐

Answer: C ([LEAVE A REPLY](#))

□□□ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□□□ □□ □□□ □, □ □□□ □□□ □□□□ VMware □□ □□□ □□□ □□□□ □□□ □□□ □□□□. C: □ □ □□□□ □ □□□□□□□ □□□□. □□□ □□ □□□□ □□ □□□□ □□□ □ □□ □□□□□□ □□□ VM □□□ □□□ □□ □□□□ □□□□ □ □□□ □□□, □□□□ □□ □ VM□ □□ □□□ □□ □ □□□□□□ □□□□ □□□□ □□ □ □□□□. □□□□ □□ □□□□ □□□ □□□ □ □□□□□ □□□ □□□□ □□□ □□ □□□ □□□ □□ □□□□.

□□□ □□□ □□□□□ □□□ □□ □□□ □□□□□ □□ □□□ □□□ □□□□□ □□□□ □□ □□□□□.

NEW QUESTION: 64

Veeam □□□ □□□□□ □□□ □□□□ □□ 7.0□□ □□□ □□□ □ □□□□?

- A. □□□□□□ □□□□
- B. Veeam Backup for Microsoft 365
- C. Veeam Backup & Replication
- D. Veeam One

Answer: ([SHOW ANSWER](#))

Veeam Agent□ Veeam Backup and Replication□ □□□□□. Backup for 365□ □□□ □□□□ □□□ □ □ □□□□.

https://helpcenter.veeam.com/docs/vac/provider_admin/capability.html?ver=80

NEW QUESTION: 65

Veeam Agent for Microsoft Windows □□□□ Microsoft Exchange 2016□ □□□□ □□□□□□ □□□ □□(DAG)□□ □□□□ □□□□. □□□□□□□ □□□ □□□□□ □□ □ □□□□□□?

- A. □□□ □□
- B. □□ Exchange □□
- C. □□ □□
- D. □□ □□ □□□□

Answer: D ([LEAVE A REPLY](#))

Veeam Agent □□ □□□ Microsoft Exchange □□□□□□ □□□ □□(DAG)□ □□□□ □□□ □□□□□ DAG □□□ □□ □□□□. □□ DAG□ □□ □□ □□ □□ □□□ □□ □□□□□ □□□□□. □□ DAG□ □□□□□ □□ □□ □□□□□ Veeam Agent □□ □□□ □□□□ □□□.

https://helpcenter.veeam.com/docs/backup/agents/dag_hiw.html?ver=120

NEW QUESTION: 66

Veeam □□□□ □□□ □□□ □□□□ □□ □□ □□□□ □□□, □□□□ 30□ □□ □ □□□ □□□□ □□□□ □□ □□□□ □□□ □□ □□□ □□□□□□□. □□ □ □□□ □ □□□□ □□ □□□□ □□□□ □□□□. □□□ □□ □□□ □□□□ □□□ □□□□□?

- A. □□ □□□□ □□
- B. □□ □□□□ □□
- C. □□ □□□□□ □□
- D. □□ □□ □□


Answer: B ([LEAVE A REPLY](#))

□□

"□□ □□□□ □□" □□□ □□□□ □□□ □□□ □□□ □□□ □□□ □□(□: □□ □□□□)□□ □□□□ □□□ □□ □□□ □ □□ □□□□□ □□□□□ □□□ □ □□□ □. □□ □□ □□ □□□□ □□□□ □□□□ □□□□ □□□ □□□□□ □□□□ □□ □□□ □ □□□□.

NEW QUESTION: 67

□□□ A □□□□□ □□□ □□□□□. □□ □□ □□□ □□□□ □□□□(□□□□□ □□). □□□ □□□ □□□□□ □□ B □□□□□ □□□ VM□ □□□□ □□□ □□□ □□ □□□?



- A. vCenter□□ "□□ □□□□"□ □□□□□.
- B. "□□□ □□ □□"□ □□□□□.
- C. vCenter□ □□ VM□ □□□□ □□□□.
- D. "□□ □□ □□"□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□

□□□ □□ □□□ □□ VM□ □ □□□□ □□□ □ □□ □□ □□ VM□□ □□□□□ □□□□□ □□□ □□□□ □ □ □□□□□.

https://helpcenter.veeam.com/archive/backup/110/vsphere/planned_failover.html

NEW QUESTION: 68

□ □□□ Veeam Enterprise Manager □□□ □□ □□□, IT □□□□ □□ □□ □□ □□□ □□ □□□ □□ □□□□□.

□□□□ IT □□□□□ □□□ □□□ □□□?

- A. Microsoft Teams □□ □□□
- B. PostgreSQL □□□□
- C. Active Directory □□□ □□
- D. SharePoint Online □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 69

NAS □□ □□□ □□□ □ □□□ □□□□ □□ □ □□□ □□□ □□ □□□ □□□ □□□?

- A. □□□□ □□□
- B. □□ □□
- C. □□ □□□
- D. □□ □□□

Answer: (SHOW ANSWER)

[illegible]

NEW QUESTION: 70

□□ □□□ □□□ □ Veeam CBT □□□□(□□ □□□ □□ □□□□)□ □□□ □□□□ □□□?

- A.** ☐☐☐☐ Hyper-V 2016 ☐☐☐☐☐☐☐
- B.** ☐☐ ☐☐☐ Veeam ☐☐☐☐☐☐
- C.** ☐☐☐☐ Hyper-V 2012 R2 ☐☐ ☐☐ ☐☐ ☐☐☐☐☐☐
- D.** ☐☐☐☐ VMWare vSphere ESXi 5.1 ☐☐ ☐☐☐☐☐☐
- E.** ☐☐ ☐☐ ☐☐☐☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

[illegible]

- A.** □□□ □□□□□ □□ □□□□ □□
- B.** □□ □□□ □□□□ □□ □□
- C.** □□ □□□ □□ □ VMware □□□□ VM □□□□□□
- D.** □□ □□□ □□ □□□ □□□ Hyper-V □□□□ □□□□□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 72

[illegible]

- A.** □□□□ VMware vSphere Client □ Veeam □□□□ □□ □□ □□ □□□□.
- B.** □□□□ Veeam One Business View □ □□ □□ □□ □□□□.
- C.** □□□□ Enterprise Manager □□ □□ □□ □□ □□ □□ □□ □□□□.
- D.** □□□ □□ □□□ □□□ □□□□□ □□□□□□□.

Answer: C (LEAVE A REPLY)

[illegible]

NEW QUESTION: 73

Veeam Agent for Linux□□□ □□□ □ □□ □□□ □□□□□?

- A.** ☐☐ ☐☐ ☐☐

- B.** 在 Windows 上安装 Veeam Agent for Linux
- C. 在 Linux 上安装 Veeam Agent for Linux
- C.** 在 Linux 上安装 Veeam Agent for Linux

Answer: C ([LEAVE A REPLY](#))

Veeam Agent for Linux 是一个用于在 Linux 系统上安装 Veeam Agent 的脚本。它可以在 C: 目录下运行。Veeam Agent for Linux 支持 LVM(逻辑卷管理)和 Btrfs 文件系统。Linux 系统上的 Veeam Agent 可以备份和还原数据。Veeam Agent for Linux 可以在 Linux 系统上安装和运行。Veeam Agent for Linux 可以在 Linux 系统上安装和运行。Veeam Agent for Linux 可以在 Linux 系统上安装和运行。Veeam Agent for Linux 可以在 Linux 系统上安装和运行。

NEW QUESTION: 74

Hyper-V 虚拟机可以使用 Veeam SureBackup 进行备份。以下哪项是正确的？

- A.** Veeam SureBackup 只能在 Windows 系统上使用。
- B.** Veeam SureBackup 只能在 Linux 系统上使用。
- C.** Veeam SureBackup 只能在 Windows 系统上使用。
- D.** Hyper-V 虚拟机可以使用 Veeam SureBackup 进行备份。

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 75

Veeam Backup & Replication 支持在 NAS 设备上备份数据。以下哪项是正确的？

12, 5 个备份副本，每个副本 14 天保留。备份副本存储在 GFS 模式下。SOBR(Scale-Out-Backup Repository) 是一个用于备份数据的存储库。

- A.** Veeam Backup & Replication 支持在 NAS 设备上备份数据。
- B.** Veeam Backup & Replication 支持在 NAS 设备上备份数据。
- C.** Veeam Backup & Replication 支持在 NAS 设备上备份数据。
- D.** Veeam Backup & Replication 支持在 NAS 设备上备份数据。

Answer: (SHOW ANSWER)

GFS 是一种用于备份数据的存储库。它支持在 NAS 设备上备份数据。Veeam Backup & Replication 支持在 NAS 设备上备份数据。Veeam Backup & Replication 支持在 NAS 设备上备份数据。

NEW QUESTION: 76

Veeam ONE 是一个用于监控和管理 Veeam 备份和复制的工具。以下哪项是正确的？

Veeam ONE 支持在 Windows 系统上使用。Veeam ONE 支持在 Linux 系统上使用。Veeam ONE 支持在 Windows 系统上使用。Veeam ONE 支持在 Linux 系统上使用。

- A.** Veeam ONE 支持在 Windows 系统上使用。
- B.** Veeam ONE 支持在 Linux 系统上使用。
- C.** Veeam ONE 支持在 Windows 系统上使用。
- D.** Veeam ONE 支持在 Linux 系统上使用。

Answer: B ([LEAVE A REPLY](#))

Veeam ONE 是一个用于监控和管理 Veeam 备份和复制的工具。它支持在 Windows 系统上使用。Veeam ONE 支持在 Linux 系统上使用。Veeam ONE 支持在 Windows 系统上使用。Veeam ONE 支持在 Linux 系统上使用。

VMCE_v12                        

NEW QUESTION: 77

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** □□□ WAN □□□
- B.** □□ □□□ WAN □□□
- C.** WAN □□□ □□
- D.** □□□□ WAN □□□

Answer: C (LEAVE A REPLY)

Veeam Backup & Replication 10.00 1000 1000 10 1000 WAN 1000 100000. 1000 1000 10000 10 10 10000 10 10 VM 10 1000 1000 10 10 100000. 10 1000 1000 VM 10 1000 10 10 (1: VM 10000 10 10 100000 10 10 10000 10) 10 1000000, 10 VM 10 10000 10 VM 10 100000 10 1000 10 100000. 1000 1000 10000 Veeam 10 VM WAN 10 10 10000 10 10 VM 10 1000 10 10000 10000 10 1000. 1000 WAN 10 10000 10 1000 10 10 10000 10000 10000 10 10000 1000 10000 10 10000. 10 1000 VM 10 10000 1000 10000 10 1000 100000 10000 10 1000 100000.

NEW QUESTION: 78

[illegible]

□□□ □□ □□□ □□ □ □□□□?

- A.** □□□□□ □□□□□□ □□□□□ □□□ □□□ □□□□□□□.
- B.** □□ □□ □□ □□ □□□□ □□□□□ □ □□□ □□□□□.
- C.** □□□□□ □□ □□□□ □□□□□□.
- D.** □ □□ □□ □□□ □□□□□ □□ □□□ □□□□□□.

Answer: C (LEAVE A REPLY)

https://helpcenter.veeam.com/docs/backup/vsphere/backup_copy_modes.html?ver=120#changing-backup-copy-modes

NEW QUESTION: 79

[illegible]

- A.** 00 00: 14 00 00 00 00 00 00 00 00 00: 14 00 00 00 00 00 S3 00 00 00 00
- B.** 00 00: 14 00 00 00 00 00 00 00 00: 14 00 00 00 00 00 Amazon S3 00 00
- C.** 00 00: 14 00 00 00 00 00 00 HPE StoreOnce
00 00: 14 00 00 00 00 00 00 Amazon S3 00 00
- D.** 00 00: 14 00 00 00 00 00 Windows 00 ReFS, 00 00: 14 00 00 00 00 00 S3 00 00 00 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

Veeam Backup & Replication □ □□ □□ □□□ □□□□ □□ □ □□ □□□ □□□□?
(□ □□ □□□□□.)

- A.** □□ □□ □□□ □□□□□ □□□ □□ □□ □□□ □□□□□.
- B.** □□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□ □□ □□□ □□□□□.
- C.** □□ □□ □□ □□ □□ □□□ □□□ □□ VM □□□□ □□□□□.
- D.** □□ □□□ □□□ □□ □□ □□ □□□ □□ □□□ □□□□ □□□□ GFS□ □□□□□ □□□□□.
- E.** □□ □□ □□□ □□ □□ □□□□□ □□ □□ □□□□ □□ VBK, VIB □□ VRB □□□ □□□□□.

Answer: A,D (LEAVE A REPLY)

□□: https://helpcenter.veeam.com/docs/backup/vsphere/about_backup_copy.html?ver=100

NEW QUESTION: 81

Veeam Backup and Replication □□□ □□□□□ □ □□□ □ □□ API□ □□□□□?

- A.** Veeam Backup and Replication ☐☐☐☐☐☐☐☐ SQL ☐☐
- B.** Veeam Backup and Replication Server ☐☐ REST API
- C.** Veeam Enterprise Manager ☐☐☐☐ PowerShell cmdlet
- D.** Veeam One ☐☐☐☐ REST API

Answer: ([SHOW ANSWER](#))

Veeam Backup and Replication Server REST API Veeam Backup and Replication API . API Veeam Backup & Replication

NEW QUESTION: 82

Veeam Backup & Replication Agent for Windows and Linux. It is a software agent that runs on the backup client and communicates with the Veeam Backup & Replication console. It is used to backup and restore data from various sources, including files, folders, and applications. It is also used to manage backup jobs and monitor the status of the backup process.

□□ □□ □ □□□ □□□ □□□□□ □□ □□ □□□ □□ □□□ □□□□ □□□□ □□□?

- A. □□ □□
- B. □□ □□□
- C. WAN □□□
- D. □□ □□ □

Answer: D (LEAVE A REPLY)

Veeam □□□□ □□ □□ □ □□□□ □□□ □□ □□ □ □□□ □ □□ □□ □□□ □□□□ □□ □□□□□□ □□ □□ □□□ □□ □□□ □□□ D: □□ □□ □□□□.

Veeam Backup & Replication □ □□ □□ □ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□ □□□ □□□ □ □□□□. □ □□ □□ □□□□ □□□□□ □□□□ □ □□□□ □□ □□ □□□ □□□□ □□ □□□□□ □□□□ □□□□□ □□ □□□□ □□□ □□ □□□ □□□□ WAN □□□ □□□□ □□□ □□ □□□ □ □ □□□□. □ □□ □□□ □□ □□□□□ □□□ □□□□ □□□ WAN □□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□□.

NEW QUESTION: 83

0000 000 00 B 00 00 000 0000 000. Veeam 000 000 00 A 0000. 0 000 0000 000 000 0 00 000 000 0 00 0000. 00
 0 0000 000 00000 00000 00000. 00 000 000 00000 0000 00 B 0000.

□□ □□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□□?

- A.** □□□ □□ B□□ □□ □□□□ □□□□□.
- B.** □ □□□ □□□□ □□ □□□, □□ □□ □□□□ □□□□□□.

C. □□□ □□ A□□ □□ □□□□ □□□□□.

D. ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐.

Answer: A (LEAVE A REPLY)

□□□ □□ B□ □□□ □□ □□□□ □□□□ □□ □□□□ □□ VM□ □□□ □□□□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□□ □□□□□ □□ □ □□ □□□□ □□ □□ □ □□□□.

NEW QUESTION: 84

□□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□ □□ □□□□□□□. □□□□ □□ □□□□□□□ □□□ □□□ □□□□□ □□□□. □□ □□ □□ □□□□ □□□□ □□□□ □□□?

A. Veeam Explorer for Microsoft SQL

B. □□ SQL □□

C. ☐ ☐

D. ☐ ☐ ☐ ☐ ☐ ☐

Answer: C (LEAVE A REPLY)

Veeam Backup & Replication 10.00 '10' 1000 1000 1000. 1 1000 1000 10 10 1 1000 1000
10 10 1000 1000 1 1000, 10 100000000 10 1000 1000 1000 1 100000. 10 10:

* Veeam Backup & Replication □□□ □□□: □□, □□ □ □□

* Veeam □□ □□ □□: □□ □□

NEW QUESTION: 85

VMware □□ □□□ □□□ □□□ □ □□ □ □□ □□□ □□□□? □ □□ □□□ □□□□□□.

A. ☐☐☐ Microsoft Windows ☐☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐ ☐☐☐.

B. vPower NFS ☐☐ ☐☐ ☐☐ ☐☐ ☐ ☐☐☐.

C. ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐.

D. ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐ ☐ ☐☐☐☐.

E. ☐☐☐ Linux ☐☐ ☐☐ ☐☐☐ ☐☐ ☐ ☐☐☐.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 86

VMware VM Microsoft SQL . VM , 3 . VM RPO() 1 .

[illegible]

A. SQL □: □ □□□ Microsoft SQL Server □□□□ □□□ □□□□ □□□ □□□□□. □□□ □□□□□ □□□□□.

B. SQL □: □ □□□ Microsoft SQL Server □□□□ □□□ □□□ □□□□□□. □□□ □□□ □□□□.

C. $\square\square\square:VSS\square\square:\square\square\square\square\square$

D. SQL □: □ □□□ Microsoft SQL Server □□□□ □□□ □□□□ □□□ □□□□□□. □□ □□□□

E. □□ □: VSS □□: □ □□□ □□□□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

VM の RPO(1)は、VM の、データ、の、RPO、は、SQL Server の、RPO、に、等しい。

NEW QUESTION: 87

Which VMware tool can be used to export a SQL database to a CSV file?

Which tool can be used to export a SQL database to a CSV file?

A. vSphere Client can be used to export a SQL database to a CSV file.

B. Enterprise Manager can be used to export a SQL database to a CSV file.

C. vSphere Client can be used to export a SQL database to a CSV file.

D. vSphere Client can be used to export a SQL database to a CSV file.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?

A. Veeam Agent for macOS can be used to backup a VM to a cloud storage provider.

B. Veeam Agent for macOS can be used to backup a VM to a cloud storage provider.

C. Veeam Agent for macOS can be used to backup a VM to a cloud storage provider.

D. Veeam Agent for macOS can be used to backup a VM to a cloud storage provider.

E. Veeam Agent for macOS can be used to backup a VM to a cloud storage provider.

Answer: B,E ([LEAVE A REPLY](#))

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?

https://helpcenter.veeam.com/docs/agentformac/userguide/system_requirements.html?ver=20 :

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?

USB, eSATA or Firewire can be used to backup a VM to a cloud storage provider. Veeam Backup & Replication 12 can be used to backup a VM to a cloud storage provider.

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?

NEW QUESTION: 89

Veeam can be used to backup a Microsoft SQL VM to a cloud storage provider.

Veeam Backup and Replication can be used to backup a Microsoft SQL VM to a cloud storage provider. Veeam Backup and Replication 12 can be used to backup a Microsoft SQL VM to a cloud storage provider.

Veeam Backup and Replication can be used to backup a Microsoft SQL VM to a cloud storage provider.

Veeam Backup and Replication can be used to backup a Microsoft SQL VM to a cloud storage provider.

A. Veeam Backup and Replication can be used to backup a Microsoft SQL VM to a cloud storage provider.

B. Veeam Backup and Replication can be used to backup a Microsoft SQL VM to a cloud storage provider.

C. SQL can be used to backup a Microsoft SQL VM to a cloud storage provider.


D. SQL can be used to backup a Microsoft SQL VM to a cloud storage provider.

Answer: D ([LEAVE A REPLY](#))

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?

NEW QUESTION: 90

Which Veeam Agent for macOS backup method can be used to backup a VM to a cloud storage provider?



- A. VBK □□(□□□□□ □ □□□)
- B. VIB □□(□□□□□ □ □□□)
- C. VIB □ VBK □□(□□□□□□ □□)
- D. VIB □ VBK □□(□□□ □□□ □□)
- E. VBM □□(□□□□□□ □□)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

CPU □ 8□□ Windows 2008 R2 □□□ Backup & Replication□ □□□□ □□
16GB RAM□ □□ □□□ □□□ □□□□□. □□□ □□□□□?

- A. Windows □□□□ □□□□□ □□ □□□ □□□ □□ □□□□.
- B. □□□□ □□ □□□□□.
- C. Windows 2008 R2□ □□□□ □□ □□□□□.
- D. CPU □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

Veeam Backup & Replication v12□ □□ □□□□□ Windows Server 2012 □□□ □□□□□. Windows 2008 R2□ □□□□□ □□ Veeam□□ □ □□ □□□□ □□ □□ □□□□□□
□□□ □□□□□.

NEW QUESTION: 94

□□ □□□□□□□ □□□□ □□ □□□□ □□□□ □□□□□ □□□. □□ □□ □□ □□□ □□□□ □□□?

- A. □□□□ □□
- B. □□
- C. □□□□
- D. □□□□□□

C. 在 NFS 存储上创建快照并挂载到虚拟机。

D. 在 VM 存储上创建快照并挂载到虚拟机。

E. 在虚拟机存储上创建快照并挂载到虚拟机。在虚拟机存储上创建快照并挂载到虚拟机。

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 99

在 Linux 上安装 VMware ESXi 时，需要指定磁盘。指定 /dev/sda(60GB), /dev/sdb(1TB), /dev/sdc(4TB) 哪个磁盘？哪个磁盘？

A. 在 VM 存储上创建快照并挂载到虚拟机。

B. VM 存储。

C. 在虚拟机存储上创建快照并挂载到虚拟机。

D. 在虚拟机存储上创建快照，在 VM 存储上创建快照并挂载到虚拟机。

Answer: B ([LEAVE A REPLY](#))

在 Linux 上安装 VMware ESXi 时，需要指定磁盘。指定 /dev/sda(60GB), /dev/sdb(1TB), /dev/sdc(4TB) 哪个磁盘？哪个磁盘？

Veeam Backup & Replication 安装时，Veeam Instant VM Recovery(快照恢复)

NEW QUESTION: 100

在 Linux 上安装 VMware ESXi 时，需要指定磁盘。指定 /dev/sda(60GB), /dev/sdb(1TB), /dev/sdc(4TB) 哪个磁盘？哪个磁盘？

A. 在 VM 存储上创建快照并挂载到虚拟机。

B. VM 存储。

C. 在虚拟机存储上创建快照并挂载到虚拟机。

D. CRC 检查。

E. 在虚拟机存储上创建快照并挂载到虚拟机。

F. 在 VM 存储上创建快照并挂载到虚拟机。

Answer: B,C,F ([LEAVE A REPLY](#))

NEW QUESTION: 101

在 Linux 上安装 VMware ESXi 时，需要指定磁盘。指定 /dev/sda(60GB), /dev/sdb(1TB), /dev/sdc(4TB) 哪个磁盘？哪个磁盘？

A. Microsoft SQL 数据库或 Oracle 数据库。

B. 在 VM 存储上创建快照并挂载到虚拟机。

C. VM 存储。

D. 在虚拟机存储上创建快照并挂载到虚拟机。

E. Amazon EC2 实例。

F. VM 存储。

Answer: A,C,F ([LEAVE A REPLY](#))

NEW QUESTION: 102

在 Linux 上安装 VMware ESXi 时，需要指定磁盘。指定 /dev/sda(60GB), /dev/sdb(1TB), /dev/sdc(4TB) 哪个磁盘？哪个磁盘？

- A. Veeam 100 1000
- B. Veeam 100 1000
- C. Veeam 1000 100 1000
- D. Veeam 100 1000
- E. Veeam 100 10000 1000

Answer: A,C ([LEAVE A REPLY](#))

100

1000 1000 https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100 1 1000000.

NEW QUESTION: 103

Veeam Explorer for Microsoft SQL Server 100 100 1 100 1000 1000000? 1 100 1000 1000000.

- A. SQL 10000 100 100 100 1000 1000000.
- B. SQL 10000 1000 100 1000 100
- C. SQL 100000000 .sql 1000 10000
- D. 1000 100 100 SQL 100000000 1000000.
- E. SQL 100000000 100 100 100 10000 1000000 10000
- F. SQL 1000 100 100

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

100000 100 100 100000 1 1000 1000 1000 1000 1000 100000 100000 1000.

Veeam Backup and Replication 100 1000 100000 1 1000 1000 1 100000?

- A. 100
- B. 100 1000 1000
- C. 100 1000
- D. 10000 100

Answer: C ([LEAVE A REPLY](#))

100 100 1000 100000 100 100 100000 1000 10000000 10000 1000000.

100 100 100000 100000 1000 100000 1000 100000 1000 100 1000 1000 100 100000, 100 1 100 100 1000 100000 1 100000. 100 100: Veeam Backup & Replication 1000, Veeam 100 1 1000

NEW QUESTION: 105

10000 Veeam Backup & Replication 100 10000 100 100 100 100 1000 100000. 100 100 1000 1 1000 1000 1 100000?

- A. Veeam Backup Enterprise Manager
- B. Veeam 1000 1000 100
- C. Veeam Backup & Replication 100
- D. Veeam ONE

Answer: ([SHOW ANSWER](#))

Veeam ONE 100000 100 100 1000 100000 100000 10000 100 100000 1 100 1000 1000000. 100 100 100 1000 100000 100 VM 1000 100000 1000 100 100 1000 1000 1 1000 1000000.

NEW QUESTION: 106

☐ ☐ Veeam Backup & Replication ☐ ☐ VMware vSphere☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐?

☐ ☐☐ ☐☐☐ ☐☐☐☐☐.

- A.** □□ □□□
B. □□
C. □□
D. VM □□
E. VeeamZIP
F. □□□

Answer: ([SHOW ANSWER](#))

VMCE_v12 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ VMCE_v12 □□! DumpTop □ □□ **VMCE_v12** □□ □□□ □□□□□□, DumpTop VMCE_v12 □□ □□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop VMCE_v12 □□□ □□□□□. https://www.dumptop.com/Veeam/VMCE_v12-dump.html (212

Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

□□ □□□ □□ □□ □□□ □□ Veeam□ □□ □□ □□□ □□ □□□ □□□ □ □□□□?

- A.** □□□ □□ □□□
B. WAN □□□
C. □□□ □□
D. □□ □□ □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 108

□□ □□□□ □□□ □□ □□□ □□□□.

- □□□ 30□ □□ □□□ □□□□□ □□□□ □□□□.

5□ □□ □□ / 1□□ □□ □□.

- □□□□ 14□ □□□ □□□ □□□□□□.

- □□ □□ □□□ Amazon Simple Storage Service□ □□□□ □□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** □□ □□ □□□ 14□ □□ □ □□□ □□□□□ "□□"□ □□□□□□.
- B.** □□ □□ □□□ 14□□□ □□□ □□□ □□□□□ □□□□□.
- C.** □□□□ □□ □□□ 14□□□ □□□ GFS □□□ □□□□□□□ □□□□□.
- D.** □□ □□□□ "□□"□ □□□□□□. □□ □□□□ 14□□□ □□□ □□□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□ □□ □□□□ □□ □□□ Amazon S3□ □□□□ □□ "□□" □□□ □□ □□□ □□□□, 14□ □□ □ GFS(□□/□□) □□□ □□□□ □□ □□□□ □□□ □□□□ □□
□. □□□ □□ □□ □□ □□□ S3□ □□□□□ □□ □□ □□□ □□□□□ □□□□□.

NEW QUESTION: 109

□ □□□□□ Nimble Array□□ □□ □□ VMware VM□ □□□□ □□□. □□□□□ □□ □□ □□ □□□□□□. □□ □□ □ "□□□□□ □□□□□ □□ □□□"□ □□□□□□. □□□ □□□ □ Nimble Array□□□ □□□□ □□□□ □□□□. □□□ □□□□ □□ □□□ □□□□□?

- A. □□□□ □□□□□ □□□ □□□□□ Nimble Array□ □□□□□ □□□.
- B. □□□□ □□□□ Nimble Array□ □□□□ □□□.
- C. □□ □□□□ □□□□ □□□□□ □□□□ □□ □□□□.
- D. VMware Tools□ □□□□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

Nimble Array□□ □□□□ □□□□ □□□ □□□ □□□□□□ Veeam Backup & Replication □□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□. □□□ □□ Veeam □ Nimble Array□ □□ □□□□ □□□□ □□□ □□□ □□□□□□□□□□, □□□ □□□□ □□□ □□□ □ □□□□. □□□ □□□□ □□□□ □□□□ □□□ □□ □□□ □□ □□□ □□□□□ □□□□ □□□, □□□ □□□ Veeam □□□□ □□□□ □□□. □□ □□:

- * Veeam Backup & Replication □□□ □□□: □□□□ □□□□□ □□
- * Veeam □□ □□: Nimble □□□□ □□□ □□

NEW QUESTION: 110

- □□ □□ □□□ □□ □□□ □□□□□?
- A. □□□□ □□□ □□□ □□ □□ □□□□□□□ VM□ □□□□□□.
 - B. □□ VM □□□□ □□ VM □□□□ □□□□□ □□□□□.
 - C. □□ □□□□ □□□ □□ □□ □□ □□□ □□□□□.
 - D. VM□□ □□□□ □□ □□ □□ □□□□□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

□□: https://helpcenter.veeam.com/docs/backup/vsphere/planned_failover.html?ver=100

NEW QUESTION: 111

□□□ □□□ □□ □□□□ □□□□□ □□□. □□□ □□□ □□ □□□ □□□□ □□□□□. □□□□□ □□□ □□ □□ □□□□ □□□ □ □□□, □□ □□□ □ 21□ □□□ □□□ □□□ □ □□□□. □□ □□□ AWS□ □□□□ □□□. □□ □□□ □□ □□□ 60□□□□□. □□□ □□ □□□ □□□□ □□□□□ □□ □□□ □□□ □□□□□?

- A. □□ □□
□□ □□: Windows REFS, □□□ □□ □□ 11□
□□ □□: Amazon S3, □□□ □□ 60□
- B. □□ □ □□ □□
□□ □□: Windows REFS, □□□ □□ □□ 11□
□□ □□: Amazon S3, □□□ □□ 60□
- C. □□ □□
□□ □□: Linux □□ □□□, XFS, 11□□ □□□ □□ □□ □□: Amazon S3, 60□□ □□□ □□
- D. □□ □ □□ □□ □□ □□ □□: Linux □□ □□□, XFS, 11□□ □□ □□□ □□ □□ □□: Amazon S3, 60□□ □□ □□□ □□

Answer: D ([LEAVE A REPLY](#))

□□□ □□ □ □□ □□ □□□ □□ □□□□ □□ □□□ □□ □□□(SOBR) □□ □□ □□□ □□□□ □□ □□ □□□ □□□□ D: □□ □ □□ □□□□□. □□ □□□ XFS □□ □ □□□ □□□□□ Linux □□ □□□□ □□□□□ 21□ □□ □□□□ □□□□□, □□ □□□ Amazon S3□ □□□□□ 60□ □□ □□□□ □□□□□. □ □□□ □□ □ □□ □□□ □□□ □ □□□ □□ □□□□□ Linux □□ □□□□ □□□ □□□□□ □□□□□ □□□. □□ □□ □□ 21□□□ □□□ □□□□□□□ □□□ □ □□□□□. □□□□□□ □□□ □□□ □□□

□□□ 21□□ □□ □□□ Amazon S3□ □□ □□□□ □□□□ 60□ □□ □□ □□ □□□□□ □□□□□. □ □□□ □□□□□ □□□□□ □□□□ □□□□□ □□□ □□ □□□ □ □□□ □□ □□□ □□ □□ □□□□ □□□ □□□□ □□□□ □□□ □□□ □□ □ □□ □□ □□□ □□□□□.

NEW QUESTION: 112

□□□□ □□□□ Veeam □□□□□ □□□□ □□□ Windows □□□ □□□□□ □□□□□□□□. Hyper-V □□□□ □□ □□□□, □□□ □□□ □□□□ □□□□□. □□ □□ □□□ □□□ □□ □□ RTO□ □□□□□? A. Hyper-V□ Instant VM Recovery□ □□□□□. B. Hyper-V□ Instant Disk Recovery□ □□□□□. C. Hyper-VVM□ □□□□ □□□ □□□□□. D. □□□ □□□□ □□ □□□□ □□□□□ □□□□ □ VM□ □□□□□.

Answer: (SHOW ANSWER)

Veeam□ □□□□ VM □□ □□□ □□ □□□ □□□ □□□ □□□ □□ □□ □□□□ □□ □□ □□□ □ □□□ □□□□. Hyper-V □□□□ □□□□ VM □□□ □□□ □ □□□ □□□ □□□ □□□ Hyper-V □□□ VM□□ □□ □□ □□□ □ □□□□ □□ □□ □□(RTO)□ □□□□□ □ □□ □□□ □□□□□. Microsoft Windows□ Veeam □□ □□□ Hyper-V VM□ □□ □□□□ □□□ □□□□□ □□ □□□□ □□ □□□□ □□□□ □□□ □ □□□□.

NEW QUESTION: 113

Veeam □□□□ □□□ □□□□□ Veeam □□□□ □□ □ □□ □□□ □□□ □□□ □ □□□□□? (□ □□ □□□□□.) A. □□□□ □□ B. □□□□ □□□□□□ □□ C. □□ □□□ D. □□□□ □□□ □□□ □□ E. □□□□ □□ □□

Answer: A,E (LEAVE A REPLY)

Veeam □□□□ □□□ □□□□(VCSP)□ Veeam□ □□□ □□ □□□ □□□□□ □□□□ Veeam □□□ □□ □ □□ □□ □□□ □□□□ □□□□ □□□□□ □□□ □□□ □□□□ □□□□□. VCSP □□□ □□□ □ □□ □□□□ □□□ □□□□. A) □□□□ □□(BaaS) - □ □□□□ □□ Veeam □□□ □□□□□ □□ □□□ □□□□□ □□□□ □□□□ □□□□ □□ □□ □ □□□ □□□ □ □□□□. BaaS□ □□ □□□ □□ □□□□□, □□□□ □□□□□ □□□ □□ □□□□ □□□, □□□ □□ □ □□□□ □□□□□. E) □□□□ □□ □□(DRaaS) - DRaaS□ □□□□ □□ □□□□ □□ □□ □□□□ □□ □□ □□□□ □□□□□. □□ □□□□ □□□□ □□□ □□ □□□ □□ □□ □ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□□. □□□□ □□□□ □□□□ □□□ □□ □□□ Veeam Backup & Replication□ □□□ □□□ □□□□ □□ □□□□ □□□□□ □□□ □□□ □□ □□□□ □□□□□.

NEW QUESTION: 114

Veeam Backup & Replication □□ □□ □ □□ □□ □□ □□ □□(RTO)□ □□□□ □□□ □□□□□? A. □□ □□□ B. □□□□ □□ C. □□ D. □□□□ □□

Answer: C (LEAVE A REPLY)

https://helpcenter.veeam.com/docs/backup/vsphere/replication.html?ver=100

Instant VM Recovery□ □□□□ □□□ □□ □□□ □□□□ □□□ □, □□ □□□□□ □□□□ □ □□□ □□□ □□□ A: □□□□ □□□□ □□□□□□□□□□. Instant VM Recovery□ □□□□ VM□ □□ □□□ □□ □□□□ □□ □□□□□ □□□ □□□ □□□□ □□□□□ □□□□□. □□□ VM□ □□□ □□ □□□ □□□□□ □□□□ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□□□□□□□ □□ □□□□□□□. "□□□□□ □□□□ □□□□□□□" □□□ □□ □□ VM□ □□ □□□□□□□ □□□□ □□□□□ □□□ □ □□□□, □□□□□ VMware □□□□□ □□□□□ vMotion□ □□□□ □□ □□□□□□□□□□ □□□ □□□□□ □□□□□□. □ □□□ □□ VM□ □□ □□ □□□ □□□□ □ □□□ □□□□ □□□ □□□□□ VM□ □□□□ □□□□ □□□ □□ □□□ □ □□ □□□.

NEW QUESTION: 119

Veeam Backup Enterprise Manager□□ □□ □□□ □□□ □□ □□□ □ □□ □□□□ □□ □□□ □□□□□?

- A. □□□ □□□□□ □□
- B. OneDrive for Business □□
- C. SharePoint □□□
- D. □□□□□□

Answer: (SHOW ANSWER)

Enterprise Manager□ □□ □□□ □□□ □□□□□□ □□ □□, □□ □□□□□□ □□(□: Veeam Explorer for Microsoft SQL□ □□ □□)□ □□□□□ □□□ □□ □ □□□□□.

NEW QUESTION: 120

□□□□□ AWS S3□ □□ □□□□ □□ □□□ □□□□□□□. □□ □□□ □□ □□□ 31□□ □□□□□□, □□ □□□ □□ □□ 31□□ □□□□□□□□. □□□ □□ □□ □□□ □ □□□ 31□ □□□ □□□□ □□□□ □□□□□□. 60□.

□□□ □□□ □□□ □□□□□□?

- A. □□ □□□ □□□ □□□□□□□□□□.
- B. □□ □□□□ □□□□□ □□□□.
- C. □□ □□ □□ □□□ □□ □□ □□ □□□□□.
- D. □□ □□□ □□ □□ □□□ □□□□□□□□.

Answer: D (LEAVE A REPLY)

Veeam Backup & Replication□□ □□ □□□ □□□□ □□□ □□ □□□ □□ □□ □□ □□□□ □□□□□ □□□ □ □□□ □□□□□. □□□ □□ □□□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□ □□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□□□. □□□ □□ □□□ □□ □□□ □□ □□ □□ □□ □□, □□ □□ □□□ □□ □□ □□ □□ □□□ □□ □□□ □□□□ □□ □ □□□□□. □□□□□ □□ □□□□ □□ □□□ □□□ □□□ □ □□ □□□ □□□□ □□ □□□ □□□□.

NEW QUESTION: 121

□□ □□□□□ 7□□ Hyper-V □□ □□(VM)□ □□ □□ □□ □□□ □□□□ □□□, 14□ □□□ □□ □□□ □□□□□□. □□ □ VM □□ □□□ □□ □□ □□□□ □□□□ □□ □□□ □□□. □□ □□ □□□□□ 6□□ □□□ □□ □□□ □□□□ □□, VM□ 2□□ □□□ □□ □□ □□ 6□□ □□□ □□ □ □□□□ □□□ □ □□□ □□□. □□□ □□ □ □□ □□□□ □□ □□ □□□ □□□ □□□□ □□□?

- A. □□□ □□(□□) □□□ □□□□, 62□ □□ □□□□ □□□□, □□ 6□□ GFS □□ □□□ □□□□□.
- B. □□ □□(□□□) □□□ □□□□, 180□ □□ □□□□□.
- C. □□□ □□(□□) □□□ □□□□ 180□ □□ □□□□□.
- D. □□ □□(□□□) □□□ □□□□, 62□□□ □□□ □□□ 26□□ □□ GFS □□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

1000 100 1000 1000000 6200 100 1000 600 1000 GFS(Grandfather-Father-Son) 100 1000 100000 1000 100(100000) 1000 100 100 1000 100000 100 100 100000. 100 1000 100 100 200 1000 100 1000, 100 600 1000 100 1000 1000 100 100 1000 100 1000 1000 100 100000. 100 100: Veeam Backup & Replication 1000 1000, Veeam GFS 100 100 100

VMCE_v12 100 1000 1000000 100 DumpTop 100 100000 1000 VMCE_v12 100! DumpTop 100 100 **VMCE_v12** 100 1000 10000000, DumpTop VMCE_v12 100 100 10000000000 1000 10000000000. 100000 10000 100000 100 DumpTop VMCE_v12 10000 10000000. https://www.dumptop.com/Veeam/VMCE_v12-dump.html (212 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 122

Veeam V12.1100 1000 100000 1000 100 10000000?

- A. NFS 100 100
- B. ESXi 1000
- C. HP/UX
- D. AS/400

Answer: (SHOW ANSWER)

Veeam Backup & Replication v12.1100 100000 100 100000 NFS 100 1000 VMware ESXi 100000 1000000 HP/UX 100 AS/400 100000 100000 100000. NFS 100 100 - Veeam v12.1100 100 100 100 1000 100 NFS 100 100000 1000 100000 100 1000 1000000. ESXi 1000 - VMware ESXi(vSphere 100000 100)100 Veeam v12.1100 100 1000 100000 1000000.

NEW QUESTION: 123

100 1000 100000 100 100 100(RPO)100 1000000?

- A. 100 100000 1000 100 1000 100
- B. 100 1000 1000 1000(100000 100)100 1000 100 1000000.
- C. 1000 1000 100000 100 100
- D. 1000 1000 1000 100 100

Answer: B (LEAVE A REPLY)

100 100 100000 100 100 100(RPO)100 100 B, 100 100 1000 100 1000 1000 1000 100000 100 100 1000000. RPO100 100 100 100000 1000 100000 100 1000 10000, 100 100 1000 100 100 100 1000 1000 100 100 1000 10000(100 100)100 1000000. 100 1000 100 100 100 1000 1000 100 1000000 100000 100 100 1000000 1000000. 100 100, RPO100 40000000 100 1000 100 100 400 1000 100000 1000 100 1000 100 10000, 1000 100 100 100 1000 100 400000 1000000 10000. RPO100 100000 100 100000 1000 100 1000 100000 100 1000000, 1000 1000 100 100 1000 100 100 1000 100 100 1000 1000 1000000.

NEW QUESTION: 124

100 1000 1000 100 100(100 100)100 1000000 1000 100, 1000 100 100 100 100 1000000?

- A. 100 1000 100 1000 100000 100 1000 100000 1000 1000 100 100 100000 100 1000 10000000.
- B. 100 1000 100 VM100 1000 VM 100 100000 1000000. 100 100 1000 10000000.
- C. 100 1000 100 100 100 100 100000 VM100 1000 100 100 1000000 100 100 1000 1000000 1000000.
- D. 100 100 100 VM100 100000 1000 1000 1000000.

Answer: (SHOW ANSWER)

100: https://helpcenter.veeam.com/docs/backup/hyperv/replica_seeding_hv.html?ver=100

NEW QUESTION: 125

□□ □□ □□□□ □□□□□ □□□ □, □□ □□(VM)□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□□□□. □□ □□□ □□□□ □□□?

- A. □□□□ □□ □□
- B. □□□ □□ □□
- C. □□□
- D. □□ □□□

Answer: A ([LEAVE A REPLY](#))

□□

https://helpcenter.veeam.com/docs/backup/vsphere/undo_failover.html?ver=120

NEW QUESTION: 126

□□□□ □□□□ □ □□ □□□ □□□ □□□ □□□□□□□□.

□□□□□ □□ □□□ □□ □□ □□□ □□□□□.

1. □□□□ '□□ □□' □□ □□□ □□□ □□□ □□□□□.
2. □□□□□ VMware vSphere□ □□□□□.
3. □□ □□□ □□□□□.
4. □□□ □□□□□ □□□□□.
5. □□ □□□ □□□□□.
6. □□ □□□ □□□□□.

□□ □□□ □ □□□□□ □□□ □□□ □□□□ □□□□ □□□ □□□□□□. □□□ □□□□□ □□□ □□□ □□□ □□□□□ □□□□□ □□ □□□ □□□□ □□□?

- A. □ □□ □□ □□□□ □□□□□. iob□ □□□ □□□□□. □□□ □□□□□ □□□□□. □□□□□ □□□□□□. '□□□□□□□ □□' □□□□ □□□□□ □□□ □□□□□□. □□ □□□ □□□□□□.
- B. □ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□□. □□□ □□□ □□ □□□□□. □□ □□□ □□□□ □□ □□□□ □□□□□. □□ □□□ □□□□□. □□ □□□ □□□□□.
- C. □ □□ □□ □□□□ □□□□□. □□ □□□ □□□□ □□ □□□□ □□□□□. □□□ □□ □□□ □□□□□. □□ □□□ □□□□ □□ □□□ □□□□□.
- D. □ □□ □□ □□□□ □□□□□. □□ □□ □□ □□□ □□□□□. □□□ vSphere □□□ □□□□□. □□ □□ □□□□ □□□□□. '□□□□ □□□□ □□□ □□□□□' □□□ □□□□□. □□□ □□ □□□ □□□□□. □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#)**)**

Veeam Backup & Replication□ □□ □ □□□ □□□□□□□ □□ □□□ □□ □□(VM)□ □□□□ □□□□ □□□□ □□ □□□□ □□□□□. □□□ □□□□□ □□, □ □□□ □ □□□□ Active Directory □□□□ □□ VM□□ □□ □□ □□□□□□□ □□□□ □□□□□ □□□□□. □□□ □□□ □□□ □□□□ □□□□□□ □□□□ □□□□□ □□□ □□ □□ □□ □□□□□□ □□ □□ □□□ □□□□□ □□□.

NEW QUESTION: 127

□□□□ VMware□□ □□□□□ SQL □□□ □□□□ □□□□ □□ □□□ □□□□ □□□. □□□ □□ □□ □□□ □ □□□□□?

- A. vSphere □□□ □□□□ □□□ □□□□□.
- B. □□□□□□ □□ □□□ □□□□□□.


- C. □□ □□ □□ □□ □□□ CSV □□□ □□□□□.
- D. Enterprise Manager□□ □□ □□ □□□ □□□□□.

Answer: (SHOW ANSWER)

vSphere □□□ □□□□ □□ □□□ □□□□ VMware□□ □□□□□ □□□ SQL □□□ □□□□ □□□ □ □□□□. □ VM□ vSphere□□ □□□ □□□ □□□□ □□ □□□ □ □□□ □□□□ □□ □□ □□ □□ □□ □□ □□ SQL □□□ □□□□□.

NEW QUESTION: 128

□□□ A □□□□□ □□□ □□□□□. □□ □□ □□□ □□□□ □□□□(□□□□□ □□). □□□ □□□ □□□□□ □□ B □□□□□ □□□ VM□ □□□□ □□□ □□□ □□ □□□□?



- A. "□□ □□ □□"□ □□□□□.
- B. "□□□ □□ □□"□ □□□□□.
- C. vCenter□ □□ VM□ □□□□ □□□□.
- D. vCenter□□ "□□ □□□□"□ □□□□□.

Answer: B (LEAVE A REPLY)

□□□ □□□□□ □□□ □□ □□ □□□ A□ □□ VM□□ □□□ B□ □□□□□ □□□□ □□□ □ □□□ □□ □□□□□□□□. □□ □□□ □□□□ □□□□ □□□ □ □□□ □□□□, □□□ □□□□□ □□ □□ □□□□ □□□□□□ □□□□ □□□ □□□□□□□□. □□□ □□□ □□ □□□ □□□ □□□□□ □□□ B□ VM□ □□ □□□ □□□□□ □□□. (□□ □□:)

* Veeam Backup & Replication □□□ □□□: □□□□ □ □□□

* Veeam □□ □□ □□: □□□ □□ □□ □□

NEW QUESTION: 129

Veeam Backup & Replication □□ □□ □ □□ □□ □□ □□ □□(RTO)□ □□□□ □□□ □□□□□?

- A. □□ □□□
- B. □□□□ □□

D. ☐ ☐ ☐ ☐ ☐ ☐

□□: <https://helpcenter.veeam.com/docs/backup/vsphere/replication.html?ver=100>

Veeam Explorer□□ Microsoft Active Directory□ □□□ □ □□ □□□ □□□□□?

B. ☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐

D. Veeam RMAN □□□□□ □□□□ □□□ □□□□ □□□□□□□ □□□□□.

NEW QUESTION: 131

A. □□□ □□ □□□ □□, □□□ □□□□ □□□□ □□□ □□□□□.

B. □□□ □□□ □□□ □□ □□□ □□ □□□ □□□□□.

C. ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

D. □□□ □□ □□□ □□ □□□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

[illegible]

NEW QUESTION: 132

[illegible]

A. 1. ☐☐ ☐☐

2. □□ □□ □□

3. □□ □□□□

B. 1. ☐☐ ☐☐

2. ☐ ☐ VM ☐ ☐

3. VM .

C. 1. ☐☐ ☐☐

2.

3. □□□ □□

D. 1. ☐☐ ☐☐

2.

3. □□ □□□□

Answer: ([SHOW ANSWER](#))

□□

https://helpcenter.veeam.com/docs/backup/vsphere/planned_failover.html?ver=100

NEW QUESTION: 133

VMware □□□ □□ □□ □□□ □□ □□ □□□ □ Veeam□ □□□ □□□□□?

A. □□□□ □□ □□□ □□ □□□

B. □□□□ □□ □□ □□ □□□

C. □□□□ □□ □□□ □□ □□□

D. □□□□ □□ □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

https://helpcenter.veeam.com/docs/backup/vsphere/surebackup_advanced_vlab.html?ver

VMCE_v12 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ VMCE_v12 □□! DumpTop □ □□ **VMCE_v12** □□ □□□ □□□□□□, DumpTop VMCE_v12 □□ □□ □ □□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop VMCE_v12 □□□ □□□□□. https://www.dumptop.com/Veeam/VMCE_v12-dump.html (212 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)